



## OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

June 23, 2025

Teri Muchow  
teri.muchow@arxada.com  
ARCH WOOD PROTECTION, INC.

Subject: Non-PRIA (Pesticide Registration Improvement Act) Labeling Amendment - Adding additional mixing language to the Directions for Use and other minor changes, adding one Alternate Brand name to the master label.  
Product Name: ANTIBLU XP64  
Admin Number: 62190-25  
EPA Receipt Date: 04/05/2023  
Action Case Number: 00446423

Dear Teri Muchow:

The amended labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

The alternate brand name: FRAMEGUARD PACK A has been added to the registration. Our records have been updated accordingly. This approval does not affect any terms or conditions that were previously imposed on this registration. You continue to be subject to existing terms or conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release this product for shipment with the new labeling. In accordance with 40 CFR § 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR § 152.3.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6.

If you have questions, please contact Lorena Rivas via email at [rivas.lorena@epa.gov](mailto:rivas.lorena@epa.gov).

Sincerely,

A handwritten signature in black ink that reads "Marcel Howard". The script is elegant and cursive, with the first letters of "Marcel" and "Howard" being capitalized and prominent.

Marcel Howard, Product Manager, Team 34  
RMB2, AD  
Office of Pesticide Programs

# AntiBlu® XP64

{Alternate Brand Name: FRAMEGUARD® PACK A}

For the control of sapstain and mold and mildew on freshly sawn and seasoned wood and wood products

## ACTIVE INGREDIENTS:

Propiconazole .....	4.0%
3-Iodo-2-propynyl butylcarbamate.....	6.0%
Alkyl (60%C14, 30%C16, 5%C12, 5%C18) dimethyl benzyl ammonium chloride .....	25.0%
Alkyl (68%C12, 32%C14) dimethyl ethylbenzyl ammonium chlorides .....	25.0%
<b>OTHER INGREDIENTS:</b> .....	<u>40.0%</u>
<b>TOTAL</b> .....	<b>100.0%</b>

## KEEP OUT OF REACH OF CHILDREN DANGER

### FIRST AID

**IF IN EYES:** Hold eye(s) open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue to rinse eye(s). Call a Poison Control Center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

**IF SWALLOWED:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison Control Center or doctor for further treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or when going for treatment.

**Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.


**IN CASE OF EMERGENCY CALL: 1-800-654-6911**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 62190-25  
EPA EST NO. xxxxx-yy-zz

MANUFACTURED BY:  
ARCH WOOD PROTECTION, INC.  
3941 Bonsal Road Conley, GA 30288

NET CONTENTS:  
BATCH CODE: XXXXXX



## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Not for food grade/food contact paper or paper board.

For Industrial and Commercial Use

## **APPLICATION DIRECTIONS**

AntiBlu® XP64 may be applied to wood and wood products by immersion or spray methods according to the dilutions provided below. Dilution levels may vary widely and will depend on application methods, wood species, seasonal changes in exposure conditions, length of protection desired, and wood storage and transport conditions.

**For spray applications:** Mix one gallon of AntiBlu® XP64 to 10-50 gallons of water.

**For immersion applications:** Mix one gallon of AntiBlu® XP64 to 50-300 gallons of water.

For best results, apply AntiBlu XP64 to recently felled and fresh sawn or peeled wood ensuring total coverage. Allow treated wood to drain in a contained area before storage, and ensure that freshly treated wood is not allowed to remain unprotected in heavy rains.

This product can be used in combination with other EPA registered wood preservatives such as EPA Reg. 62190-43 in water and stir to give a solution of the desired concentration of components following the uses directions on each label".

Mixing Procedure:

1. Pour 8 gallons of water into a container large enough to hold at least 12 gallons.
2. Attach mixing impeller to drill to begin agitation.
3. Gradually add 2 gallons of FRAMEGUARD® Pack B40 and 1 gallon of AntiBlu® XP64 to the water and continue to mix solution.
4. Use 2 gallons of water to triple rinse the AntiBlu® XP64 and FRAMEGUARD® Pack B40 containers and pour contents into mixing solution.
5. Continue to mix until solution is fully mixed. Normal mixing time may be 5 minutes. Warm water will reduce mixing time.

## **Application Instructions:**

Use a 2-4 gallon hand-held stainless steel sprayer or backpack sprayer to apply up to 2-4 gallons of the AntiBlu® XP64/ FRAMEGUARD® Pack B40 use-solution at a time. For larger amounts, a 10-100 gallon spray unit with mechanical pump is recommended. One gallon of the use-solution will treat 350 square feet of wood, sheathing, insulation or drywall.

Assure uniform coverage of surfaces to be treated. Surfaces must be evenly wet without runoff or pooling. Permit treated surfaces to be thoroughly dry before painting or affixing overlayment materials such as siding, wallboard, or flooring.

## **STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Open dumping is prohibited. Keep container closed when not in use. Store in a dry, well ventilated area away from food or feed.

### **PESTICIDE DISPOSAL:**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### **CONTAINER HANDLING:**

{Container less than or equal to 5 gallons}

Nonrefillable Container. Do not refill or reuse container. Triple rinse as follows: Fill container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Empty the rinsate into the application equipment or mix tank or store rinsate for later use or disposal. Repeat procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill.

{5 gallons or more}

Nonrefillable Container. Do not refill or reuse container. Triple rinse as follows: Fill container 1/4 full with water. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill.

## **PRECAUTIONARY STATEMENTS**

### **HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER:** CORROSIVE, CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS. May be fatal if swallowed. Harmful if inhaled or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and gloves. Do not breathe vapor or spray mist. Wash thoroughly with soap and water after handling, and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse.

### **Personal Protective Equipment (PPE)**

Applicators and other handlers must wear:

- Coveralls over long-sleeved shirt and long pants,
- Chemical resistant footwear and socks,
- Chemical resistant gloves that are waterproof (such as: Barrier Laminate, or any of the following gloves at ~14 mils thickness: butyl nitrile, neoprene rubber, polyvinyl chloride or Viton)
- Protective eyewear: Goggles or face shield
- Dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21 C) or a NIOSH approved respirator with any N, R, P, or HE filter.
- When mixing, loading and cleaning equipment wear a chemical resistant apron. For overhead exposure wear chemical resistant head gear.

### **USER SAFETY REQUIREMENTS**

Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separate from other laundry.

### **USER SAFETY RECOMMENDATIONS**

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside, then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Observe the most restrictive of the labeling limitations and precautions of all products used in mixtures. Treated lumber must be stored under cover, or indoors, or at least 100 feet from any ponds, lake, stream, wetland, or river to prevent possible runoff of the product into the waterway. Treated lumber stored outdoors within 100 feet of a pond, lake, stream, or river must be either covered with plastic or surrounded by berm to prevent surface water runoff into the nearby water way. If a berm is used around the site, it must consist of impermeable material (clay, asphalt, concrete) and be of sufficient height to prevent runoff during heavy rainfall events.

### **PHYSICAL OR CHEMICAL HAZARDS**

Combustible. Do not use or store near heat or open flame. Incompatible with the oxidizing agent, 10% potassium permanganate and compatible with the other tested materials: zinc powder, ammonium phosphate, turpentine, carbon dioxide, and water.