



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

SEP 162014

Leesha Square Conza, Inc.
1200 Bluegrass Lakes Parkway
Alpharetta, GA 30004

RE: Product Name: Antiblu MC-30

EPA Registration: 62190-30 Notification Date: July 28, 2014

Notification Pin Punch: August 5, 2014

Dear Leesha:

This acknowledges receipt of your Notification submitted in accordance with the provisions of PR Notice 98-10 under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) section 3(c) 9.

Proposed Notification

Update the Container Disposal instructions and the company address.

General Comment

Based on a review of the material submitted, the Notification is acceptable.

Should you have any questions or comments concerning this letter, please contact Tom Luminello at (703) 308-8075 or Luminello.Tom@EPA.GOV.

Sincerely

Jacqueline Hardy

Product Manager 34

Regulatory Management Branch II Antimicrobials Division (7510P)

rease read instructions on reverse before co	ompleting, 4. rotti A	Approved, OMB N	NO. 2070-0060, Approvai	× 8 03-31-98			
TODA	Unl		☐ Registrat	il.	OPP Ide	ntifier Number	
EPA Environ	Environmental Protection Agency Amendment				ļ		
	Washington, DC 20460		Other				
Application for Pesticide - Section 1							
Company/Product Number 62190-30	2. EPA Product Manager			3. Proposed Classification			
4. Company/Product (Name)		PM#	J. Hardy		None None		
Antiblu MC-30		34				Restricted	
Name and Address of Applicant (Include Arch Wood Protection, Inc.		6. Expedited Review. In accordance with FIFRA Section or identical in composition and labeling to:			product is similar.		
360 Interstate North Parkway,	or racinica	a in composition and tabel	ing to.				
Atlanta, GA 30339	EPA R	EPA Reg. No.					
	Produc	Product Name					
Check if this is a new address							
Section – II							
Amendment - Explain below. Final printed labels in response to Age							
Resubmission in response to Agend		"Me Too" Application					
Notification - Explain below. Other - Explain below Con Section Level Section III							
Explanation: Use additional page(s) if necessary. (For Section I and Section II.)							
Label notification to correct container disposal language and update company address. See cover letter for details.							
Notification per PR Notice 98-10 to update the basic CSF and Alternate Formula 1-27 CSFs. Refer to cover letter for details.							
This notification is consistent with the provisions of PR-Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the							
confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject							
to enforcement action and penalties under sections 12 and 14 of FIFRA.							
Dete							
Signature Date							
Section – III							
 Material This Product Will Be Packa 							
Child-Resistant Packaging	Unit Packaging		Water Soluble Packaging			ner	
☐ Yes* No	∐ Yes ⊠ No		Yes No		Metal Plastic		
*Certification must be	If "Yes"	No. per	If "Yes"	No. per			
submitted	Unit Packaging wgt.	container	Package wgt.	container	Glass Paper		
				Ì		fy) Trailer, totes	
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Size (s) Retail Container 5. Locatio					Label Directions		
∠ Label	Bulk	On Labe					
				On labeling	g accompanying pro	oduct	
6. Manner in Which Label is Affixed to		thograph	Other				
					ς ς ς ς ς ς ε ε ς		
Section – IV						(((((((((((((((((((
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)							
Name	<u> </u>	Title			Telephone No. (In	clude Area Code)	
Leesha N. Square		Regulator	y Specialist		678-624-5880	ز , د	
Certification					6. Date Appl	cation Received	
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge					6	((((((((((((((((((((
that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					St.	amped)	
2. Signature Keeshan . Sg	3. Title Regulatory Specialist						
4. Typed Name	5. Date						
Leesha N. Square		July 28, 2014					
					1		

Lonza

3/7

Via Fed Ex

Ms. Jacqueline Hardy, PM-34
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
US Environmental Protection Agency
Room S-4900, One Potomac Yard
2227 S. Crystal Drive
Arlington, VA 22202

Lonza Inc. 1200 Bluegrass Lakes Pkwy Alpharetta, GA 30004

Leesha N. Square Regulatory Assurance

Phone: 678-624-5880 Fax: 678-624-5678 Leesha.square@lonza.com

July 28, 2014

Subject: Antiblu MC-30

EPA Reg. No. 62190-30

Application for Label Notification

Dear Ms. Hardy:

On behalf of Arch Wood Protection, Inc., I am submitting a label notification to correct the storage and disposal language per PR Notice 2007-4 and to update the company address on the label.

We recently noticed that the comments in the EPA approval letter dated 12-29-09 in regards to the Container Disposal language appear to be inadvertently incorrect for the less than and greater than 5 gallon containers. We have updated the label to reflect the correct language for the varying sizes.

In support of this notification, enclosed are the following documents:

- Application for pesticide notification (8570-1)
- EPA approval letter and stamped label (dated 12-29-09)
- Certification with Respect to Label Integrity
- 1 copy of proposed label with changes highlighted
- 2 copies of proposed label
- 1 CD with proposed label

If you have any questions or need any additional information, please feel free to contact me by email at Leesha.square@lonza.com or by phone at 678-624-5880.

Sincerely,

Arch Wood Protection, Inc.

Cesha M. Squene

Leesha N. Square Regulatory Specialist

AntiBlu® MC-30

FUNGICIDE FOR CONTROL OF SURFACE MOLDS AND SAPSTAIN FUNGI ON WOOD

Ingredient Statement

Contains 1.48 pounds chlorothalonil per gallon Contains 1.42 pounds methylene bis(thiocyanate) per gallon

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

IF IN EYES: Hold eye(s) open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For Medical Emergencies: 800-654-6911 Outside US: 423-780-2970

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 62190-30 EPA Est. No. 62190-GA-001 Net contents:

Batch Number: XXXX

Manufactured by:
ARCH WOOD PROTECTION, INC.
360 Interstate North Pkwy, Suite 450
Atlanta, GA 30339

Antiblu MC-30 EPA Reg. No: 62190-30 EPA Draft Label 7-28-14

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage. Do not get in eyes, on skin, or on clothing. Wear protective eyewear. May be fatal if swallowed. Harmful if inhaled. Avoid breathing (dust, vapor or spray mist). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Protective eyewear (goggles or face shield)
- Coveralls over long-sleeved shirt and long pants,
- Chemical resistant gloves that are waterproof
- Chemical resistant footwear and socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Pesticide contaminated clothing should be removed and washed thoroughly before reusing. Launder separately from other clothing. Wear long-sleeved shirt, long pants and chemical resistant gloves while mixing, loading and applying this product and when handling freshly treated lumber.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, and marine/estuarine organisms. DO NOT discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. DO NOT discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the Environmental Protection Agency.

PHYSICAL OR CHEMICAL HAZARDS

This product is incompatible with other products (e.g.oxidizers, strong acids and bases such as potassium permanganate) which could cause violent reaction if mixed together. Store in a cool dry ventilated location, away from oxidizers, heat, flame, or other incompatible conditions. Keep container(s) closed. Do not store near feed, food, or within the reach of children. Do not freeze. Keep product tightly sealed in original containers.

Antiblu MC-30 EPA Reg. No: 62190-30 EPA Draft Label 7-28-14

Page 2 of 4

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in tightly sealed original container in a cool dry well ventilated location inaccessible to persons unfamiliar with its use. Do not freeze. Open dumping is prohibited.

In case of spills or leaks, stop source as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to cleaning spill or leak. Evacuate all nonessential personnel. Disposal of spill in accordance with Pesticide Disposal instructions.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: [For containers < 5 gallons] Nonrefillable container. Do not reuse or refill this container. Triple rinse as follows: Fill container ¼ full with water and recap. Shake for 10 seconds. Empty the rinsate into the application equipment or mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Offer for recycling if available. If not, puncture and dispose of in a sanitary landfill.

CONTAINER DISPOSAL: [For containers > 5 gallons] Nonrefillable container. Do not reuse or refill this container. Triple rinse as follows: Fill container ¼ full with water. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into the application equipment or mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling if available. If not, puncture and dispose of in a sanitary landfill.

Antiblu MC-30 EPA Reg. No: 62190-30 EPA Draft Label 7-28-14

Page 3 of 4

DIRECTIONS FOR USE

It is a violation of Federal law to use this product In a manner inconsistent with its labeling.

AntiBlu® MC-30 is an excellent protective fungicide against a broad spectrum of fungi. When applied to freshly sawn lumber, AntiBlu® MC-30 is effective as a protective fungicide against molds, and staining organisms. Freshly cut wood must be treated as soon as possible. Effective control requires complete coverage of the wood surface by the fungicide as a preventative application prior to development of fungal organisms. Wood which has been colonized by mold or sapstain fungi prior to treatment will not be protected. Freshly treated lumber must be protected from rain which will reduce the effectiveness of the treatment. This product may be used as a supplemental surface fundicide on dry or partially seasoned wood to prevent stain and mold during storage, transport or holding in concentration yards. Extremely hot and humid conditions favor the development of molds and sapstain fungi. Under these conditions, use the higher recommended rate. Continuously agitate the mixture during treatment.

BULK DIP VATS - For bundles of lumber which are to be treated in a dip tank or vat. add at a rate of \(\frac{1}{2} \) to 2 gallons of AntiBlu® MC-30 to 100 gallons of water. The lumber must remain in solution for at least one minute and all lumber surfaces should be exposed to the treating solution. Constant agitation of the dip vat solution is required to maintain a uniform suspension of the treatment materials in the tank. During dipping, the cut boards should be loosely bundled and/or stickered to allow maximum penetration of the treatment material into the bundle.

NON-BULK VATS - For Individual boards which are treated in across the-chain vats (non-bulk vats). add at rate of 1/2 to 2 gallons of AntiBlu® MC-30 to 100 gallons of vat water. Continuously agitate the mixture during treatment.

LOW VOLUME SPRAY MACHINES – For Individual boards which are treated in low volume spray machines, add 1/4 to 1 gallon of AntiBlu® MC-30 to 20 gallons of water. Smooth surfaced lumber normally retains only about one-half as much fungicide solution as rough cut wood and, therefore, needs the higher rate to deposit the necessary amount of fungicide on the wood. Constant agitation is required in nurse tank to maintain a uniform suspension

Antiblu MC-30 EPA Reg. No: 62190-30 EPA Draft Label 7-28-14