JAN 2 0 2012

John R.French, PH.D. Senior Regulatory Manager Arch Wood Protection, Inc. 5660 New Northside Drive, Suite 1100 Atlanta GA 30328

SUBJECT:

AntiBlu® XP32

EPA Registration Number: 62190-33 Applications Dated: January 10, 2012 Received Dates: January 10, 2012

Dear Mr. French:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.


To correct the name of active ingredient

#### **General Comments**

A stamped copy of the accepted labeling is enclosed. Submit one (1) copy of your final printed labeling before distributing or selling the product bearing the revised labeling. Should you have any questions concerning this letter, please contact Emilia Oiguenblik at (703) 347-0109 or Velma Noble at (703) 308-6233.

Product Manager (31)

Regulatory Management Branch I Antimicrobials Division (7510P)



EPA Form 1320-1A (1/90)

Printed on Recycled Paper

Date: 2011-10-13 Latest changes in red

# **ANTIBLU® XP32**

For the Control of Sapstain and Mold on Freshly Sawn Wood

Active Ingredients:

Alkyl (60%C14, 30%C16, 5%C18, 5%C12) dimethyl benzyl ammonium chlorides

Alkyl (68%C12, 32%C14) dimethyl ethylbenzyl ammonium chlorides

3-lodo-2-propynyl butylcarbamate

Propiconazole

Other Ingredients:

TOTAL

12.5%

70.0%

KEEP OUT OF REACH OF CHILDREN

# DANGER

See side panel for other precautionary statements

## **FIRST AID**

**IF SWALLOWED:** Call a Poison Control Center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth if possible. Call a poison Control Center or doctor for further treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

**IF IN EYES:** Hold eye and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when you call a Poison Control Center or doctor, or when going for treatment.

In case of emergency call 1-800-654-6911

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

EPA Reg. No. 62190-33

EPA Est. No. xxxxx-yy-zz

NET CONTENTS: ######

MANUFACTURED for: ARCH WOOD PROTECTION 5660 New Northside Drive, Suite 1100 Atlanta, GA 30328 ACCEPTED
with COMMENTS
in EPA Letter Dated:

JAN 20 2012

Under the Federal Insecticide,
Fungierde, und Rodenticide Act as
amended, or the posticide,
tegistered under EPA Reg. No. 62190 - 33

62190-33 AntiBlu XP32 MASTER LABEL Date: 2011-10-13 Latest changes in red

## PRECAUTIONARY STATEMENTS:

# HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE, CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS. May be fatal if swallowed. Harmful if inhaled or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and gloves. Do not breathe vapor or spray mist. Wash thoroughly with soap and water after handling, and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse.

# PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- · Coveralls over long-sleeved shirt and long pants,
- Chemical resistant footwear and socks,
- Chemical resistant gloves that are waterproof such as barrier laminate or any of the following gloves at
   14 mils thickness: butyl nitrile, neoprene rubber, polyvinyl chloride or Viton
- · Protective eyewear: Goggles or face shield
- Dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C) or a NIOSH approved respirator with any N, R, P, or HE filter.

Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

# **USER SAFETY REQUIREMENTS**

Users must: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside, then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### STORAGE & DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal or cleaning of equipment. **PESTICIDE STORAGE:** Open dumping is prohibited. Keep container closed when not in use. Store in a dry, well-ventilated area away from food or feed.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### **CONTAINER DISPOSAL:**

{Containers > 5 gallons or 50 lbs net weight}

Nonrefillable container. Do not refill or reuse container. Triple rinse as follows: Fill container ¼ full with water. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill.

OR

{Containers ≤ 5 gallons}

62190-33 AntiBlu XP32 MASTER LABEL Date: 2011-10-13 Latest changes in red

(Nonrefillable container. Do not refill or reuse this container. Triple rinse as follows: Fill container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Drain for 10 seconds after the flow begins to drip. Empty the rinsate into the application equipment or mix tank or store rinsate for later use or disposal. Repeat procedure two more times. Then offer for recycling or reconditioning, If not available, puncture and dispose in a sanitary landfill.)

#### **ENVIRONMENTAL HAZARDS:**

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Observe the most restrictive of the labeling limitations and precautions of all products used in mixtures. Treated lumber must be stored under cover, or indoors, or at least 100 feet from any ponds, lake, stream, wetland, or river to prevent possible runoff of the product into the waterway. Treated lumber stored outdoors within 100 feet of a pond, lake, stream, or river must be either covered with plastic or surrounded by berm to prevent surface water runoff into the nearby water way. If a berm is used around the site, it must consist of impermeable material (clay, asphalt, concrete) and be of sufficient height to prevent runoff during heavy rainfall events.

In case of spill or leak, wear appropriate protective equipment and clothing during clean-up. Use dry absorbent material to contain the spill, then place in a suitable container for disposal in accordance with state and local regulations. Avoid contamination of soil, and prevent spill residue from running into storm drains.

#### **DIRECTIONS FOR USE:**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons. Not for food grade/food contact paper or paper board.

For Industrial and Commercial Use

AntiBlu<sup>®</sup> XP32 may be applied to wood and wood products by immersion or spray methods according to the dilutions provided below. Dilution levels may vary widely and will depend on application methods, wood species, seasonal changes in exposure conditions, length of protection desired, and wood storage and transport conditions.

For spray applications: Mix one gallon of AntiBlu® XP32 to 5-25 gallons of water.

For immersion applications: Mix one gallon of AntiBlu® XP32 to 25-150 gallons of water.

For best results, apply AntiBlu XP32 to recently felled and fresh sawn or peeled wood ensuring total coverage. Allow treated wood to drain in a contained area before storage, and ensure that freshly treated wood is not allowed to remain unprotected in heavy rains.