

PM 15 62212-1 15 198

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 62212-1	DATE OF ISSUANCE OCT 29 1990		
	TERM OF ISSUANCE Until Reregistration			
NOTICE OF PESTICIDE: ☐ REGISTRATION ☐ REREGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>	NAME OF PESTICIDE PRODUCT Insecticidal 2000 Concentrate			
NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Microft Int. Holdings S.A. Corso Elevezia 22 CH-6901 Lugano SWITZERLAND				
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) since you have agreed to: 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Submit the data listed below, conducted in accordance with the Code of Federal Regulations (CFR) Section 158.340, Guidelines Reference No. 81-5 and Section 158.190, Guidelines Reference No. 63-1, within one year of receipt of this notice: Dermal Sensitization Study Storage Stability 3. Make the labeling change listed below before you release the product for shipment: a. Add the phrase, "EPA Registration No. 62212-1." ☐ ATTACHMENT IS APPLICABLE <table border="1"><tr><td>SIGNATURE OF APPROVING OFFICIAL</td><td>DATE</td></tr></table>			SIGNATURE OF APPROVING OFFICIAL	DATE
SIGNATURE OF APPROVING OFFICIAL	DATE			

10 Mester 10/29/90

b. The statement "Wash thoroughly with soap and water after handling." should be retained under Precautionary Statements since it is an appropriate practice to wash hands after using any pesticide product.

c. The statement "Do not apply directly to any body of water." is an update of the statement "Avoid lakes, streams and ponds." Thus, revise the Environmental Hazards by deleting the statement "Avoid lakes,..." and replacing "Do not apply directly to water." with "Do not apply directly to any body of water."

d. Change "Nonfood areas of commercial establishments are areas such as..." to "Nonfood/feed areas of commercial..." Also, on page 2, the last paragraph should read. "... on indoor non-food/feed areas..."

e. Under "For Use On Plants, Indoors," revise the paragraph beginning "If application is to be made indoors, ..." as follows:

If application is to be made indoors, remove infested plants from living quarters prior to application. Spray plants in an area not likely to be occupied by children or pets (particularly fish). When leaves dry, plants can be returned to original location.

f. Delete the statement "Repeat application may be necessary to control citrus black flies" since the detection of citrus black fly on any crop is subject to Federal quarantine.

g. The Disposal statement is now acceptable. However, reinstate the mandatory statement "Do not contaminate water, food, or feed by storage or disposal," as well as an appropriate Storage statement to the Storage and Disposal section.

h. On page 2 delete the sentence, "This concentrate product is recommended for use ... not recommended for sale to non-professional applicators." Unless it is classified Restricted Use, we cannot regulate the sale of a pesticide product. The statement "Recommended for Use by Commercial Applicators" on the front panel is sufficient.

5. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

MICROFT
INSECTICIDE 2000

CONCENTRATE

Recommended for Use by Commercial Applicators

ACTIVE INGREDIENTS:

BY WEIGHT:

PFRMETHRIN {3-(Phenoxyphenyl)methyl (+) -cis,
trans-3-(2,2-dichloroethenyl)-2,2-dimethyl-
cyclopropanecarboxylate *!..... 19.65%

BIORESMETHRIN {[5-(Phenylmethyl)-3-furanyl]
methyl(1R)-trans-2,2-dimethyl-3-(2-methyl-1-
propenyl)cyclopropanecarboxylate **! 5.31%

INERT INGREDIENTS 75.04%

TOTAL - 100.00%

* cis/trans ratio: Min. 40% (+) cis and max 60% (+) trans.** cis/trans ratio: Min. 30% cis and max. 70% trans.

KEEP OUT OF REACH OF CHILDREN

CAUTION

BEST AVAILABLE COPY

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No.: 62212-1

EPA Est. No.:

NET CONTENTS 12 GALLONS (45.4 LITERS)

- Manufactured by -

Microft Int. Holdings S.A.
Corso Elevezia 22
CH-6901 Lugano, Switzerland

01 29 195

Un-
P
a
S

62212-1

BEST AVAILABLE COPY

MICROFT INSECTICIDE 2000 CONCENTRATE

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals -

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye injury. Avoid breathing vapor or spray mist. Get medical attention if eye irritation persists.

Environmental Hazards -

CAUTION: This pesticide is highly toxic to fish and aquatic organisms. Avoid Lakes, Streams, and Ponds. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Cover fish aquaria or ornamental ponds before spraying adjacent areas.

General Precautions -

Do not allow public use of treated areas during applications or until sprays have dried. Do not enter treated areas until sprays have dried.

Wear protective gloves when handling concentrate and wash hands and exposed skin after use. Avoid breathing mist or vapors. Avoid getting product in eyes.

Do not use in food/feed areas of food/feed handling establishments, restaurants, or other areas where food/feed is commercially prepared or processed. Do not use in food/feed serving areas while food/feed is exposed or the facility is in operation. Serving areas are areas where prepared foods/feeds are served such as dining rooms but excluding areas where food/feed may be prepared or held. In residences, all food/feed processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food/feed should be covered or removed.

Nonfood areas of commercial establishments are areas such as garbage rooms, laboratories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning and bottling).

Not for use in USDA meat and poultry plants.

Do not use this product in or on electrical equipment due to possibility of shock hazard.

STORAGE AND DISPOSAL

Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

BEST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

MICROFT Insecticide 2000 Concentrate can be used to control a number of pests indoors and outdoors at commercial premises and residences. This concentrate product is recommended for use by certified professional applicators and is not recommended for sale to non-professional applicators.

Preparation of use-solution: For each gallon of use-solution to be prepared, measure one ounce of INSECTICIDE 2000 CONCENTRATE into the tank of the application device (normally this will be a pump or other pressure sprayer).

Rate of Application: For surface or area treatments, 7.5 gallons of use-solution will treat 1000 square feet of infested area. Spray to moisten area to be treated. For spot or foliage treatment less solution may be required. For spot treatments, apply enough use-solution to visibly moisten the affected area. On foliage, apply to moisten but so as to avoid excessive run-off.

Use this product on indoor, non-food, areas of commercial establishments and residences to control: ANTS, CARPET BEETLES, FLYING MOTHS (Millers), HOUSE FLIES, SPIDERS, AND COCKROACHES. FOR CONTROL OF ROACHES be sure to spray along floor boards and wall joints and into hiding places. The active ingredients in this product are contact insecticides and contact of the target pests with the spray or with surfaces still moistened from the spray is required for control. Repeat as needed.

BEST AVAILABLE COPY

PESTS OUT-OF-DOORS

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use this product to control ants, clover mites, crickets, earwigs, millipedes and sowbugs (pillbugs) on the outside surfaces of buildings. To help prevent infestation of buildings treat the building foundation to a height of 2 to 3 feet (0.5 to 1 m), where pests are active and may find entrance. Also, apply as a residual spray to outside surfaces of buildings, including porches, screens, window frames, eaves, patios, garages, refuse dumps, and other areas where these pests congregate or have been seen. Repeat treatment as needed to maintain effectiveness.

HOUSE FLIES, MOSQUITOES, CLUSTER FLIES, GNATS, FLYING MOTHS: For outdoor use only as aid in reducing annoyance from these insects. Spray outside surfaces, doors, window frames or wherever screens, these insects may enter the room. Also treat surfaces around light fixtures, on porches, in garages, and other places where these insects alight or congregate. Repeat as necessary.

ANTS, LONE STAR TICKS, CRICKETS, FLEAS, AND EARWIGS: For treatment of localized infestations of these insects in outdoor areas where there are weeds or bushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat application as infestations warrant and as reinfestations occur.

WASPS, HORNETS, YELLOW JACKETS, BEES: Application should be made in late evening when insects are at rest. Aim spray at next openings in ground, bushes, and in cracks and crevices which may harbor nests, saturating nest openings and contacting as many insects as possible.

FOR USE ON PLANTS

CONTACT AND RESIDUAL SPRAY-Apply spray to plants covering all foliage. Avoid heavy wetting.

INDOORS: To protect plants in green houses and lathhouses, and for indoor landscaping-Spray directly on insects...to kill leafrollers, armyworms, cutworms, cabbage worms on chrysanthemums; fungus gnats on velvet plants. Spray as directed above.

Spray as directed above to control aphids, armyworms, corn earworms, fall cankerworms, inchworms, Japanese beetles, leafminers, leafrollers, and whiteflies on the following plants.

Ageratum	English Ivy	Piggy-back plant
Ardisia	Fuchsia	Poinsettia
Aster	Gladiolus	Portulaca
Azalea	Grape Ivy	Pothos
Baby's breath	Hypoestes	Prayer Plant
Begonia	Ivy	Purple Passion
Birds-nest fern	Juniper	Rabbit's foot fern
Bleeding heart	Lily	Rose
Carnation	Marigold	Schefflera
Coleus	Orchid	Snake Plant
Crown of thorns	Palms	Snake Plant
Cockscomb	Pansy	Static
Cyclamen	Piperomia	Velvet Plant
Dracaena	Petunia	Verbena
Dumbcane	Philodendron	Zinnia

If application is to be made indoors, remove infested plants from likely to be occupied by children or pets (particularly fish). When areas prior to application. Spray plants in an area not leaves dry, plants can be returned to original location.

Use with CAUTION on ferns, palms and fuschsia. As with all plants listed above, especially carnations, chrysanthemums and roses, there exists a wide variety of species and cultivars, and therefore, a wide variety of susceptibility to injury. To ascertain possible phytotoxicity, spray a few plants as described above, wait 24 hours, and check for possible injury.

Repeat applications may be necessary to control citrus black flies on non-bearing citrus; adult Japanese beetles on roses.

OUTDOORS: Spray as described above in the late afternoon or evening, when the temperature ranges from 50 F to 75 F and when there is little or no wind. Spray at the first indication of insect pests. On those plants that will flower during the season, the spray schedule should be completed before blossom formation. Repeat as necessary; use intervals of 4 to 8 days. Application can be made up to the day of collection.

Spray as directed above to control aphids, cicadas, corn earworms, fall cankerworms, inchworms, leafminers, leafrollers, mealybugs, spider mites, exposed thrips and whiteflies on the following plants:

BEST AVAILABLE COPY

Ageratum
Aster
Azalea
Begonia
Coleus
Common ninebark
Common snowberry
Exacum
Euonymous
English Ivy
Gladiolus

Gold bells
Hypoestes
Ivy
Juniper
Lilac
Marigold
Mock Orange
Nannyberry
Orchid
Palm
Pansy

Pea shrub
Petunia
Philodendron
Poinsettia
Rhododendron
Rose
Snapdragon
Taxus
Wax plants
Weeping fig
Zinnia

TO KILL TENT CATERPILLARS: Application should be made when caterpillars are young and tents are first noticed (usually late spring). For best results, apply in the late afternoon or evening when caterpillars have returned to their tents. Aim spray directly at tents, and saturate on all sides. Repeat as necessary.

WARRANTY

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BEST AVAILABLE COPY