

62290-1

2-25-2000

4/7



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Antimicrobials Division (7510C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
62290-0001

Date of Issuance:
FEB 25 2000

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance: Conditional

Name of Pesticide Product:
Isolyser LTS-Plus

Name and Address of Registrant (include ZIP Code):

Sue Crescenzi, Agent for Isolyser Company, Inc.
c/o Steptoe & Johnson, LLP
1330 Connecticut Avenue, N.W.
Washington D.C. 20036-1795

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to the use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act
Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit one copy of the revised final printed label for the record changing the EPA File symbol 62290-R to EPA Registration Number 62290-1 and add establishment number.
3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Signature of Approving Official:

Robert S. Brennis
Product Manager 32

Date:

FEB 25 2000

2/7

MASTER LABEL

Label for use on cartons containing bottles to treat 500 ccs, 1200 ccs, 1500 ccs, 2000 ccs and 3000 ccs.

ISOLYSER LTS-PLUS

LIQUID MEDICAL WASTE ENCAPSULATION AND TREATMENT FOR USE ONLY IN HEALTH CARE AND VETERINARY FACILITIES

The efficacy of this product has been demonstrated in the presence of 20% blood serum.

ACTIVE INGREDIENT

Sodium Dichloro-s-Triazinetrione 10.2 %

INERT INGREDIENTS

89.8 %

100.0 %

Provides 5.8 % Available Chlorine

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT (FIRST AID):

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing. Call poison control center or doctor.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 5-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

IN CASE OF ACCIDENTAL EXPOSURE, call CHEMTREC at 1-800-424-9300.

See Technical Bulletin for information on product performance and additional information on ISOLYSER LTS-Plus encapsulation and treatment technology.

EPA Est. No. _____
EPA Reg. No. _____

FEB 25 2000

62290-1

(Page 1 of Master Label continued)

ISOLYSER
4320 International Blvd.
Norcross, Georgia 30093
(770) 582-6363

ACCEPTED
FEB 25 2000

62290-1

4/7

MASTER LABEL

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage. Causes skin irritation. Harmful if swallowed, inhaled, or absorbed through skin.


Do not get in eyes, on skin or on clothing. Avoid breathing dust or fumes. **Wear goggles, face shield or safety glasses and rubber gloves when handling.** Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL HAZARDS

Avoid breathing dust from powder.



62290-1

MASTER LABEL

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

ALWAYS WEAR HAND AND EYE PROTECTION WHEN HANDLING INFECTIOUS WASTE.

USE WITH SUCTION CANISTERS ONLY


- Shake SAF-T-TOP bottle well to thoroughly mix ISOLYSER LTS-PLUS powder.
- Apply pressure with thumb over plastic cover marked "Remove Before Using." Grasp edge of plastic cover, peel off and discard.
- Pull the patient tubing off the suction canister. Place SAF-T-TOP bottle over ortho or patient port on top of the suction canister.
- With vacuum on, place palm of hand on bottom of bottle and gently push onto port to break membrane.
- ISOLYSER LTS-PLUS powder will be drawn into suction canister and encapsulate liquids up to ___ ccs. Be sure all ISOLYSER LTS-PLUS powder is drawn into the suction canister.
- Keep the vacuum on and allow sufficient time for solidification, usually about 30 minutes, before handling.
- Dispose of encapsulated material according to institutional procedures and in compliance with applicable local, state and federal regulations covering the disposal of treated, solidified medical waste.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

STORAGE: Keep in a cool, dry place. Keep container tightly closed.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative of the nearest EPA Regional Office for guidance.



6/7

ISOLYSER LTS-PLUS

LIQUID MEDICAL WASTE ENCAPSULATION AND TREATMENT. FOR USE ONLY IN HEALTH CARE AND VETERINARY FACILITIES

The efficacy of this product has been demonstrated in the presence of 10% blood serum.

ACTIVE INGREDIENT	
Sodium Dichloro-s-Triazinetrione	10.2 %
INERT INGREDIENTS	89.8 %
	100.0 %

Provides 5.8 % Available Chlorine

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing. Call poison control center or doctor.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 5-20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air.

If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

DIRECTIONS FOR USE: It is a violation to use this product in a manner inconsistent with its labeling


**ALWAYS WEAR HAND AND EYE PROTECTION
WHEN HANDLING INFECTIOUS WASTE.**

- Shake SAF-T-TOP bottle well.
- Apply pressure with thumb over plastic cover marked "Remove Before Using." Grasp edge of plastic cover, peel off and discard.
- Pull the patient tubing off the suction canister. Place SAF-T-TOP bottle over ortho or patient port on top of the suction canister.
- With vacuum on, place palm of hand on bottom of bottle and gently push onto port to break membrane.
- ISOLYSER LTS-PLUS powder will be drawn into suction canister and encapsulate liquids up to ___ ccs. Be sure all of ISOLYSER LTS-PLUS powder is drawn into suction canister.
- Keep the vacuum on and allow sufficient time for solidification, usually about 30 minutes, before handling.

SEE MASTER LABEL ON ISOLYSER LTS-PLUS
CARTON FOR ADDITIONAL INFORMATION
AND DIRECTIONS FOR USE.

EPA Est. No. ___
EPA Reg. No. ___
Net Contents ___

Label for SAF-T-TOP bottles to treat 2000 ccs and 3000 ccs.



7/7

ISOLYSER LTS-PLUS

**LIQUID MEDICAL WASTE ENCAPSULATION
AND TREATMENT. FOR USE ONLY IN HEALTH
CARE AND VETERINARY FACILITIES**

**The efficacy of this product has been
demonstrated in the presence of 20% blood serum.**

ACTIVE INGREDIENT	
Sodium Dichloro-s-Triazinetrione	10.2 %
INERT INGREDIENTS	89.8 %
	<u>100.0 %</u>

Provides 5.8 % Available Chlorine

**KEEP OUT OF REACH OF CHILDREN
DANGER**

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing. Call poison control center or doctor. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 5-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a poison control center or doctor for further treatment advice.


NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage

DIRECTIONS FOR USE: It is a violation to use this product in a manner inconsistent with its labeling. **ALWAYS WEAR HAND AND EYE PROTECTION WHEN HANDLING INFECTIOUS WASTE**

**SEE MASTER LABEL ON ISOLYSER LTS-PLUS
CARTON FOR ADDITIONAL INFORMATION
AND DIRECTIONS FOR USE.**

EPA Est. No. _____
EPA Reg. No. _____
Net Contents _____

Label for SAF-T-TOP bottles to treat 500 ccs, 1200 ccs, and 1500 ccs.



62290-1