

Reg # 62452-2

PM-12

113

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.
2452-2

DATE OF ISSUANCE
December 18, 1990

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

TERM OF ISSUANCE
Until Reregistration

NAME OF PESTICIDE PRODUCT
Lawlor Insect Granules 100

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Lawlor Insect Products, Inc.
2000 ...
Lawton, GA 31024

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) and section 4 when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 62452-2" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.
4. A 1-year storage stability study must be conducted on the formulated product and submitted within 15 months of the date of this Registration Notice. The product must be analyzed for its active ingredient at time zero and during a year of storage. The storage should be under warehouse conditions of heat and humidity and in containers similar to the packaging you will be using in the marketplace.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Dennis H. Edwards

DATE

12/18/90

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

CRAWLING INSECT GRANULES 100

For Control of Fleas, Ticks, Chiggers and other Crawling Insects as Listed in Lawns, Turf and around the Outside of Homes - Kills Fire Ants.

Controls Ants, Armyworms (Beet, Fall, Yellow-striped), Brown Dog Ticks, Centipedes, Chiggers*, Chinch Bugs*, Clover Mites, Cutworms, Crickets, Earwigs, Fiery Skipper, Fleas*, Grasshoppers, Greenbugs, Leafhoppers, Millipedes, Sod Webworms* (Lawn Moth), Sow Bugs, Springtails, Turfgrass Weevil* (Hyperodes), European Crane Fly larvae*, White Grubs* (Black Turfgrass Ateenux, European Chafer, Southern Chafer, Japanese Beetle, June Beetle larvae), Bluegrass Billbugs*, Fire Ants*.

1 LBS TREATS UP TO 400 SQ.FT

INSECT CONTROL OUTSIDE OF HOMES, APARTMENTS, CONDOMINIUMS, WAREHOUSES, HOSPITALS, SCHOOLS, FOOD HANDLING ESTABLISHMENTS & COMMERCIAL BUILDINGS

ACTIVE INGREDIENT:

Chlorpyrifos: [O,O,-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate]. 1.00%

INERT INGREDIENTS: 99.00%

Total 100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. DO NOT induce vomiting or give anything by mouth to an unconscious or comatose person. Get medical attention.

IF IN EYES: Flush eyes with plenty of water.

IF ON SKIN: In case of contact, remove contaminated clothing and wash affected area with soap and water.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote only by injection.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION May be harmful if swallowed. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Wash thoroughly after handling and before eating or smoking. Wash contaminated clothing before reuse. Keep away from food, feedstuffs, and water supplies. Keep children and pets off treated area until this material is washed into the soil and the grass is dry.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters. Use only as directed.

SEE BICE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT

EPA Reg. No. 62452-E(2)

EPA EST. NO. 7413-GA-1

NET WEIGHT (1 lb.; 5 lb.; 25lb.; 50 lb.) POUND(S)

LAWN & HOME PRODUCTS

635 Madison Road

EATONTON, GEORGIA 31024

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in its original labeled container in a cool, dry, locked place out of reach of children. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke. **HOUSEHOLD:** Do not re-use empty container. Wrap container and put in trash.

***SPECIFIC DIRECTIONS**

The following paragraphs correspond to insects followed by asterisk(*) on the front panel. Insects not followed by an Asterisk(*) may be controlled by following the DIRECTIONS FOR USE ON LAWNS ETC. Repeat treatments as needed for control.

CHIGGERS, TICKS, & FLEAS

Use 1 lb./ 400 Sq Ft. (2.25 lbs./1,000 Sq.Ft.) for area control of these insects. Infesting non-crop land areas such as roadsides, footpaths, and trails, picnic and camping sites, parks, recreational areas and around dwellings where these pests are present and create a nuisance or may act as a disease vector. DO NOT allow use of treated area during applications. For Fleas (out-of-doors; only) also treat sleeping quarters and other areas frequented by pets such as beneath porches and along fencing.

CHINCH BUGS

Apply 12 to 17 lbs./5,000 sq ft. when insects appear or their damage is imminent. To prevent damage apply as soon as daily temperatures reach 80 degrees and repeat every 2 months. Use low rate for minimum infestations; higher rate for heavy infestations.

SOD WEBWORMS

For Sod Webworms, delay watering or mowing the treated area for 12 to 24 hours after treatment. Treat in the spring or when insects first appear troublesome. Additional treatments at 30 day intervals may be needed for new infestations. Apply at rate of 2.5 lbs. per 1,000 Sq.Ft.

TURFGRASS WEEVIL

Use 12.5 lbs. per 2,500 sq.ft. Treat suspected problem areas in mid-April and again in mid-May or as recommended by your local Agricultural Extension Service.

WHITE GRUBS; CRANE FLY LARVAE

To control White Grubs (Black Turfgrass Ateenux, European Chafer, Southern Meaked Chafer, Japanese Beetle and June Beetle Larvae), use 12.5 lbs to treat 2,500 sq.ft. After applications apply enough water to thoroughly wash the insecticide into the turf. For best results remove thatch first & treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service Specialist for best time to treat. European Crane Fly larvae will be controlled using 12.5 lbs per 3,000 Sq Ft. or will be controlled simultaneously with the same application being applied for control of "White Grubs" e l (12.5 lbs/2,500 Sq Ft.) Consult your Agricultural Agent for proper time to apply. For best results, first remove thatch. Water the granules into the soil.

BLUEGRASS BILLBUGS

Use 12.5 lbs /2,500 sq ft. for Billbug grubs. Remove thatch before treatment. Wash granules into soil.

IMPORTED FIRE ANT CONTROL

MOUND TREATMENT: For treatment of Fire Ant mounds occurring in lawns, turf and premise areas, treat individual ant mounds measuring from 3 to 12 inches in diameter by applying 4 tablespoons (8 oz.) of granules evenly in a circle around the outer edges (1 to 2 feet from the center) of the mound. Finish the treatment then by applying 7 tablespoons (1.2 oz.) sprinkled evenly over the center of the mound. After application of the granules, gently sprinkle the treated area with a minimum of 1 quart of water per 8 inches of mound diameter. Apply in cool weather (85 to 90 degrees F) or in early morning or late evening. Best results will be obtained if mound is not disturbed after treatment thus allowing ants to come and go and to be exposed to the insecticide.