

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

CORROSIVE. Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. When handling this material wear impervious protective clothing including gloves, apron, overshoes, chemical goggles and face shield. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

If in eyes, hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention immediately. IF SWALLOWED: Drink 1 or 2 glasses of water (or milk) and induce vomiting by touching the back of the throat with finger. If possible, contact a physician, poison control center or emergency center before inducing vomiting. Do not induce vomiting or give anything by mouth to an unconscious person. Take person and product container to the nearest emergency treatment center. For skin contact, wash skin with plenty of soap and water.

Note to Physicians: Emergency Information — call (415) 233-3737. Probable mucosal damage may contraindicate use of gastric lavage.

ENVIRONMENTAL HAZARDS

Do not apply directly to water.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.



ORTHO

Triforine EC

Contains FUNGINEX[®] Fungicide

Active Ingredient	By Wt.
Triforine (N,N'-[1,4-piperazinediylbis (2,2,2-trichloroethylidene)] bis [formamide])	18.2%
Inert Ingredients	81.8%

This product contains the toxic inert ingredient Dimethylformamide. Contains 1.6 lbs. Triforine per gallon.

KEEP OUT OF REACH OF CHILDREN

DANGER-PELIGRO

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

PRECAUCION AL USUARIO: Si usted no lee
ingles, no use este producto hasta que la
etiqueta le haya sido explicada ampliamente.

Chevron Chemical Company 1990

Agricultural Chemicals Division

San Ramon CA 94583-0947

Product 5369

Made in U.S.A.

Form 10635-F

EPA Est. 239-MO-1

EPA Reg. No. 62499-22-AA

NET CONTENTS

5 GALLONS

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

STORAGE

Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Store in a cool, dry place. Do not store below 32°F.

For help with any spill, leak, fire or exposure involving this material, call day or night (415) 233-3737.

PESTICIDE DISPOSAL

This product is acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Do not reuse container. Offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTIFICATION
LABEL NOT RECALLED
PER PR NOTICE 68-6

DATE: AUG 3 1990

CLF date
8/1/90

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

REENTRY STATEMENT

Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift.

Do not enter treated areas without protective clothing until sprays have dried.

Certain states may require more restrictive reentry intervals; consult your State Department of Agriculture for further information.

Written or oral warnings regarding use of protective clothing and accidental exposure must be given to workers who are expected to be in treated areas or in areas about to be treated.

DIRECTIONS

Do not apply this product through any type of irrigation system.

ASTERS: Aster Rust; **OXALIS, POTENTILLA:** Rust; **CALENDULA, Crape Myrtle, DAHLIA, EUONYMUS, JERUSALEM THORN, LILAC, PHLOX, PHOTINIA, SNAPDRAGONS, ZINNIA, AZALEA, BEGONIA, DELPHINIUM, KALANCHOE, PLANTAIN:** Powdery Mildew; **CARNATIONS:** Carnation Rust; **PHOTINIA:** Entomosporium Leaf Spot; **POPLARS:** Poplar Leaf Rust; **ROSES (Greenhouse and Outdoor):** Blackspot, Powdery Mildew, Rust — Apply 12 to 18 fl. oz. per 100 gals. of water when disease first appears. Repeat every 7 to 10 days as necessary to maintain control. Use the higher rate and shorter spray interval if disease is severe. Spray to cover all plant surfaces.

CONDITIONS OF SALE: 1. Chevron Chemical Company (Chevron) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Chevron neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Chevron's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Chevron under 1 above) resulting from handling, storage, and use of this material.