

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this subject always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect the public and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under the Act is not to be construed as giving the registrant a right to exclusive use of the name or to the use of it has been covered by others.

1. Add the statement "EPA Registration No. 16-13-59."

2. Add the statement "Do not puncture or incinerate" and disposal instructions.

3. Add the statement "Keep out of the reach of children."

4. Add the statement "Do not use in areas where children play."

5. Add the statement "Do not use in areas where livestock graze."

6. Add the statement "Do not use in areas where birds feed."

7. Add the statement "Do not use in areas where bees forage."

8. Add the statement "Do not use in areas where fish are present."

9. Add the statement "Do not use in areas where aquatic life are present."

10. Add the statement "Do not use in areas where wildlife are present."

11. Add the statement "Do not use in areas where domestic animals are present."

12. Add the statement "Do not use in areas where children are present."

13. Add the statement "Do not use in areas where the elderly are present."

14. Add the statement "Do not use in areas where the infirm are present."

15. Add the statement "Do not use in areas where the disabled are present."

16. Add the statement "Do not use in areas where the handicapped are present."

17. Add the statement "Do not use in areas where the sick are present."

18. Add the statement "Do not use in areas where the weak are present."

19. Add the statement "Do not use in areas where the old are present."

20. Add the statement "Do not use in areas where the young are present."

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.



Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)



Enclosures

BEST AVAILABLE COPY

CCL FLYING INSECT KILLER III

For Use in Households, Food and Non-Food areas of Warehouses, Food Processing Plants, Motels, Theatres, Schools and Offices

ACTIVE INGREDIENTS:

Pyrethrins	0.20%
*Piperonyl butoxide, technical	0.72%
!N-octyl bicycloheptene dicarboximide	<u>0.40%</u>
	100.00%

INERT INGREDIENTS:

*Equivalent to .576% (butylcarbityl)(6-propylpiperonyl) ether and .144% related compounds.

!MGK 264, Insecticide Synergist.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

Kills Common Pests:

House Flies, Mosquitoes, Cockroaches, Fleas,
and other listed on back panel

Net Weight _____

Manufactured by:

CCL Industries Inc.
26 Waterman Avenue
Toronto, Ontario
M4B 1Y5

ACCEPTED
with COMMENTS
in EPA Letter Dated

JUN 1988

Under the terms of the
Funding and R & D Agreement
entered into the product
registered under EPA Reg. No.

46813-50

EPA Reg. No. 46813

EPA Est. No. 46813-CN-01

Back Panel

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing spray mist. Avoid contact with skin. In case of contact, immediately flush skin with plenty of water.

When used in commercial food processing, storage, preparation or serving areas, or in the house, all processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food. Do not apply while processing, preparation, or serving is underway.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Call a physician or Poison Control Center.
- IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN OR CLOTHING: Wash skin with soap and warm water. Remove contaminated clothing and wash before reuse.
- IF INHALED: Remove victim to fresh air. Apply artificial respiration if necessary.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

Shake before use. Hold container upright. Apply in short bursts.

To Kill Flies, Mosquitoes, Gnats, Wasps, Hornets, Scorpions, Flying Moths:

Close all doors and windows and direct spray upward into center of room with a low, sweeping motion. Spray 5 to 10 seconds for average room (1,000 cubic feet). Keep nozzle three feet from surfaces. Vacate premises. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry.

To Kill Leeches, Waterbugs, Silverfish, Crickets, Ants, Scorpions, Centipedes, Sowbugs, Spiders, Fleas:

Spray baseboards, cracks, crevices, moist areas and openings around sinks and pipes and other hiding places, hitting the insects directly. Spray ant hills and ant trails around windows and door sills and other locations. For fleas, thoroughly spray animal quarters and sleeping area. Repeat as necessary.

To Kill Clothes Moths, Carpet Beetles:

Spray all articles to be protected, giving particular attention to folds and seams. Spray interior of storage containers such as closets, chests and trunks regularly. Treatment should be repeated every thirty days unless the articles are stored in a moth-tight container.

To Kill Bedbugs:

Spray mattresses thoroughly, especially around seams and tufts. Spray bedstead, baseboards and floorboards. Repeat frequently.

ORTHO Formula 101 Insect Spray
EPA Reg. No. 239-2562

COPY A

Malathion: O,C-dimethyl phosphorodithioate
of diethyl mercaptosuccinate

COPY B

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

COPY C


*Methoxychlor: 1,1,1-trichloro-2,2-bis
(p-methoxyphenyl) ethane

COPY D

1,1,1-trichloro-2,2-bis (p-methoxyphenyl) ethane

COPY E

Do not graze or feed treated pea vines or pea hay to livestock.
Do not feed treated corn to livestock.

**BEST AVAILABLE COPY**

CONFIDENTIAL
PROPERTY OF
CHEVRON CHEMICAL COMPANY
UNTIL ACCEPTED BY EPA

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS - DANGER

Causes irreversible eye damage and causes skin irritation. Harmful if swallowed. Avoid breathing spray mist. Do not get in eyes, on skin or on clothing. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, immediately flush eyes with fresh water for 15 minutes and see a doctor. If on skin, wash thoroughly with soap and water. If swallowed, give water or milk to drink and induce vomiting by touching back of the throat with finger or by administering syrup of ipecac. If possible, contact a physician, poison control center or emergency clinic before inducing vomiting. Do not induce vomiting or give anything by mouth to an unconscious person. If medical advice cannot be obtained, take person and product container to the nearest emergency treatment facility. If inhaled, remove person from exposure area. Note to Physicians: Emergency Information - call (415) 233-3737. Carbaryl and Malathion are cholinesterase inhibitors. If signs or symptoms of cholinesterase inhibition develop, atropine sulfate is antidotal.

ENVIRONMENTAL HAZARDS

~~This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.~~

~~This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.~~

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.

HOW TO USE: Apply with hose-end sprayer (fine spray pattern), tank-type or power sprayer. Spray to thoroughly cover upper and lower leaf surfaces, as well as branches and stems, to contact pests. Make a new solution each time used. Use 2 Tbs. (1 oz.) per gal. of water unless otherwise noted. Begin application at first sign of pests and repeat at 7-14 day intervals or as needed. The number in () indicates days required between last application and harvest.

VEGETABLE PESTS: Aphids, Armyworms, Bean Leaf Beetle, Blister Beetles, Colorado Potato Beetle, Cucumber Beetle, Corn Earworm, Flea Beetles, Four Lined Leaf Bug, Imported Cabbageworm, Japanese Beetle (Adults), Lacebugs, Leafhoppers (Bean, Potato), Loopers, Mealybugs, Mexican Bean Beetle, Red Spider Mites, Squash Vine Borer, Tarnished Plant Bug, Thrips, Tomato Fruitworms, Tomato Hornworm, Webworms, Whiteflies.

VEGETABLES: Beans (3), Beets (14), Black-Eyed Peas (7), Broccoli (14), Brussels Sprouts (14), Califlower (14), Corn (7), Cucumbers (11), Cabbage (7), Carrots (14), Collards (14), Eggplant (3), Kale (14), Kohlrabi (14), Lettuce (14), Melons (7), Peas (7), Peppers (3), Potatoes (0), Pumpkin (0), Radish (7), Rutabaga (7), Spinach (14), Squash (7), Summer Squash (7), Tomatoes (7), Turnips (14).

COMBINATION SPRAY ON VEGETABLES - ORTHO Multi-Purpose Fungicide DACONIL 2787 may be mixed with this product when listed insects and diseases are both present on listed vegetables. Follow use directions and precautions on both product labels.

ORNAMENTAL PESTS: Aphids, Bagworms, Blister Beetles, Box Elder Bugs, Conkerworm, Cucumber Beetle, Flea Beetles, Fleahoppers, Flower Thrips, Fourlined Leaf Bug, Japanese Beetle

BEST AVAILABLE COPY



ORTHO

Formula 101 Insect Spray

3 PROVEN INSECTICIDES IN ONE FAST EFFECTIVE INSECT KILLER
Kills Over 101 Different Insects

FOR USE ON:

- VEGETABLES
- FRUIT TREES
- ROSES
- SHRUBS
- SHADE TREES
- LAWNS
- NUISANCE PESTS

KILLS:

- APHIDS
- ANTS
- WHITEFLIES
- RED SPIDER MITE
- CUCUMBER BEETLE
- LEAFHOPPERS
- MEXICAN BEAN BEETLE
- JAPANESE BEETLE
- TOMATO HORNWORM
- FLEA BEETLES

CONTAINS A WETTING AGENT

Active Ingredients	By Wt.
Malathion	6.0%
2-Methoxychlor, Technical	12.5%
Carbaryl (1-naphthyl N-methylcarbamate)	6.0%
Inert Ingredients	75.5%

Equivalent to 11.0% 2,2-bis(p-methoxyphenyl)-1,1,1-trichloroethane and 1.5% other isomers and related compounds.

Keep out of reach of children

DANGER

See side panel for additional precautionary statements.

NET CONTENTS 1 QT.

CONFIDENTIAL
 PROPERTY OF
 CHEVRON CHEMICAL COMPANY
 ACCEPTED BY THE U.S. DEPARTMENT OF AGRICULTURE

(Adults), Leafhoppers, Spider Mite, Rose Ch Oyster Shell), Spruce Plant Bug, Woolly A

ORNAMENTALS, FLOWERS
Do not use on Boston Juniper and some spr

COMBINATION SPRAY
Multi-Purpose Fungicide Disease Control may sect(s) and disease(s) precautions on both

FRUIT PESTS: Aphids, Cherry Fruitfly, Cherry Four Lined Leaf Bug, Grape Leaf Hopper, (Adults), Mealybugs, Curculio, Red Banded Spittlebugs, Scale C Weevil, Tarnished Pla

FRUITS: Apples (7), (14), Cherries (7), Plums (7), Prunes (7), (14). May cause inju apples, to Bosc Pear

FLIES, MOSQUITOES, WIGS, MILLIPEDES, BOX ELDER BUGS, BLACK WIDOW SP qt. of water and such as foundations, pests are found Repe foliage. Note: For co gal. Do not use insid

LAWN INSECTS: S Fleas - Apply at the Spray when insects e ticed. Repeat if rein

STORAGE AND DISPOSAL: STORAGE: Keep pest concentrate or dilute into tion of feed and foo in a locked storage c **PRODUCT** - Partially wrapping original co discard in trash. CO thoroughly before d

FUNGINEX® - Reg. Fungicide.

NOTICE: Buyer assu not in accordance w

Chevron Chemical
Ortho Consumer Produc
San Francisco CA 94120
Product 5563 M
Form 10644-B
EPA Reg. No. 239-2562

EPA Est 239-1A-1, 239-A
Superscript corresponds to

**COMPANY
NUMBER**

5481

**PRODUCT
SERIAL NO.**

95

**LABEL
APPROVAL
DATE**

12/28/89



**COMPANY
NUMBER**

5481

**PRODUCT
SERIAL NO.**

97

**LABEL
APPROVAL
DATE**

12.12.89

Reg no: 5



SNAIL, SLUG AND SOWBUG KILLER

CONTAINS CARBARYL & METALDEHYDE

A SOIL SURFACE TREATMENT FOR CONTROL OF SNAILS, SLUGS, ANTS, EARWIGS, FALL ARMYWORMS, SOD WEBWORMS (LAWN MOTHS), AND SOWBUGS

IN CITRUS GROVES - APPLE & PEACH ORCHARDS - SMALL FRUITS - VEGETABLE GARDENS - ORNAMENTAL GARDENS GROUND COVERS - SEED GRASSES DICHONDRA & TURFGRASS LAWNS IN ORNAMENTAL GREENHOUSES EXCEPT FOR TURF DO NOT APPLY DIRECTLY ONTO PLANTS

Attracts and Destroys Snails and Slugs
For Snails and Slugs One Pound Treats up to 1,500 Sq. Ft.
For Insect Control Use at the Rate of 1 Pound to Cover 250 Sq. Ft.

*GRANULAR FORMULATION IN SHAKER TOP APPLICATOR
For Faster More Effective Kill
Blends into Lawns & Ornamental Garden Areas.

ACTIVE INGREDIENTS	
Metaldehyde(2,4,6,8-tetramethyl-1,3,5,7-tetraoxacyclo-octane) — —	3.0%
Carbaryl (1-naphthyl N-methylcarbamate) — — — —	5.0%
INERT INGREDIENTS. — — — — — — — — — —	
Total	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

THIS PESTICIDE MAY BE FATAL TO JUGS OR OTHER HEAVY METALS IF EATEN
KEEP PETS OUT OF TREATED AREA

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists. IF ON SKIN: Remove contaminated clothing and wash affected area with soap and warm water.

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 5481-97
NET WEIGHT 50 POUND (11 lb. Shaker Can; 2 & 5 LB. Containers)

AMVAC CHEMICAL CORPORATION
4100 EAST WASHINGTON BLVD.
LOS ANGELES, CALIFORNIA 9002

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid breathing dust, gas, fumes, or vapors. Wash thoroughly with soap and warm water after handling. Wash hands and clothing with soap and water before re-use. Keep pets out of treated area. Food should be spread in such a way that it cannot be consumed by pets or farm animals.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic life. Do not apply directly to water or wetlands (swamps, bogs, marshes, pastures). Do not contaminate water when disposing of equipment washwaters. Do not apply where run-off is likely to occur. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not allow bait to contact the edible portions of any food crop.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original labeled container in a cool, dry, locked place out of reach of children. Keep container tightly closed when not in use. Do not store in direct sunlight. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State & local authorities, by burning. If burned stay out of smoke. **HOUSEHOLD:** Do not re-use empty container. Wrap and put in trash.

This package is sold by weight when packed, but due to its granular nature the material is inclined to settle. USE ONLY AS DIRECTED.

READ ENTIRE LABEL BEFORE USING

When used as directed ALCO SNAIL, SLUG AND SOWBUG KILLER will give good control of SNAILS, SLUGS, ANTS, EARWIGS, FALL ARMYWORMS, SOD WEBWORMS (LAWN MOTHS), AND SOWBUGS. Thoroughly water area prior to application. This product can be applied any time during the day but late afternoon or evening is preferred. May also be applied from a fertilizer spreader. Do not water treated area for 48 hours after application. When using the 1 lb. Shaker Can simply shake on the proper amount from the shaker top can. Use at the rates as recommended on the front panel of this product label.

WHERE TO USE AS A SOIL TREATMENT

TREE FRUIT ORCHARDS & GROVES

Includes: Apples, Apricots, Avocado, Cherries, Peaches and Pears, Citrus such as - Oranges, Lemons, Limes, Grapefruit, and their Hybrids. Use rate as recommended on front panel.

AROUND SMALL FRUIT

Includes: Blackberries, Boysenberries, Loganberries, Raspberries, Grapes, and Strawberries. Use rate as for vegetable soil.

APPLY TO SOIL IN VEGETABLE GARDENS

Includes: Artichokes, Asparagus, Beans, Beets, Blackeyed Peas, Broccoli, Brussels Sprouts, Cabbage, Cantaloupe, Carrots, Cauliflower, Celery, Collards, Corn, Cow Peas, Cucumbers, Kale, Kohlrabi, Leeks, Garlic, Melons, Mustard Greens, Okra, Onions, Parsnips, Peas, Peppers, Pimentos, Potatoes, Pumpkins, Radishes, Rhubarb, Rutabagas, Salsify, Shallots, Spinach, Squash, Sweet Potatoes, Swiss Chard, Tomatoes, Turnips, Watermelons. To control SNAILS and SLUGS, water or irrigate the area to be treated thoroughly. Withhold watering for 48 hours after treatment. Apply this material over the infested area and around the edges of border plants. Also apply to the bases of fences and walls and in shady, protected areas.