UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

300 17 5-75-7674

APR 1 2 2004

Kittrich Corp. 3940 Black Gold Drive Dallas, Texas 75247

Attention: Mr. Dwight Detarek

Subject

Echols Mouse & Rat Pellets

EPA Reg. No. 62577-7

Our letter of December 11, 2003 Your letter of March 20, 2004

Purpose

The purpose of this submission is to revise your label in accordance with our letter of December 11, 2003, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Label

The labeling submitted with the above letter, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable, provided you submit one (1) copy of final printed labeling to us, with the following changes, before you ship your product.

- 1. <u>Delete</u> "If swallowed, this material may reduce the clotting ability of the blood and cause bleeding." immediately before the "**FIRST AID**" section, the 1st time that it appears on your label.
- 2. Retain the above sentence the 2nd time that it appears on your label in the "Note to Physician".
- 3. Under the "Note to Physician", revise the 2nd sentence as follows:

If ingested, administer Vitamin K_1 intramuscularly or orally.

Existing stocks Stocks of existing labels may be used for eighteen (18) months.

Page 2 of 2

Consequence for non-compliance

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Questions

If you have questions about this letter, please contact me at 703-305-5407 (by phone), 703-305-6596 (by fax), or peacock,dan@epa.gov (by E-Mail).

Sincerely yours,

Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch Registration Division (7504C)

Enclosures

- 1. Minimum Type Sizes for Final Printed Labels
- 2. Stamped Label

Letter

Dan Peacock, Disk142,A:\Warfarin\62577-7, revised label, 4-6-2004.wpd



ACTIVE INGREDIENT: Warfarin: 0.025% 99 975% INERT INGREDIENTS.

CAUTION KEEP OUT OF REACH OF CHILDREN

See Right Panel for additional precautions

EPA Reg No 62577-7 EPA Est No 3941-TX-1 Sold by

Kittrich Corporation 14555 Alondra Blvd* La Mirada, CA 90638

Net Wt. 5 1/3 oz Item No. E-5 PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals
Keep away from humans, domestic animals and pets If
swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

FIRST AID

Have label with you when obtaining treatment advice.

If swallowed: Call a poison control center, doctor, or 1-800858-7378 immediately for treatment advice. Have person sip a glass of water it able to swallow. Do not induce vomiting a glass of wait in and it was to be the prison control center or doctor. Do not give anything by month to an unconscious person.

Note to Physician: if swallowed, this material may reduce the clotting ability of the blood and cause bleeding.
If ingested, administer Visumin K, intramuscularly or orally, a indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring or prothrombin times

Environmental fuzzards

This product is toxic to manimals and binds. Do not apply directly to

DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner
inconsistent with its labeling. READ THIS LABEL: Read this entire
label and follow all use directions and use precautions.
IMPORTANT: Do not expose children, pets or other non-target
insight to mechaniside. animals to redenticides. To help prevent accidents:

I Store product not in use in a location out of the reach of children and pets. 2. Apply bait in locations and of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under 6 years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait.

If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons. bears, or other potentially destructive animals prone to

vandalism.3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

Use Restrictions: For control of Norway rats, roof rats and

house mice in and around homes, industrial buildings, and similar man made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

Selection of Treatment Areas: Determine areas where rats or mice will most likely find and consume the bait Generally. these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and

walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible. Application Directions: Rats. Apply 4 to 16 oz of bait per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days. The amount of bait in this container is unlikely to be sufficient to kill more than 2 or 3 rats.

Mice: Apply ¼ to ½ oz (1-2 level tablespoons) of bait at 8 to 10 foot intervals. Larger

Processing the Apply % to % 0.2 [1-2] level tablespoons] of bart at 8 to 10 foot intervals. Larger placement (up to 2 o.2) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

Rats/Mice: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and supplies he needed to the supplies of the second of the supplies of the supp

treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE: Store in original container, in a cool, dry place inaccessible to children and pets. DISPOSAL: If empty. Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor regulators drive.

or outdoor drain

ACCEPTED: with COMMENUS:

in EPA Letter Dated:

APR 1 2 2004

Under the Federal Insecticide. Functicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

62577-7