TPM-90 62637-5

1 of 8

Please read instructions	on reverse before comple	ting form.	Form A	pproved,	OMB_No. 207	<u>0-0060</u>	. Approval expires 2-28-9
	ι	Inited States			Registratio	on	OPP Identifier Number
<b>\$EPA</b>	Environmenta	I Protection	Agency		Amendme	ent	004555
<b>V</b>	Washi	ngton, DC 20460	•	$\vdash$	Other		234555
		Application	for Pesticide - Sec				<u> </u>
1. Company/Product Nu		Application	2. EPA Product Ma			3. Pro	posed Classification
1. Company/ roduct 140	62637-5		Janet Ander	_			
4. Company/Product (N	emo)		PM#		<del></del>	<u>  x</u>	None Restricted
	BMP 123 (2X	WP)	Acting Divi	ision	Director	<u> </u>	
	f Applicant finclude ZIP Co		6. Expedited Re	eview.	In accordance	e with	FIFRA Section 3(c)(3)
	bial Products, I	nc.	(b)(i), my product	t is simil	lar or identica	l in co	mposition and labeling
9464 N.W. 11 Plantation,			to:				
Plantation,	LT 2226		EPA Reg. No.				· · · · · · · · · · · · · · · · · · ·
Check i	f this is a new address		Product Name				
	·		Section - II	_			
<u> </u>						<del></del> -	
Amandment - Ex	opiain below.		Final print		in response to d	) 	
Resubmission in	response to Agency lette	r dated					
Notification - Ex	plain below.		Other - Ex	xplain bel	low.		
	41.1		and Service II )				
-	ditional page(s) if necessa	_			<i>c</i> 1		
Notification	n - PR Notice 950	3; Reductio	n of WPS Interim	KEIS	for low r	ısk I	esticiaes
	<del></del>						
			Section - III				
1. Material This Produc	<del></del>	<del></del> -					<del></del>
Child-Resistant Packagi	\	į	Water Soluble Packaging	i	2. Type of Co	ntainer Metal	
Yes*	Yes		Yes		l ———	Plastic	
L. N∘	No No		No No		l +	Glass	
* Certification mus	of Unit Packaging wor		If "Yes" No. pe Package wgt contair		, –––	Paper Other (9	Specify)
be submitted		1	1				
3. Location of Net Cont	ents Information	4. Size(s) Retail	Container	5. Loc	ation of Label	Direction	ons
Label	Container				On Label On Labeling	accon	panying product
6. Manner in Which Lal	bel is Affixed to Product	Lithograp	ь Гол	her	<u> </u>		· · · · · · · · · · · · · · · · · · ·
		Paper glu Stenciled	ed — —		·····		H
			Section - IV			-	
1. Contact Point (Com	plete items directly below	for identification (	of individual to be contacte	d, if nec	essary, to proc	ess this	application.)
Name Pamela Noy			tle			elephon	e No. (Include Area Code)
Jellinek,	Schwartz & Conno	lly, Inc.	Regulatory Speci	.alist		(703)	31,2-,8559
	<del></del>	Certification	on				6c Data Application
			attachments thereto are t				Received
I acknowledge the both under applic		misleading statem	ent may be punishable by	tine or in	nprisonmer,t o	` ;	(Stamped)
2. Signature		12	Title Authorized Re			<del></del>	<b>!</b>
n n	1 / In-	_   3·	MULIDITIZED I			 +.1.~	1
Jann	J. PX		Becker Microb	oiai P	roducts	щ <b>с.</b>	
4. Typed Name	70	5.	Date				0 00
Pamela Noye	!S	ì	8-10-93	5			149
I			$n^{-}iU = I$	_)			1 * * * * (7/6)

## BMP 123 (2X WP) BIOLOGICAL LARVICIDE WETTABLE POWDER

ACTIVE INGREDIENT: Bacillus thuringiensis subspecies kurstaki strain BMP 123....6.4% POTENCY: 32,000 International Units (IU) per milligram (Equivalent to 14.52 Billion IU per pound; Potency units should not be used to adjust rates beyond those specified in the Directions for Use Section.

# KEEP OUT OF REACH OF CHILDREN CAUTION

#### STATEMENTS OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation

persists.

IF INHALED: Remove victim to fresh air.

IF IN EYES: Flush eyes with plenty of water. Get medical

attention if irritation persists.

#### **PRECAUTIONARY STATEMENTS**

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist.

Personal Protective Equipment (PPE): Applicators and other handlers must wear:

- Long-sleeved shirt and long pants.
- Waterproof gloves
- \* Shoes plus socks

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **USER SAFETY RECOMMENDATIONS:**

Users should wash hands before eating, drinking, chewing gum, using tobacco or using toilet.

**ENVIRONMENTAL HAZARDS STATEMENT:** Do not contaminate water when disposing equipment wash waters.

### **DIRECTIONS FOR USE:**

It is a violation of federal law to apply this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.



<u>Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.</u>

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Waterproof gloves
- \* Shoes plus socks

BMP 123 (2X WP) is a microbial larvicide for use against the listed lepidopterous insects. Close scouting and early attention to insect infestations are recommended. BMP 123 (2X WP) must be ingested to be effective. The following directions should always be followed:

- 1. Larvae must be actively feeding on exposed plant parts.
- 2. Applications must be made when larvae are in the early instars before extensive crop damage occurs. For control of mixed insect populations or overlapping generations, use BMP (2X WP) in combination with another approved insecticide.
- Thorough spray coverage with BMP 123 (2X WP) is required for consistent control.
   Spray nozzles and volume applied will vary depending on crop and pest. Under heavy pressure, higher rates, increased gallonage, and shorter spray intervals will improve crop coverage and pest control.
- 4. Repeat applications at 3-14 day intervals to maintain control. This will depend on weather, plant growth rate, and insect activity.
- 5. In applications on hard to wet crops such as cole crops, a spreader sticker approved for use on growing and harvested crops, should be added to improve coverage and weathering properties.
- 6. Unless otherwise indicated use at least two (2) gallons of water per acre except in California where five (5) to ten (10) gallons are typically used.

- 7. BMP 123 (2X WP) may be applied as a pre and post harvest treatment to raw agricultural commodities.
- 8. Do not apply this product through any kind of irrigation system.

BMP 123 (2X WP) may be applied in conventional aerial and ground equipment with sufficient water to provide thorough coverage. Approved spreader/stickers should be added to the mix tank after BMP 123 (2X WP) has been mixed with the appropriate amount of water.

### **APPLICATION RATE**

Crop	Pest	Pounds/Acre
Vegetables and commercial	Loopers	1/2 to 1.0
crops of the following groups:	Hornworms	1/2 to 1.0
Root and Tuber	Imported Cabbageworms	1/2 to 1.0
Leaves of Root and Tuber	Diamondback moth	1/2 to 1 1/2
Bulb	Green Cloverworm	1/2 to 1.0
Leafy	Webworm	1/2 to 1.0
Brassica (Cole Leafy)	Armyworms*	1/2 to 2.0
Legume	Saltmarsh Caterpillar	1/2 to 1.0
Foliage of Legume	Heliothis (Helicoverpa) Spp.**	1/2 to 2.0
Fruiting	Cutworms	1/2 to 1.0
Cucurbit (Melons, Squash,	Pickleworm	1/2 to 1.0
Cucumbers, etc.)	Melonworm	1/2 to 1.0
•	Rindworm Complex***	1/2 to 1 1/2

- \* BMP 123 (2X WP) may be used to suppress 1st and 2nd instar armyworm larvae when populations are light and full coverage ground applications are used.
- \*\* Tobacco Budworm, Tomato Fruitworm. Com Earworm. On tomatoes apply weekly in a preventative program.
- \*\*\* Apply weekly in a preventative program.

Crop	Pest	Pounds/Acre	_
Sunflowers	Loopers	1/2 to 1.0	
Peanuts	Green Cloverworms	1/2 to 1.0	
Safflower	Velvetbean Caterpillar	1/2 to 1.0	
Mint	Podworm*	1/2 to 1.0	
Canola	Amywoms*	1/2 to 2.0	
Rape	Diamondback Moth	1/2 to 1 1/2	
Cereal Grains	Saltmarsh Caterpillar	1/2 to 1.0	
Amaranth	Hornworms	1/4 to 1/2	•
Jojoba	Heliothis (Helicoverpa) spp.**	1.0 to 2.0	•
Okra	` ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		,
Pawpaw			
Lentils			

- \* BMP 123 (2X WP) can be used to suppress podworm and armyworms in an integrated post management program.
- \*\* Suppression only.

Crop	Pest	Pounds/Acre
Artichokes	Armyworms	1/2 to 2.0
	Loopers	1/2 to 1 1/4
Cotton	Tobacco Budworm*	1/2 to 2.0
	Cotton Bollworm*	1/2 to 2.0
	Loopers	1/2 to 1.0
	Cotton Leaf Perforator	1/2 to 1.0
	Cotton Leafworm	1/2 to 1.0
	Saltmarsh Caterpillar	1/2 to 1.0
	Armyworms	1/2 to 2.0

<sup>\*</sup> Use in conjunction with regular scouting in an integrated pest management program when beneficial insects are present. Applications should be made against light to moderate populations of 1st and 2nd instar larvae. Repeat applications at 3 to 5 day intervals as required and as long as population suppression is satisfactory. For added control of budworms and bollworms tankmixing of BMP 123 (2X WP) with an approved ovicide is recommended. Use of the resulting tank mix must be in accordance with the most restrictive of label limitations and precautions. No label dosage rates should be exceeded. This product can not be mixed with any product containing a label prohibition against such mixing.

Сгор	Pest	Pounds / Acre
Tobacco	Tobacco Budworm	1/2 to 2.0
	Hornworms	1/4 to 1/2
	Loopers	1/2 to 1.0

BMP 123 (2X WP) may be applied in conjunction with sucker control products at the recommended label rates. Observe label precautions for all products used. Apply BMP 123 (2X WP) as necessary to maintain control.

Crop	Pest	Pounds / Acre
Greenhouse	Loopers	1/4 to 1/2
Flowers	Tobacco Budworm	1/4 to 1/2
Omamentals	Omnivorous Looper	1/4 to 1/2
Bedding Plants	Omnivorous Leafroller	1/4 to 1/2
(Ground Only)	Diamondback Moth	1/2 to 1.0
•	Armyworms	1/2 to 2.0
	Ello Moth (Hornworm)	1/4 to 1/2
	lo Moth	1/4 to 1/2
	Oleander Moth	1/4 to 1/2
	Azalea Caterpillar	1/4 to 1/2
Pastures, Cereal Grain,	Loopers	1/2 to 1.0
Forage, Fodder, Straw,	Alfalfa Caterpillar	1/2 to 1.0 .
Grass and nongrass commodities	European Skipper	1/2 to 1.0 ' 🕡
	Armyworms*	1/2 to 2.0
Rangeland	Rangeland Caterpillars**	1/4 to 1.0

<sup>\*</sup>BMP 123 (2X WP) may be used to suppress 1st and 2nd instar armyworm larvae when populations are light and full coverage ground applications are used.

<sup>\* \*</sup> Apply in a minimum of 1/2 to 1.0 gallon per acre.

Crop		Pest	Pounds / Acre
Turf		Sod Webworm	1.0 to 2.0
Crop	Pest		Pounds Acre

Crop	Pest	Pounds Acre	
		Ground*	Air*
Forest	Gypsy Moth	1/2 to 1.0	1/2 to 2.0
Shade Trees	Eastern Tent Caterpillars	1/4 to 1/2	1/4 to 1/2
Shrubs	Spruce Budworm	1/2 to 1 1/2	1/2 to 1 1/2
Omamentals	Douglas Fir Tussock Moth	1/4 to 1.0	1/4 to 1.0
Sugar Maple Trees	Western Tussock Moth	1/4 to 1/2	1/4 to 1/2
	Browntail Moth	1/4 to 1/2	1/4 to 1/2
	Bagworm	1/8 to 1/4	1/8 to 1/4
	Spring and Fall Cankerworms	1/4 to 1/2	1/4 to 1/2
	Elm Spanworm	1/4 to 1/2	1/4 to 1/2
	Fall Webworm	1/4 to 1/2	1/4 to 1/2
	California Oakworm	1/4 to 1/2	1/4 to 1/2
	Redhumped Caterpillar	1/4 to 1/2	1/4 to 1/2
	Pine Butterfly	1/2 to 3/4	1/2 to 3/4
	Blackheaded Budworm	1/2 to 3/4	1/2 to 3/4:
	Jack Pine Budworm	1/2 to 1.0	1/2 to 1.0
	Mimosa Webworm	1/4 to 1/2	
	Saddle Prominent Caterpillar	1/4 to 1/2	1/4 to 1/2
	Saddleback Caterpillar	1/4 to 1/2	1/4 to 1/2
	Fruittree Leafroller	1/4 to 1/2	
	Forest Tent Caterpillars	1/4 to 3/4	1/4 to 3/4

<sup>\*</sup> Ground applications are made at the rate of 100 gallons per acre for hydraulic sprayers. For mist blowers mix the applicable amount in ten (10) gallons of water.

\*\* Use 1/2 to ten (10) gallons of water depending on the type and density of tree.

Crop	Pest	Pounds / Acre
Grapes	Loopers	1/2 to 1.0
Small Fruits	Grape Berry Moth*	1/2 to 1.0
Berries	Grapeleaf Skeletonizer*	1/2 to 1.0
Hops	Grape Leaffolder	1/2 to 1.0
	Saltmarsh Caterpillar*	1/2 to 1.0
	Achema Sphinx Moth*	1/4 to 1/2
	Omnivorous Leafroller*	1/2 to 1.0
	Blueberry Leafroller	1/4 to 1.0
	Oblique Banded Leafroller	1/2 to 1.0
	Cherry Fruitworm	1/4 to 1/2
	Fruittree Leafroller	1/4 to 1.0
	Gypsy Moth	1/2 to 1.0
	Green Fruitworm	1/4 to 1/2
	Orange Tortrix	1/2 to 1.0
	Grape Leafroller	1/4 to 1.0
	Spotted Cutworm	1/2 to 1.0
	Armyworms**	1/2 to 2.0
	Tobacco Budworm	1/2 to 2.(r

<sup>\*</sup> Application by ground only.
\*\* BMP 123 (2X WP) may be used to suppress 1st and 2nd instar armyworm larvae when populations are light and full coverage ground applications are used

Сгор	Pest	Pounds / Acre			
		Ground	Air		
Stone Fruits	Tent Caterpillars	1/2 to 2.0	1/2 to 2.0		
Nut Trees	Cankerworms	1/2 to 2.0	1/2 to 2.0		
Pomegranates	Fall Webworm	1/2 to 2.0	1/2 to 2.0		
	Walnut Caterpillar	1/2 to 2.0	1/2 to 2.0		
	Redhumped Caterpillar	1/2 to 2.0	1/2 to 1.0		
	Omnivorous Leafroller	1/2 to 2.0			
	Citrus Cutworm	1/2 to 1.0	1/2 to 2.0		
	Filbert Leafroller	1/2 to 2.0	1/2 to 2.0		
	Filbert Webworm	1/2 to 2.0	1/2 to 2.0		
	Peach Twig Borer	1/2 to 2.0			
Pome Fruits*	Gypsy Moth	1/2 to 2.0	1/2 to 2.0		
	Cankerworms	1/2 to 2.0	1/2 to 2.0		
	Tent Caterpillars	1/2 to 2.0	1/2 to 2.0		
	•	1/2 to 2.0	=		
	Variegated Leafroller	1/2 to 2.0	<del></del>		
	Redbanded Leafroller	1/2 to 1.0	==		
Citrus**	Fruittree Leafroller	1/2 to 2.0			
	Citrus Cutworm	1/2 to 2.0	1/2 to 1.0 <sub>k</sub>		
	(Apply to light to moderate populations of newly hatched citrus cutworm larva				
	Orangedog	1/4 to 1.0			
Avocado	Loopers	1/2 to 2.0	1/2 to 2.0		
	Orange Tortrix	1/2 to 2.0	1/2 to 2.0		
	Omnivorous Leafroller		1/2 to 2.0		
	Amorbia	2.0			
Tropical	, ((1101010	2.4			
Fruits***	Homworm	1/2 to 2.0	***		
Papayas	Leafrollers	1/2 to 2.0			
Mangoes	Omnivorous Looper	1/2 to 2.0			
Kiwi Persimmons Pomegranates	Loopers	1/2 to 2.0			
Bananas****	Banana Skipper	1/3 to 1.0			

<sup>\*</sup> Apply BMP 123 (2X WP) in 50 - 500 gallons / acre.

<sup>\*\*</sup> Apply in 100 to 400 gallons per acre.

<sup>\*\*\*</sup> Apply at least 200 gallons per acre.

<sup>\*\*\*\*</sup> Hawaii Only, Ground Equipment Only, Apply to the point of runoff.

3 or 8

## STORAGE AND DISPOSAL Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool dry place.

Pesticide Disposal: Wastes resulting from use of this product may be disposed of on

site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent), then puncture and dispose of in a sanitary

landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned stay out of smoke. Do not reuse container.

NOTICE TO USER: Seller makes no warranty, express or implied, of merchantability, fitness

or otherwise concerning the use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict

accordance with label instructions.

BECKER MICROBIAL PRODUCTS, INC. 9464 N. W. 11th Street Plantation, Florida 33322

EPA Registration Number: 62637-5

EPA Establishment Number: 44616-MO-001

**Net Weight:** 

Lot Number: