JAN 2 3 1992

Mr. Michael W. Melichar DowElanco Quad IV--9002 Purdue Road Indianapolis, Indiana 46268-1189

Subject: Revised Labeling--Mole Cricket Control Professional Turf Insecticide EPA Registration Number 62719-35 Your Application Dated August 19, 1991

Dear Mr. Melichar:

24

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Dennis H. Edwards, Jr. Product Manager (19) Insecticide-Rodenticide Branch Registration Division (H7505C)

yollow Copy

 t^{+}

Enclosure

Specialty Products Supplemental Labeling



DowElanco

Quad 🕅, 9002 Purdue Road

P.O. Box 681428

Indianapolis, Indiana 46268-1189 USA

Professional* Turf Insecticide

EPA Reg. No. 62719-35

For Control of Mole Crickets in Turfgrasses Using High Pressure Injection Equipment

ATTENTION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Professional Turf Insecticide before applying.
- Carefully follow all precautionary statements and applicable use directions.
- Use of Protessional Turf Insecticide according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Professional Turf Insecticide.

Directions for Use

To control mole crickets in turfgrasses apply Professional Turf Insecticide through high pressure injection application equipment such as the Cross Equipment Injectaspray™ at a rate of 2 quarts per acre. Apply in a minimum spray volume of 50 gallons of water per acre. For best results, spray when young nymphs are active.

ACCULUD JAN 2 3 1992 Under the Federal Intecticide, Fungi ide and Redenticide Act, as amended, for the pesticide registered under a Diffe 7. EPA Reg. No. (200

BEST AVAILABLE COPY

*Trademark of DowElanco

A1ASPXXX Approved __/_/__ Initial printing.

yellow Copy

JUL 2 3 1991

Mr. Michael W. Melichar DowElanco Quad IV, 9002 Purdue Road Indianapolis, Indiana 46268-1189

Subject: Fire Ant Control in Ornamentals Professional Turf Insecticide EPA Registration Number 62719-35 Your Application Dated April 29, 1991

Dear Mr. Melichar:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr. Product Manager (19) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosure

U.S. Crup Production Supplemental Labeling



DowElanco	Quad IV, 9002 Purdue Road	P.O. Box 681428	Indianapolis, Indiana 46268-1189 USA
Fung the F	Professional Furrier Professional For Treatment of	nsecticide (EPA Reg. No. Onal Turf Insecticid of Potted, Containerize Burlapped Nursery St	e ed, and
	labeling must be in possessio	on of the user at the time	of pesticide application.

This labeling must be in possession of the user at the time of pesticide application.
Before using ProfessionalTurf Insecticide, read and carefully follow all applicable directions, precautionary information, statements of hazard, and "Warranty and Disclaimer" information to the label affixed to the product container.

Ornamentals (Soll Treatment)

Use Professional Turf Insecticide to treat potted, containerized, and balled and burlapped nursery stock to control the insects in the soil attached to the roots of these plants. Completely submerge the ball of soil in a tank containing diluted Professional Turf Insecticide. Do not remove burlap wrap or plastic containers with drain holes prior to submerging. Keep soil submerged until complete saturation has occurred, normally about 30 seconds.

Note: Wear chemically resistant gloves, boots, and apron during this operation. Application should be made in a well-ventilated area.

Note: Environmental factors significantly affect **phytotoxicity**. Professional Turf Insecticide has been tested on numerous ernamental plants without crusing serious phytotoxicity. However, because of the numerous varieties grown, it is recommended that a small group of plants be treated at the recommended rate under the anticipated growing conditions and observed for phytotoxic symptoms for at least 7 days, before a large number of plants are treated.

	Amount of Professional Turf Insecticide In Water to Make:		Specific Directions
	1 gallon	100 gallons	
Fire Ants (1)	1/4 fl. oz.	4 fl. oz.	1. An alternate treatment to submerging potted plants is to dilute 4 oz. of Professional Turf Insecticide in 100 gals, of water. This dilution should be applied to the point of runoff on a twice-daily schemule for three consecutive days. Do not remove burlap wrap of container from plants orior to treatment.
Grubs Weevils	2/3 fl. oz.	2 qt.	

BEST AVAILABLE COPY

115

*Trademark of DowElanco 123-A1ASPXXX Approved _/_/_

This is an Initial DowElanco Printing.