

14 MAY 1992

Mr. Larry E. Hammond
DOWLANCO
9002 Purdue Road
Quad IV
Indianapolis, IN 46268

Dear Mr. Hammond:

Subject: Curtail® Herbicide
EPA Registration No. 62719-48
Application Received April 9, 1992 Requesting
Supplemental Labeling To Replace the Existing
Crop Rotational Restrictions for the States
of Idaho, Nevada, Oregon, Utah and Washington
with more Restrictive Claims, Resubmission
received May 13, 1992

The proposed supplemental labeling reflecting the subject amendment has been reviewed and found to be acceptable for registration under Section 3 of the Federal Insecticide, Fungicide and Rodenticide Act as amended, provided:

o That you submit 5 copies of the final printed labeling.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA, section 6(e).

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Joanne I. Miller
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (H-7505C)

Enclosure

EWilson: Diskette #0007b:05-12-92

BEST AVAILABLE COPY

Supplemental Labeling



DowElanco

Quad IV, 9002 Purdue Road

P.O. Box 681428

Indianapolis, Indiana 46268-1189 USA

ACCEPTED
with COMMENTS
EPA Letter Desk

Curtail* Herbicide (EPA Reg. No. 62719-48)

~~**Curtail* M Herbicide** (EPA Reg. No. 62719-86)~~

For Distribution and Use Only in the States of Idaho,
Nevada, Oregon, Utah and Washington

**Revised Crop Rotation Restrictions for Idaho, Nevada,
Oregon, Utah and Washington**

Under the Federal Insecticide,
Fungicide and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

62719-48

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Curtail or Curtail M before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Curtail or Curtail M Herbicides according to this supplemental labeling is subject to all other use precautions and limitations imposed by the label affixed to the product container.

The following rotation crop labeling supersedes the label affixed to the container for Curtail and Curtail M in the states of Idaho, Nevada, Oregon, Utah and Washington.

Do not plant wheat, barley, oats, grasses or field corn within 30 days after an application of Curtail or Curtail M Herbicides.

Do not plant sugar beets (including beets grown for seed) in the same growing season following an application of Curtail or Curtail M Herbicides.

Do not plant alfalfa, asparagus, canola (rapeseed), Brassica species grown for seed, cole crops, dry beans, soybeans, grain sorghum, mint, onions, popcorn, safflower, sunflower, sweet corn or strawberries during the first 12 months after an application of Curtail or Curtail M Herbicides.

For areas receiving 18 inches or more of annual precipitation (not including irrigation): Alfalfa, dry beans, canola (rapeseed), Brassica species grown for seed, grain sorghum, mint, popcorn, sweet corn, soybeans and sunflowers may be planted 12 months after an application of Curtail or Curtail M Herbicide. Asparagus, cole crops, lentils, onions, peas, potatoes (including potatoes grown for seed), safflower, strawberries or broadleaf crops grown for seed (excluding Brassica species) may also be planted 12 months after treatment, however, unless risk of injury is acceptable, these crops should not be planted until 18 months after treatment.

For areas receiving less than 18 inches average annual precipitation (not including irrigation): Alfalfa, dry beans, soybeans, sunflowers, lentils, peas, potatoes (including potatoes grown for seed) or broadleaf crops grown for seed (excluding Brassica species) should not be planted until 18 months after an application of Curtail or Curtail M Herbicide. However, crop injury and/or yield loss may occur up to 4 years after application. In areas of low organic matter (<2.0%) and less than 15 inches average annual precipitation, crop injury may be reduced by burning or removal of plant residues, supplemental fall irrigation and deep moldboard plowing prior to planting the sensitive crop.

(continued on back)

BEST AVAILABLE COPY

Note: The above restrictions are based on average annual precipitation, regardless of irrigation practices. Use of Curtail or Curtail M Herbicides in accordance with the rotational crop restrictions stated, if followed, is not expected to result in crop injury; however, because Curtail and Curtail M Herbicides are dissipated in the soil by microbial activity and the rate of microbial activity is dependent on soil moisture, temperature and organic matter, accurate prediction of potential rotational crop injury is impossible.

BEST AVAILABLE COPY

*Trademark of DowElanco

122-Q2AGXXXX Approved / /
Initial printing.

Amendments:

1) Revised rotation crop restrictions for the states of Idaho, Nevada, Oregon, Utah and Washington.