

DEC 12 1996

Dr. Kenneth D. Racke
DowElanco
9330 Zionsville Road
Indianapolis, Indiana 46268-1054

Subject: Revised Labeling--Broadcast Applications
Dursban L.O.
EPA Registration Number 62719-55
Your Application Dated October 4, 1996

Dear Dr. Racke:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, is acceptable provided that you make the labeling changes indicated below before you release the product for shipment bearing the amended labeling:

1. On page 5 of the draft labeling, in the General Use Precautions, Pets, revise the second sentence to "Do not allow humans or pets to contact treated surfaces until the spray has dried."
2. On page 7, in the Specific Directions, Fleas, revise the third sentence to "Do not allow humans or pets to contact treated surfaces until the spray has dried."
3. On page 8, in the directions for the control of brown dog ticks, revise the last sentence "Do not allow humans or pets to contact treated surfaces until the spray has dried."
4. On page 8, in the directions for the control of carpet beetles, revise the last sentence "Do not allow humans or pets to contact treated surfaces until the spray has dried."

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure

Dursban* L.O.

EPA Reg. No. 62719-55

Registration Notes:

Current label text based on EPA accepted copy dated September 27, 1993.

Proposed Label Changes by Amendment:

1. Minor editing throughout label for clarification.
2. The phrase "for a minimum of 4 hours and" was deleted from General Use Precautions/Pets.
3. Pest Control Indoors:
 - The phrase "Indoor broadcast applications are prohibited" was added
 - The specific use directions were revised to limit application to spot or crack and crevice treatment only

*Trademark of DowElanco

[Editor's Note: Added text underlined; deleted text denoted by strike-through.]

ACCEPTED
with COMMENTS
in EPA Letter Dated

DEC 12 1996

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
62719-55

96 DEI -7 P2:10

RECD LPA/OPP/DPD1

(Base label):

(logo) DowElanco

Dursban* L.O.

Controls numerous pests in and around households

To be applied only by or under the direct supervision of commercial applicators responsible for insect control programs. Sale to or use by persons owning or occupying a dwelling is strictly prohibited.

Active Ingredient:

chlorpyrifos: O,O-diethyl O-(3,5,6-trichloro-2-pyridinyl)phosphorothioate 41.5%

Inert Ingredients 58.5%

Contains 4 pounds of chlorpyrifos per gallon.

Precautionary Statements

Hazards to Humans and Domestic Animals

Keep Out of Reach of Children

WARNING AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Harmful If Swallowed o Harmful If Absorbed Through Skin o Causes Substantial But Temporary Eye Injury

Do not get in eyes, on skin or clothing. Handle concentrate in a ventilated area. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse.

First Aid

If swallowed: Call a physician or Poison Control Center immediately. Do not induce vomiting. Contains an aromatic petroleum solvent. Do not give anything by mouth to an unconscious person.

If on skin: Wash with plenty of soap and water. Get medical attention.

If in eyes: Flush with plenty of water for 15 minutes. Get medical attention.

If inhaled: Remove to fresh air if symptoms of cholinesterase inhibition appear and get medical attention immediately.

Note to physician: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate significance of exposure (baseline data are useful).

Atropine, only by injection, is the preferable antidote. Oximes, such as 2-PAM/protopam, may be therapeutic if used early; however, use only in conjunction with atropine. In case of severe acute poisoning, use antidote immediately after establishing an open airway and respiration.

RECEIVED
with COMMENTS
in EPA Letter Dated

REC'D EPA/GFP/DDI
96 01 11
P 2:10

DEC 12 1996

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

62719-55

5715

Environmental Hazards

This pesticide is toxic to birds and other wildlife and extremely toxic to fish and aquatic organisms. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Combustible - Do not use or store near heat or open flame.

Refer to label booklet for additional precautionary information including Personal Protective Equipment (PPE), User Safety Recommendations and Directions for Use including Storage and Disposal.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container in secured dry storage area. Prevent cross-contamination with other pesticides and fertilizers. Do not store above 100°F for extended periods of time. Storage below 40°F may result in formation of crystals. If product crystallizes, store at 55-75°F and shake occasionally to redissolve crystals. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA regional office for guidance.

40 ml Container Disposal: Do not reuse empty container. Wrap container and put in trash.

Pint Container Disposal: Triple rinse (or equivalent). Then dispose of in a sanitary landfill, or by incineration, or, if allowed by local authorities, by burning.

Notice: Read the entire label. Use only according to label directions. **Before buying or using this product, read "Warranty Disclaimer" and "Limitation of Remedies" inside label booklet.**

In case of emergency endangering health or the environment involving this product, call collect 517-636-4400.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

EPA Reg. No. 62719-55

16 93

EPA Est. 464-MI-1; 52379-MI-002

Superscripts correspond to places 7 & 8 of lot number.

*Trademark of DowElanco
DowElanco o Indianapolis, IN 46268 U.S.A.

Specialty Insecticide

(Datapack cover):

(logo) DowElanco

Dursban* L.O.

Controls numerous pests in and around households

To be applied only by or under the direct supervision of commercial applicators responsible for insect control programs. Sale to or use by persons owning or occupying a dwelling is strictly prohibited.

Active Ingredient:

chlorpyrifos: O,O-diethyl O-(3,5,6-trichloro-2-pyridinyl)phosphorothioate	41.5%
Inert Ingredients	58.5%

Contains 4 pounds of chlorpyrifos per gallon.

Keep Out of Reach of Children

WARNING AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Refer to label booklet for additional precautionary information including Personal Protective Equipment (PPE), User Safety Recommendations and Directions for Use including Storage and Disposal.

Notice: Read the entire label. Use only according to label directions. Before buying or using this product, read "Warranty Disclaimer" and "Limitation of Remedies" inside label booklet.

In case of emergency endangering health or the environment involving this product, call collect 517-636-4400.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

EPA Reg. No. 62719-55

16 93

EPA Est. 464-MI-1; 52379-MI-002

Superscripts correspond to places 7 & 8 of lot number.

*Trademark of DowElanco
DowElanco o Indianapolis, IN 46268 U.S.A.

Specialty Insecticide

(Page 1 through end):

Table of Contents	Page
Precautionary Statements	
Hazards to Humans and Domestic Animals	
First Aid	
Environmental Hazards	
Physical or Chemical Hazards	
Directions for Use	
Storage and Disposal	
General Information	
Mixing Directions	
Proper Storage for Dilutions	
Pest Control Indoors	
Control of Wood-Infesting Insects	
Pest Control on Outside Surfaces and Around Buildings	
Warranty Disclaimer	
Inherent Risks of Use	
Limitation of Remedies	

Precautionary Statements

Hazards to Humans and Domestic Animals

WARNING

AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Harmful If Swallowed o Harmful If Absorbed Through Skin o Causes Substantial But Temporary Eye Injury

Do not get in eyes, on skin or clothing. Handle concentrate in a ventilated area. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse.

First Aid

If swallowed: Call a physician or Poison Control Center immediately. Do not induce vomiting. Contains an aromatic petroleum solvent. Do not give anything by mouth to an unconscious person.

If on skin: Wash with plenty of soap and water. Get medical attention.

If in eyes: Flush with plenty of water for 15 minutes. Get medical attention.

If inhaled: Remove to fresh air if symptoms of cholinesterase inhibition appear and get medical attention immediately.

Note to physician: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate significance of exposure (baseline data are useful). Atropine, only by injection, is the preferable antidote. Oximes, such as 2-PAM/protopam, may be therapeutic if used early; however, use only in conjunction with atropine. In case of severe acute poisoning, use antidote immediately after establishing an open airway and respiration.

Environmental Hazards

This pesticide is toxic to birds and other wildlife and extremely toxic to fish and aquatic organisms. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Combustible - Do not use or store near heat or open flame.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

Do not formulate this product into other end-use products.

Do not tank mix this product with dichlorvos (DDVP) containing products. Can be tank mixed with Insect Growth Regulators, or other chemically compatible products. Dursban L.O. may be mixed with an odor neutralizer.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container in secured dry storage area. Prevent cross-contamination with other pesticides and fertilizers. Do not store above 100°F for extended periods of time. Storage below 40°F may result in formation of crystals. If product crystallizes, store at 55-75°F and shake occasionally to redissolve crystals. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA regional office for guidance.

40 ml Container Disposal: Do not reuse empty container. Wrap container and put in trash.

Pint Container Disposal: Triple rinse (or equivalent). Then dispose of in a sanitary landfill, or by incineration, or, if allowed by local authorities, by burning.

General Information

Dursban* L.O. insecticide is an emulsifiable concentrate designed for use as a spray to control various pests in and around structures and vehicles. The pests controlled include, but are not limited to, those listed in the accompanying table.

General Use Precautions

Do not allow spray to contact food, feedstuffs, or water supplies. Do not allow spray to contact food-contacting surfaces. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not use in fogging equipment. Do not allow adults or children on treated areas until spray ~~had~~ has dried. Do not apply water based sprays of this product to conduits, motor housings, junction and switch boxes, or other electrical equipment because of possible shock hazard.

Pets: Remove pets (cats, dogs, birds, etc.) and cover fish bowls (tanks) before spraying. **Humans or pets should not contact treated surfaces for a minimum of 4 hours and until the spray has dried.** Keep out of fishpools or other bodies of water. Do not use in poultry houses.

Mixing Directions

When diluting Dursban L.O., first add approximately one-half of the water to the spray tank; add the proper amount of Dursban L.O. and immediately close the tank and shake vigorously for 5 to 10 seconds; then add the remaining water slowly to avoid excess foam. A stable microemulsion will form which will not separate.

Proper Storage for Dilutions

When diluted, Dursban L.O. is particularly sensitive when exposed to freezing (or near freezing) temperatures, i.e., temperatures below 35°F for extended periods of time. Therefore dilutions of Dursban L.O., if allowed to stand for long periods, should be stored at room temperature.

Pest Control Indoors

Use Dursban L.O. insecticide to control pests such as but not limited to those listed in the following table by application at the recommended dosages. Use a 0.25% spray to control light infestations and a 0.5% spray to quickly reduce heavy infestations or for extended residual control. To prepare the spray, dilute Dursban L.O. only with water.

Applications may be made within residential buildings, including homes and apartments, and non-residential buildings, including mausoleums and vehicles. Applications may also be made within non-food areas of industrial, institutional, and commercial buildings, including hospitals, stores, manufacturing plants, and warehouses.

Apply as a pinstream or as a coarse, low-pressure spray (20 psi or less) or with a paint brush to localized areas in and around both food and non-food areas. Treat where insects are found or normally occur, including, but not limited to, dark corners of rooms and closets; floor drains; cracks and crevices in walls; along and behind baseboards; beneath and behind sinks, stoves, refrigerators, refrigerator units, and cabinets; and around plumbing and other utility installations. **Indoor broadcast applications are prohibited.**

~~Note: Building occupants and/or management may ventilate treated areas following broadcast treatments to reduce potential odors and/or speed drying of spray. In buildings with restricted air flow, ventilation systems may be adjusted to include outside air.~~

Applications may be made within **food-handling establishments** as a spot treatment. This includes, but is not limited to, restaurants, grocery stores, bakeries, bottling plants, canneries, and grain mills. Spot treatment may encompass crack and crevice treatments by applying small amounts of material directly into openings leading to voids and hollow spaces in walls, equipment legs and bases, or which occur at points between different elements of construction, or between equipment and floors. Equipment capable of delivering a pinstream of spray should be used for crack and crevice applications. **Repeat treatment as needed, but not more often than once every 7 days in restaurants and similar food service establishments or more often than once every 14 days in other types of food-handling establishments.** In case of emergency (call back), Dursban L.O. may be applied after 2 days from last treatment, but emergency use should be limited to once per month. Applications of this product in food handling establishments other than as a spot and/or crack and crevice treatment are not permitted.

BEST AVAILABLE COPY

Pest†	Amount of Dursban L.O. to Make 1 Gallon of Water-Based Spray				Specific Directions
	0.25% Spray		0.5% Spray		
	fl oz	ml	fl oz	ml	
ants ¹ cockroaches (American) (brownbanded) (German) (oriental) (smokey brown) confused flour beetles crickets earwigs firebrats fleas ² Indian meal moths Mediterranean flour moths millipedes red flour beetles rice weevils saw-toothed grain beetles silverfish spiders	2/3	20	1 1/3	40	<p>1. For ants apply to ant trails and around doors and windows and wherever else these pests may find entrance.</p> <p>2. To control fleas, thoroughly apply a fine-particle broadcast spray to infested areas, such as rugs and carpets. Vacuuming carpets prior to treatment may improve flea control. For light infestations, use a 0.25% dilution at the rate of 1 gallon of diluted spray per 1600 square feet. For heavy infestations or for extended residual control, use a 0.5% dilution at the rate of 1 gallon of diluted spray per 1600 square feet or a 0.25% dilution may be used at the rate of 1 gallon of diluted spray per 800 square feet. Do not use a 0.5% dilution at the rate of 1 gallon of spray per 800 square feet. An insect Growth Regulator may be added to achieve extended control of developing flea larvae and pupae. Non-carpeted flooring should only be treated with spot applications as necessary. Spots are defined as areas not to exceed two square feet. Cover aquarium and fish bowls and remove pets (cats, dogs, birds, etc.) from area prior to treating. Other than the applicator, treated areas should be vacated during application. Humans or pets should not contact treated surfaces for a minimum of 4 hours and until spray has dried. Old pet bedding should be replaced or thoroughly washed. DO NOT TREAT PETS WITH THIS PRODUCT. To control the source of flea infestations, pets inhabiting the treated premises should be treated with a flea-control product registered for application to animals.</p> <p><u>2. Fleas: Apply as a spot or crack and crevice treatment only to infested areas, such as rugs and carpets. Prior to treatment, carpets should be vacuumed thoroughly and vacuum cleaner bag discarded in an outdoor trash container. Humans or pets should not contact treated surfaces until the spray has dried. Old pet bedding should be replaced or thoroughly washed. DO NOT TREAT PETS WITH THIS PRODUCT.</u> To control the source of flea infestations, pets inhabiting the treated premises should be treated with a flea-control product registered for application to animals.</p>
brown dog ticks ¹ carpet beetles ² clover mites			1 1/3	40	<p>1. For the control of brown dog ticks, thoroughly apply the spray to infested areas, such as cracks and crevices; along baseboards, windows and door frames, and areas of floor and floor coverings where these pests may be present. Non-</p>

				<p>carpeted flooring should only be treated with spot applications as necessary. Spots are defined as areas not to exceed two square feet. Old bedding should be replaced or thoroughly washed. Use a 0.5% spray at the rate of 1 gallon of diluted spray per 1600 square feet. <u>Do not treat pets with this product. Humans or pets should not contact treated surfaces for a minimum of 4 hours and until the spray has dried.</u></p> <p>1. <u>For the control of brown dog ticks, apply as a spot or crack and crevice treatment to infested areas, along baseboards, windows and door frames, and areas of floor and floor coverings where these pests may be present. Old bedding should be replaced or thoroughly washed. DO NOT TREAT PETS WITH THIS PRODUCT. Humans or pets should not contact treated surfaces until the spray has dried.</u></p> <p>2. <u>For the control of carpet beetles, thoroughly apply the spray to rugs, carpets, along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving, and wherever else these insects are seen or suspected. Non-carpeted flooring should only be treated with spot applications as necessary. Spots are defined as areas not to exceed two square feet. Old bedding should be replaced or thoroughly washed. Use a 0.5% spray at the rate of 1 gallon of diluted spray per 1600 square feet. Do not treat pets with this product. Humans or pets should not contact treated surfaces for a minimum of 4 hours and until the spray has dried.</u></p> <p>2. <u>For the control of carpet beetles, apply as a spot or crack and crevice treatment to rugs, carpets, along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving, and wherever else these insects are seen or suspected. Humans or pets should not contact treated surfaces until spray has dried.</u></p>
--	--	--	--	--

†Superscripts refer to "Specific Directions".

Control of Wood-Infesting Insects

Dosage and Mixing Directions

Dursban L.O. is recommended for use as an aqueous emulsion containing 0.5% to 1.0% chlorpyrifos. See table below for dilution directions.

Advisements

When spraying overhead interior living areas of homes, apartment buildings, etc., cover surfaces below the area being sprayed with plastic sheeting or other material.

Contact with treated surfaces should be avoided until spray has dried. Cover or remove exposed foods before treatment. Do not use in structures housing animals which are intended for or which produce products to be used for food purposes. Do not use for above ground control of wood infesting insects in

food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed.

To control wood infesting insects such as **powderpost beetles** (Lyctidae), **false powderpost beetles** (Bostrichidae), **deathwatch beetles** (Anobiidae), **old house borers** (Cerambycidae) and **ambrosia beetles** (Scolytidae) in homes and other structures, spot treatments may be applied either as coarse sprays or by brushing the product onto targeted surfaces. Spots are defined as areas not to exceed two square feet. Use sufficient amount of spray to cover the area to the point of wetness but avoid runoff. Use the following guidelines to determine appropriate rates of application:

New Wood, (typically less than 10 years of age) apply approximately 1 gallon of dilution per 150 square feet as a coarse spray.

Old Wood, (typically greater than 10 years of age) apply approximately 1 gallon of dilution per 100 square feet as a coarse spray.

Spray Dilutions for Wood-Infesting Insects.

Gallons of Finished Spray Desired	Dursban L.O. Needed		
	0.5%	1.0%	2.0%
1	1 1/3 fl oz	2 2/3 fl oz	5 1/3 fl oz
5	6 2/3 fl oz	13 1/3 fl oz	26 2/3 fl oz
10	13 1/3 fl oz	26 2/3 fl oz	53 1/3 fl oz

Treatment Directions

For control of **carpenter ants** in homes and other structures, apply dilution around doors and windows and other places where carpenter ants enter the premises and where they crawl and hide. Also spray into cracks and crevices or through openings or small newly drilled holes into wall voids where these ants or their nests are present. Use a sufficient amount of coarse spray to cover the area to the point of wetness but avoid runoff.

For control of **termites** (localized areas of infested wood in structures), apply dilution to voids and channels in damaged wood and in spaces between members of a structure and between wood and foundations where termite infestation is likely to occur. Application may be made to inaccessible areas by drilling, and then injecting the emulsion. Use a sufficient amount of spray to cover the area to the point of wetness but avoid runoff. Treatment of localized areas is intended to kill workers and winged reproductive forms of termites in the treated areas and to prevent infestations for a temporary period.

Foam Treatment Recommendations

In situations where conventional subterranean termite control application methods have not or are not likely to provide adequate coverage, foam generating equipment or similar machines can be used to provide a continuous barrier. Treatment of filled porches, chimney bases, soil under slabs and treatment of wall voids are examples where spot foam applications may be useful.

Refer to label of foaming adjuvant for proper amount of material to add per gallon of dilution of Dursban L.O. ~~dilution.~~

The following provides the amount of Dursban L.O. required for a given area and volume range of the prefoamed insecticide dilution necessary for application of the product.

For a 0.75% rate, apply 8 fluid ounces of Dursban L.O. per 10 linear feet using no less than 2 gallons, or more than 8 gallons, of prefoamed dilution.

For a 1.0% rate, apply 10.6 fluid ounces of Dursban L.O. per 10 linear feet using no less than 2 gallons, or more than 8 gallons, of prefoamed dilution.

14715

Pest Control on Outside Surfaces and Around Buildings

Apply Dursban L.O. by application as a residual spray to outside surfaces of buildings including porches, window frames, eaves, patios, garages, refuse dumps and other areas where pests congregate or have been seen. Repeat treatment as needed to maintain effectiveness.

Pest†	Amount of Dursban L.O. in Water to Make			Specific Directions
	1 gallon	10 gallons	50 gallons	
	For Band Treatment¹			1. To help prevent infestation of buildings treat a band of soil 6 to 10 feet wide around and adjacent to buildings, also the building foundation to a height of 2 to 3 feet, where pests are active and may find entrance. Use 4 fluid ounces of Dursban L.O. plus 50 gallons of water and apply as a coarse spray at the rate of about 10 gallons spray mixture per 1,000 square feet to thoroughly and uniformly wet the band area. 2. For additional information, see "Control of Wood-Infesting Insects". 3. For scorpions , treat or remove accumulations of lumber, firewood, and other materials which serve as harborage sites.
ants	1/12 fl oz	3/4 fl oz	4 fl oz	
bees				
beetles ²				
carpenter ants ²				
carpenter bees ²				
clover mites				
cockroaches				
crickets				
earwigs				
fleas				
flies				
hornets				
	On Outside Surfaces			
Millipedes	1 1/3 fl oz	13 1/3 fl oz	2 qt	
mosquitoes				
scorpions ³				
silverfish				
sowbugs				
spiders				
ticks				
wasps				
yellowjackets				

†Superscripts refer to "Specific Directions".

Warranty Disclaimer

DowElanco warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. DowElanco MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of DowElanco or the seller. All such risks shall be assumed by buyer.

15/15

Limitation of Remedies

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at DowElanco's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used

DowElanco shall not be liable for losses or damages resulting from handling or use of this product unless DowElanco is promptly notified of such loss or damage in writing. In no case shall DowElanco be liable for consequential or incidental damages or losses.

The terms of the "Warranty Disclaimer" above and this "Limitation of Remedies" cannot be varied by any written or verbal statements or agreements. No employee or sales agent of DowElanco or the seller is authorized to vary or exceed the terms of the "Warranty Disclaimer" or this "Limitation of Remedies" in any manner.

EPA-Accepted / /