

62719-73

02/06/2013

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Ms. Stacy Robinson  
Regulatory Leader  
Dow AgroSciences, LLC  
9330 Zionsville Rd.  
Indianapolis, IN 46268-1054

FEB 06 2013

Subject: Stinger Herbicide  
EPA Reg. No. 62719-73  
Revised Supplemental Label for Use on Brassica (cole) Leafy Vegetables, Crop  
Group 5

Dear Ms. Robinson,

Per your request, we have approved and stamped a revised version of the supplemental label, described above, which was originally stamped by the Agency on September 27, 2012. The only changes are the label code information at the bottom of the second page to read, "R043-070, EPA accepted: 09/27/12, Replaces R043-051." This version of the supplemental label supersedes the version stamped on September 27, 2012.

If you have any questions, please feel free to me at 703-305-1243, or by email (montague.kathryn@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "Kathryn V. Montague".

Kathryn V. Montague  
Product Manager 23  
Herbicides Branch  
Registration Division

ACCEPTED

FEB 06 2013

2/3

# Supplemental Labeling



Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, IN 46268-1054 USA

## Stinger®

EPA Reg. No. 62719-73

This supplemental label expires on September 27, 2015, and must not be used or distributed after this date.

### Postemergence Broadleaf Weed Control in *Brassica* (Cole) Leafy Vegetables (Crop Group 5)<sup>1</sup>

For Use and Distribution Only in the States of Arizona, Arkansas, California, Colorado, Delaware, Florida, Georgia, Maryland, Michigan, Missouri, New Jersey, New Mexico, New York, North Carolina, Ohio, Oklahoma, Pennsylvania, South Carolina, Texas, Virginia and Wisconsin (Not for Sale, Use or Distribution in Nassau and Suffolk Counties in New York State)

#### ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Stinger® herbicide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Stinger according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Stinger.

#### Directions for Use

<sup>1</sup>*Brassica* (cole) leafy vegetables, including: broccoli, broccoli raab, Brussels sprouts, cabbage, cauliflower, cavalo broccolo, Chinese broccoli, Chinese cabbage (bok choy), Chinese cabbage (napa), Chinese mustard cabbage, collards, kale, kohlrabi, mizuna, mustard greens, mustard spinach, rape greens

Refer to product label for Precautions and Restrictions, Mixing and Application directions.

#### Target Broadleaf Weeds, Application Rate, and Use Restrictions:

Target Broadleaf Weeds	Stinger (pint/acre)	Use Restrictions
buckwheat, wild chamomile clover cocklebur, common dandelion galinsoga lettuce, prickly pineappleweed ragweed smartweed	1/4 - 1/2 (0.09375 - 0.187 lb ai/acre)	<ul style="list-style-type: none"> <li>• <b>Preharvest Interval:</b> Do not apply within 30 days of harvest.</li> <li>• Make one to two broadcast applications per crop per year, not to exceed a total of 1/2 pint per acre (0.187 lb ai/acre) per year.</li> <li>• <b>In New York and California,</b> the maximum application rate for Stinger is 2/3 pint per acre per growing season. Do not exceed the cumulative amount of 2/3 pint [0.25 lb acid equivalent (a.e.)] of clopyralid per acre per crop year.</li> <li>• <b>In Florida,</b> use only on cabbage, Chinese cabbage (bok choy, napa), and Chinese mustard cabbage (gai choy).</li> </ul>
sowthistle, annual <sup>1</sup> thistle, Canada <sup>1</sup>	1/3 - 1/2 (0.125 - 0.187 lb ai/acre)	

<sup>1</sup>Suppression only.

3/3

**Broadcast Application Rates:** Apply uniformly with ground equipment in a minimum of 10 to 40 gallons of water per acre. For suppression of Canada thistle, apply after the majority of basal leaves have emerged but prior to bud stage and at least 30 days prior to harvest.

**Tank Mixtures:** Stinger may be tank mixed with other herbicides labeled for use on mustard greens. Follow the Directions for Use of the labeling for any tank mix partner used in tank mixture with this product.

®Trademark of Dow AgroSciences LLC  
R043-070  
EPA accepted: 09/27/12  
Replaces R043-051