Reg # 62719-75



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

K1 19 13

APR 1 8 1994

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Larry E. Hammond DOWELANCO 9330 Zionsville Road Indianapolis, IN 46268

Subject:

Label Amendment Submission of 11/19/93 in Response to PR Notice 93-7

EPA Reg. No. 62719-75

TURFLON II AMINE SPCIALTY HERBICIDE

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling AND
- WITHIN one year from date of this acceptance.

Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,

Jim Tompkins, Deputy Chief Registration Support Branch Registration Division (7505W)

Attachment

Labeling amended to meet the requirements of the Worker Protection Standard (WPS), the 2,4-D Exposure Reduction Program, and as required by WPS Guidance for 2.4-D. (EPA text dated 01/17/92 plus ERP and WPS)

(Editor's Note: Deleted text indicated by strike-through and added text underlined)

[Label Booklet]

ACCEPTED
with COMMENTS
In EPA Letter Dated

(logo) DowElanco

APR 1 8 1994

Turflon* II Amine

Under the Federal Insecticide, Fundicide, and Rodonticide Act as amended, for the posticide registered under EPA Reg. No.

For the control of annual and perennial broadleaf weeds in ornamental turn

To be applied only under the direct supervision of commercial applicators responsible for turf weed control programs

Active Ingredient(s):

Acid equivalents: 2,4-dichlorophenoxyacetic acid - 28.4% - 2.78 lb/gal

triclopyr - 10.9% - 1.07 b/gal

†Isomer Specific by AOAC Method No. 6.275-6.279 (13th Ed.)

Keep Out of Reach of Children

DANGER PELIGRO:

Si usted no entiende la etiqueta, busque a alquien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Refer to label booklet for additional precautionary information including Personal Protective Equipment (PPE), Engineering Controls Statements and User Safety Recommendations, and Directions for Use including Storage and Disposal.

Notice: Read the entire label. Use only according to label directions. Before buying or using this product, read "Warranty Disclaimer" and "Limitation of Remedies" inside label booklet.

In case of an emergency endangering life or property involving this product, call collect 517-636-4400.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

EPA Reg. No. 62719-75 04462 EPA Est. 464-Mi-1 900-000177

*Trademark of DowElanco
DowElanco • Indianapolis, IN 46268, U.S.A.

Specialty Herbicide

42 13

[Page 2 of Booklet]

Precautionary Statements

Hazards to Humans and Domestic Animals

DANGER PELIGRO:

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Causes Irreversible Eye Damage And Skin Irritation - Harmful If Swallowed

Do not get in eyes, on skin, or on clothing. When mixing, loading or applying this product, or repairing or cleaning equipment used with this product, wear eye protection (face shield or safety glasses), chemical resistant gloves, long-sleeved shirt, long pants, socks and shoes. It is recommended that safety glasses include front, brow and temple protection. For serial applicators in an enclosed cockpit and applicators applying this product from a tractor that has a completely enclosed cab, eye protection is not required.

Wash hands, face and arms with soap and water as soon as possible after mixing, loading or applying this product. Wash hands, face arms with soap and water before eating, smoking or drinking. Wash hands and arms before using the tollet.

After work, remove all clothing and shower using soap and water. Do not reuse clothing worn during previous days mixing, loading or application of this product. Clothing must be kept and washed separately from other household isundry. Remove saturated clothing as soon as possible and shower.

(Editor's note: The above personal hygelne statements were incorporated into User Safety Recommendations)

Note: For containers of over 1 gallon, but less than 5 gallons: Persons engaged in pouring this product must also wear coveralls or chemical resistant apron.

For containers of 5 gallons or more: A mechanical transfer system (probe and pump) must be used for transferring the contents of the container. If the contents of a non-relillable pesticide container are emptied, the probe must be rinsed before removal.

(Editor's note: The two statements immediately above have been incorporated into the "PPE" and "Engineering Controls" sections.

Personal Protective Equipment (PPE) Applicators and other handlers must wear:

- Long-sleeved shirt and long parks
- Waterproof gloves
- Shoes plus socks
- · Protective evewear
- For containers of over 1 gation, but less than 5 gations; Mixers and loaders who do not use a mechanical system (such as probe and pump) to transfer the contents of this container must wear coveralts or a Chemical-resistant apron in addition to other required PPE.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. After each day of use, clothing or PPE must not be reused until it has been cleaned.

5 1 13

Engineering Controls Statements:

For containers of 5 callons or more: A mechanical system (such as probe and pump) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal. If the mechanical system is used in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4)), the handler PPE requirements may be reduced or modified as specified in the WPS.

When handlers use enclosed cabs or aircraft in a manner that meets the requirements listed in the Worker Protections Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

First Aid

If In eyes: Immediately flush eyes with plenty of water for at least 15 minutes and get medical attention promotly.

If on skin: Flush skin with water and get medical attention if signs of irritation develop.

If swallowed: Promptly drink a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician.

If Inhaled: Remove individual to fresh air. If breathing difficulty occurs, get medical attention.

Note to physician: Probable mucosal damage may contraindicate use of gastric layage.

Environmental Hazards

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal area below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Mixing and Loading: Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

Physical or Chemical Hazards
Do not cut or weld container.

BEST AVAU ADLE COPY



Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift.

Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pasticides. It contains requirements for training decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coverails
- Waterproof gloves
- Shoes plus socks
- Protective evewear

Non-Agricultural Use Regulrements

Restricted Entry Interval: When used on grass seed crops, follow PPE and reentry instructions in the "Agricultural Use Requirements" section of this label. For use continuous other turi areas, do not allow people (other than applicator) or pets on treatment area during application. Do not enter into treated areas until sprays have dried.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store above 28°F or agitate before use.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Plastic Container Disposal: Do not reuse container. Triple rinse (or equivalent). Then dispose of in a sanitary landfill, or incineration, or if allowed by local authorities, by burning. If burned, stay out of smoke. Consult federal, state, or local disposal authorities for approved alternative procedures. Metal Container Disposal: Do not reuse container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill Consult federal, state, or local disposal authorities for approved alternative procedures.

General Information

Turflon II Amine herbicide is a broad-spectrum weed killer for control of broadleaf weeds in ornamental turf. Foliage sprays should be applied during warm weather when weeds are actively growing. Application under drought conditions may provide less than desirable results. Use low spray pressures to minimize spray drift. (See Use Precautions)

General Use Precautions

Be sure that use of this product conforms to all applicable regulations.

Restrictions on Retreatment: Do not apply more than 2 broadcast applications per year per treatment site.

Do not apply Turflon II Amine directly to, or otherwise permit it to come into direct contact with, cotton, grapes, tobacco, vegetable crops, flowers, fruit or ornamental trees, or other desirable broadleaf plants and do not permit spray mists containing it to drift onto them. Very small amounts of spray drift may injure susceptible plants, including ornamental trees or shrubs.

Do not use for manufacturing or formulating.

Do not apply to exposed roots of shallow rooted trees or shrubs.

Do not apply on ditches used to transport irrigation water. Do not apply where runoff or irrigation water may flow onto susceptible crops as injury may result.

Chemigation: Do not apply this product through any type of irrigation system.

Avoid Injurious Spray Drift. Applications should be made only when hazards from spray drift are at a minimum. Very small quantities of spray, which may not be visible, may seriously injure susceptible plants. Do not spray when wind is blowing toward susceptible crops or ornamental plants near enough to be injured.

With ground broadcast equipment drift can be reduced by keeping the spray boom as low as possible; by applying no less than 32 gallons of spray per acre; by using no more than 20 pounds spraying pressure with flat fan or flooding flat fan nozzle tips; and by spraying when wind velocity is low.

In handgun applications drift can be reduced by using low pressure Teejet flat fan, Raindrop or other drift controlling nozzles. Standard flat fan nozzles may also be used at no more than 20 psi. At this pressure the spray pattern may be narrower.

8 9 13

Weeds Controlled and Application Rates

| Weeds C | ontrolled | Rate/Acre | Rate/1000 sq ft |
|---|---|--|---|
| black medic carpet weed catnip chamise chickweeds chicory cinquefoil clovers cocklebur coffeeweed comflower creeping beggarweed dandelion dayflower docks dwarf beggarweed field bindweed goldenrod | henbit hop clover knawel lambsquarters lespedeza iittle starwort mallow matchweed plantain purslane speedwell smartweed sowthistle spiderwort spotted catsear spurweed vetch yarrow | 1-1/2 pints | 1 fl oz or 2 tbs. |
| burdock buttercup mustard | poison ivy poison oak wild carrot | 3 to 3-1/2 pints | 1.3 fl oz or 2-1/2 tbs. |
| cornspeedwell ground ivy oxalis (stricta and comiculata) | parsley-piert prostrate spurge wild violet | 3 pints (2 applications, 4 to 6 weeks apart) | 1.3 fl oz or 2-1/2 tbs. (2 applications, 4 to 6 weeks apart) |

Preparing the Spray

Add about one-half the desired amount of clean water to spray tank. Add Turflon II Amine and complete addition of water with agitation running. Mix thoroughly and continue moderate agitation while spraying.

Approved Uses

Turf

Broadcast Treatment of Ornamental Turf

Apply 1 to 2 quarts of Turflon II Amine in enough water to make 35 to 175 gallons total spray per acre to control broadleaf weeds growing in perennial bluegrass, tall fescue, or perennial ryegrass. Do not use on other grass species, such as bentgrass or St. Augustinegrass, unless injury can be tolerated. Apply from early spring through fall when weeds are actively growing. Broadleaf weed species germinate at different times. Only emerged weeds present at time of application are controlled. Additional applications should be made four weeks apart to minimize grass injury. Newly seeded turf should be mowed two or three times before being treated. Do not water for 24 hours after application. Do not reseed for 3 weeks after application.

Spot Treatment of Ornamental Turf Using Portable Sprayers

Mix 1 to 2 fluid ounces of Turffon II Amine in enough water to make 3 gallons of spray (1 to 2 quarts per 100 gallons of spray) and apply at any time broadleaf weeds are susceptible by wetting foliage of undesirable plants to point of runoif.



Warranty Disclaimer

DowElanco warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. DOWELANCO MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application or other factors, all of which are beyond the control of DowElanco or the seller. All such risks shall be assumed by Buyer.

BEST AMOU ABLE COPY

Limitation of Remedies

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at DowElanco's election, one of the following:

- 1. Refund of purchase price paid by buyer or user for product bought, or
- 2. Replacement of amount of product used.

DowElanco shall not be liable for losses or damages resulting from handling or use of this product unless DowElanco is promptly notified of such loss or damage in writing. In no case shall DowElanco be liable for consequential or incidental damages or losses.

The terms of the "Warranty Disclaimer" above and this "Limitation of Remedies" cannot be varied by any written or verbal statements or agreements. No employee or sales agent of DowElanco or the seller is authorized to vary or exceed the terms of the "Warranty Disclaimer" or this "Limitation of Remedies" in any manner.

Copyright© 1993 DowElanco

SEST AVA" ADDE COPY

11713

[Base Label of Datapak]

(logo) DowElanco

Turflon* II Amine

For the control of annual and perennial broadleaf weeds in ornamental turf

To be applied only under the direct supervision of commercial applicators responsible for turi weed control programs.

Active Ingredient(s):

| 2,4-dichlorophenoxyacetic acid, dimethylamine salt† | |
|---|-------|
| triclopyr: 3,5,6-trichloro-2-pyridinyloxyacetic acid, as the triethylamine salt | 15.2% |
| Inert Ingredients: | 50.6% |
| Acid equivalents: | |

2,4-dichlorophenoxyacetic acid - 28.4% - 2.78 lb/gal

triclopyr - 10.9% - 1.07 lb/gal

†Isomer Specific by AOAC Method No. 6.275-6.279 (13th Ed.)

Precautionary Statements

Hazards to Humans and Domestic Animals

Keep Out of Reach of Children

DANGER PELIGRO:

Si usted no entienda la etiqueta, busque a alquien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Causes Irreversible Eye Damage And Skin Irritation • Harmful If Swallowed

Do not get in eyes, on skin, or on clothing. When mixing, loading or applying this product, or repairing or cleaning equipment used with this product, wear eye protection (face shield or safety glasses), chemical resistant gloves, long-sleeved shirt, long pants, socks and shoes. It is recommended that safety glasses include front, brow and temple protection. For serial applicators in an enclosed cockpit and applicators applying this product from a tractor that has a completely enclosed cab, eye protection is not required.

Wash hands, face and arms with soap and water as soon as possible after mixing, loading or applying this product. Wash hands, face arms with soap and water before eating, smoking or drinking. Wash hands and arms before using the toilet.

After work, remove all clothing and shower using soap and water. Do not reuse clothing worn during previous days mixing, loading or application of this product. Clothing must be kept and washed separately from other household laundry. Remove saturated clothing as soon as possible and shower.

(Editor's note: The above personal hygelne statements were incorporated into User Safety Recommendations)

Note: For containers of over 1 gallon, but less than 5 gallons: Persons engaged in pouring this product must also wear coveralls or chemical resistant abron.

For containers of 5 gallons or more: A mechanical transfer system (probe and pump) must be used for transferring the contents of the container. If the contents of a non-retillable pesticide container are emptied, the probe must be rinsed before removal.

(Editor's note: The two statements immediately above have been incorporated into the "PPE" and "Engineering Controls" sections.

Personal Protective Equipment (PPE) Applicators and other handlers must wear:

Long-sleeved shirt and long parits

- Waterproof gloves
- Shoes plus socks
- Protective evewear
- For containers of over 1 gallon, but less than 5 gallons: Mixers and loaders who do not use a mechanical system (such as probe and pump) to transfer the contents of this container must wear coveralls or a Chemical-resistant apron in addition to other required PPE.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. After each day of use, clothing or PPE must not be reused until it has been cleaned.

<u>Engineering Controls Statements:</u>

For containers of 5 gations or more: A mechanical system (such as probe and pump) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal. If the mechanical system is used in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4)], the handler PPE requirements may be reduced or modified as specified in the WPS.

When handlers use enclosed cabs or aircraft in a manner that meets the requirements listed in the Worker Protections Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

- · Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet,
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

First Aid

If In eyes: Immediately flush eyes with plenty of water for at least 15 minutes and get medical attention promptly.

If on skin: Flush skin with water and get medical attention if signs of irritation develop.

if swallowed: Promptly drink a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician.

If Inhaled: Remove individual to fresh air. If breathing difficulty occurs, get medical attention. Note to physician: Probable mucosal damage may contraindicate use of gastric lavage.

Environmental Hazards

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal area below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Mixing and Loading: Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

Physical or Chemical Hazards
Do not cut or weld container.

Refer to Inside of label booklet for additional precautionary information including Personal Protective Equipment (PPE), and Directions for Use including Agricultural Use Requirements and Storage and Disposal.

Notice: Read the entire label. Use only according to label directions. Before buying or using this product, read "Warranty Disclaimer" and "Limitation of Remedies" inside label booklet.

In case of an emergency endangering life or property involving this product, call collect 517-636-4400.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

EPA Reg. No. 62719-75 04462 EPA Est. 464-MI-1 900-000177

*Trademark of DowElanco
DowElanco • Indianapolis, IN 46268, U.S.A.

Specialty Herbicide

Previous EPA approval 01/17/92