

7/11/89 62119-17

U.S. Crop Production

Supplemental Labeling



DowElanco Quad IV, 9002 Purdue Road P O Box 681428 Indianapolis Indiana 46268-1189 USA

Lock-On* Insecticide

EPA Reg. No. 62719-79

(For Distribution and Use Only In the States of Arizona and California)

Control of Egyptian Alfalfa Weevil Added to Approved Uses in Alfalfa

REGISTERED
AUG 19 1992
Federal Insecticide, Fungicide and Rodenticide Act.
Registered under EPA Reg. No. 62719-79

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Lock-On before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Lock-On according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Lock-On.

Directions for Use

Apply Lock-On for control of Egyptian alfalfa weevil infesting alfalfa at the dosage rate indicated:

- Alfalfa caterpillar, armyworms.....1 1/2 to 2 pints per acre
- Egyptian alfalfa weevil.....2 pints per acre


Apply Lock-On in enough water to ensure thorough coverage of crop foliage using aerial (fixed wing or helicopter) or power-operated ground spray equipment. Lock-On should be applied in 3 to 5 gallons of water per acre. Do not apply in dilutions exceeding 5 gallons (water plus insecticide) per acre. Treat when field counts or crop injury indicates that damaging pest populations are developing or present. Excessively cool conditions may cause a reduction in insect control.

Precautions:

- Do not tank mix Lock-On with pesticides, surfactants, or fertilizer formulations unless prior use has shown the combination to be non-injurious under current conditions of use.
- Some phytotoxic symptoms may be observed on young, tender, rapidly growing alfalfa plants or alfalfa plants under extreme heat or drought stress when treated with Lock-On. Alfalfa will outgrow these symptoms, and no yield loss is expected.
- This product is highly toxic to bees exposed to direct treatment. Do not apply if nearby bees are clustered outside of hives and bees are foraging. Protective information may be obtained from your agricultural extension service.
- Do not apply through overhead sprinkler irrigation systems.

Restrictions

- Do not cut or graze treated alfalfa within 4 days after application of 1 1/2 to 2 pints of Lock-On per acre.
- Do not make more than 4 applications per year or more than one application per crop cutting.



*Trademark of DowElanco

Amendments:

- 1) Added control of Egyptian alfalfa weevil to approved uses in alfalfa.

(Label Code) Approved ___/___/___
Initial Printing.