



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

April 26, 2021

Travis Bui
Regulatory Leader
Corteva Agriscience LLC
9330 Zionsville Road
Indianapolis, IN 46268

Subject: PRIA Label Amendment – Clopyralid New Uses on Caneberry Crop Subgroup 13-07A; Onion, bulb, Crop Subgroup 03-07A; and Intermediate Wheatgrass; Remove Redundant Crop Subgroup 13-07G and Remove Turf Use Restrictions for End-Use Products as Superseded by Registration Review Interim Decision
Product Names: Lontrel T Technical
EPA Registration Number: 62719-80
Application Dates: September 6, 2019
Decision Numbers: 555868

Dear Mr. Bui:

The application referred to above, submitted under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended is acceptable under FIFRA Section 3(c)(5). You must submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2
EPA Reg. No. 62719-80
Decision No. 555868

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Curtis Hildebrandt at 703-347-8198 or by email at hildebrandt.curtis@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Kelly Tindall". The signature is written in a cursive, slightly slanted style.

Kelly Tindall
Acting Chief, Herbicide Branch
Registration Division


Enclosure

Lontrel[®] T Technical

HERBICIDE

[Alternate Brand Name: Lontrel TE Technical]

For Manufacturing Use Only



Active Ingredient:	% by Weight
clopyralid: 3,6-dichloro-2-pyridinecarboxylic acid	95%
Other Ingredients	5%
Total	100%

DANGER

Precautionary Statements

Hazard to Humans and Domestic Animals

Corrosive • Causes Irreversible Eye Damage • Harmful If Absorbed Through Skin Or Inhaled

Avoid contact with skin, eyes, or clothing. Do not get in eyes or on clothing. Wear goggles or face shield when handling. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 1-800-992-5994 for emergency medical treatment information.

Environmental Hazards

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product may only be formulated into manufacturing-use herbicide products or end-use herbicide products for the following uses:

Agricultural Uses

Apple, asparagus, barley, borage, broccoli, broccoli raab, Brussels sprouts, bushberries, cabbage, caneberry subgroup (Crop Group 13-07A), canola, cauliflower, Chinese broccoli, Chinese cabbage (bok choy), Chinese cabbage (napa), collards, corn, crambe, cranberry, cuphea, echium, fallow land, flax seed, garden beet, grasses, hare's ear mustard, hops, intermediate wheatgrass, mint, kale, kohlrabi, lesquerella, low growing berry subgroup (Crop Group 13-07G), lunaria, meadowfoam, milkweed, mizuna, mustard greens, oats, oil radish, onion, bulb, subgroup (Crop Group 3-07A), pasture, Pome Fruit (Crop Group 11-10), poppy seed, radish roots, rangeland, rape greens, rapeseed, sesame, sod farms, spinach, stone fruits (Crop Group 12-12), strawberry, sugar beets, sweet rocket, Swiss chard, teff, tree plantations, turnip, leaves of root and tuber vegetables (Crop Group 2), Brassica leafy greens subgroup (Crop Subgroup 4-16B), Brassica Head and Stem Vegetable Group (Crop Group 5-16), Stalk and stem vegetable subgroup (Crop Subgroup 22A), and wheat. This product may be used to formulate products for specific use(s) not listed on this label, except residential turfgrass, if the formulator, user group, or grower has complied with U.S. EPA submission requirements regarding the support of such use(s). Consult Corteva Agriscience for instructions for formulation and other information.

Non-Agricultural Uses

Turfgrass and lawn uses are restricted to non-residential sites. **Note:** In the states of California, Oregon, and Washington, turfgrass and lawn uses are restricted to golf courses only. This product may be used to formulate products for specific use(s) not listed on this label, except residential turfgrass, if the formulator, user group, or grower has complied with U.S. EPA submission requirements regarding the support of such use(s). Consult Corteva Agriscience for instructions for formulation and other information.

(Storage and Disposal for rigid containers 5 gal or less)

Storage and Disposal

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in a cool, dry, well-ventilated area.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA regional office for guidance.

Container Handling: Nonrefillable container. Do not reuse or refill this container.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse** as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. **Pressure rinse** as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available or puncture and dispose of in a sanitary landfill or by other procedures allowed by state and local authorities.

(Storage and Disposal for nonrigid containers any size)**Storage and Disposal**

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in a cool, dry, well-ventilated area.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA regional office for guidance.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available, or dispose of in a sanitary landfill or by other procedures allowed by state and local authorities.

(Storage and Disposal for refillable rigid containers greater than 5 gal)**Storage and Disposal**

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in a cool, dry, well-ventilated area.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA regional office for guidance.

Container Handling: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill or by other procedures allowed by state and local authorities.

(Storage and Disposal for nonrefillable rigid containers greater than 5 gal)**Storage and Disposal**

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in a cool, dry, well-ventilated area.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA regional office for guidance.

Container Handling: Nonrefillable container. Do not reuse or refill this container.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse** as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse** as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill or by other procedures allowed by state and local authorities.

Warranty Limitations and Disclaimer

To the extent permitted by law, Corteva Agriscience warrants that at the time of delivery, the product will conform to its chemical description on the label, that it will pass without objection in the trade under the contract description, that seller will convey good title thereto, and that such product will be delivered free from any lawful security interest, lien or encumbrance.

This is the only warranty made on this product. Corteva Agriscience, to the extent consistent with applicable law, EXPRESSLY DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND, EXCEPT AS SET FORTH IN THE ABOVE PARAGRAPH, ANY OTHER EXPRESS OR IMPLIED WARRANTIES. Buyer acknowledges the use of its own independent skill and expertise in the selection and use of the product and does not rely on any oral or written statements or representations.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Manufacturing Chemical: Do not ship or store with food, feeds, drugs, or clothing.

EPA Reg. No. 62719-80

EPA Est. _____

TM® Trademarks of Corteva Agriscience and its affiliated companies

**Produced for
Corteva Agriscience LLC
9330 Zionsville Road
Indianapolis, IN 46268**

NET WEIGHT _____

EPA accepted ___/___/___