

U.S. Crop Production

Supplemental Labeling



DowElanco

Quad IV, 9002 Purdue Road

P O Box 681428

Indianapolis, Indiana 46268-1189 USA

~~Treflan E.C. (EPA Reg. No. 62719-93)~~
~~Treflan M.T.F. (EPA Reg. No. 62719-116)~~
~~Treflan 5 (EPA Reg. No. 62719-118)~~
~~Treflan 800C (EPA Reg. No. 62719-216)~~

For distribution and use only in the states of Arizona and California

Treflan 72 Hour Incorporation Delay

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Treflan herbicide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Treflan according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Treflan.

Directions for Use

When Treflan is applied as a preplant incorporated treatment, the first incorporation pass must be accomplished within 24 hours after application. In Arizona and California the incorporation delay has been extended from 24 to 72 hours when applied to dry soils. However, when Treflan is applied to warm soil or if wind velocity is 10 mph or higher, variable weed control may result from delaying the first incorporation beyond 24 hours.

Where two incorporation passes are required, the second incorporation may occur anytime prior to planting. Follow other recommended incorporation directions on the label for Treflan.

62719-116

Trademark of DowElanco

123-T2EAGXXX Approved / /
Replaces EA5059

Amendments:

- 1) Label edited to reflect DowElanco transfer.
- 2) Previously approved (Treflan 5); incorporation delay of 72 hours added use to Treflan E.C., M.T.F and 800C labels.

BEST AVAILABLE COPY

U.S. Crop Production

2-274

Supplemental Labeling



DowElanco

Quad IV, 9002 Purdue Road

P.O. Box 581428

Indianapolis, Indiana 46268-1189 USA

~~Treflan E.C. (EPA Reg. No. 62719-98)~~
~~Treflan M.T.F. (EPA Reg. No. 62719-116)~~
~~Treflan 5 (EPA Reg. No. 62719-118)~~
~~Treflan 80DC (EPA Reg. No. 62719-216)~~

For distribution and use only in the state of California

Treflan Application Over Standing or Shredded Cotton Stalks After September 1 for Weed Control in Cotton

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Treflan herbicide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Treflan according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Treflan.

Directions for Use

Treflan may be broadcast applied, after September 1, over the top of standing cotton stalks or after shredding using ground or aerial equipment. Treflan must be incorporated once within 24 hours after application using a disc operated at 4 to 6 mph. The second incorporation may be delayed until spring prior to bedding. To avoid dilution of the herbicide or bringing untreated soil to the surface, the treatment should not be chiselled, ripped or deep plowed following incorporation.

Refer to the label of the Treflan product used for details on fall application, soil preparation, application rates and weeds controlled.

29 JUN 1992

62719-116

*Trademark of DowElanco

122-T2EAGXXX
Replaces EA3367

Amendments

- 1) Label edited to reflect DowElanco transfer.
- 2) Previously approved (Treflan 5); use over shredded cotton stalks after Sept. 1 is added to Treflan E.C., M.T.F. and 80DC labels.

BEST AVAILABLE COPY

29 JUN 1992

Dennis H. Lade, Ph.D.
 DowElanco
 9002 Purdue Road
 Indianapolis, IN 46268-1189

Dear Dr. Lade:

Subject: Supplemental Labeling - Defining Uses and Parts of Chicory
 Treflan E.C. (EPA Registration No. 62719-93)
 Treflan M.T.F. (EPA Registration No. 62719-116)
 Treflan 5 (EPA Registration No. 62719-118)
 Treflan TR-10 (EPA Registration No. 62719-131)
 Treflan 80DC (EPA Registration No. 62719-216)
 Your Submissions Dated June 2, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provision:

Correct the EPA Registration No. for Treflan 80DC to read "EPA Registration No. 62719-216."

A stamped copy is enclosed for your records. Please submit five (5) final printed copies for the referenced label, incorporating the above change.

Sincerely yours,

Joanne I. Miller
 Product Manager (23)
 Fungicide-Herbicide Branch
 Registration Division (H7505C)

Enclosure

CONCURRENCES							
SYMBOL	H7505C						
SURNAME	D. KENNY						
DATE	6/24/92						

4 of 11

Supplemental Labeling



DowElanco Quad IV, 9002 Purdue Road P.O. Box 681428 Indianapolis, Indiana 46268-1189 USA

- ~~Treflan[®] E.C. (EPA Reg. No. 62719-93)~~
- ~~Treflan M.T.F. (EPA Reg. No. 62719-116)~~
- ~~Treflan 5 (EPA Reg. No. 62719-118)~~
- ~~Treflan 80DC (EPA Reg. No. 62719-316)~~
- ~~Treflan TR-10 (EPA Reg. No. 62719-121)~~

Preplant Soil Incorporated Treatment for Weed Control in Chicory (*Cichorium Intybus* or *Cichorium endiva*)

62019

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Treflan before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Treflan according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Treflan.

Directions for Use

Treflan may be applied to chicory grown either as a root crop or leafy vegetable as indicated below:

- Cichorium Intybus***, considered to be a root crop, may yield the following:
- Chicory - the dried and processed root used as a coffee substitute.
 - Radicchio - green leaves harvested from field grown plantings.
 - Belgian Endive - white leaves grown in the dark growth from field grown rootstalks.

- Cichorium c. endiva***, considered to be a leafy vegetable, may yield the following:
- Escarole - curly green leaves from field grown plantings.
 - Endive - very curly green leaves from field grown plantings.

Apply Treflan as a soil incorporated treatment in spring or early summer prior to planting. Apply and incorporate Treflan according to directions on the Treflan label.

Broadcast Application Rates per Acre:

Soil Texture	Treflan E.C. or Treflan M.T.F. (pints)	Treflan 5 (pints)	Treflan 80DC (ounces)	Treflan TR-10 (pounds)
Coarse	1.0	0.8	10	5.0
Medium	1.5	1.2	15	7.5
Fine	2.0	1.6	20	10

- Coarse and medium soils with 2-5% organic matter - 1.5 pints of Treflan E.C. or M.T.F., 1.2 pints of Treflan 5, 15 ounces of Treflan 80DC, or 7.5 pounds of Treflan TR-10.
- Fine soils with 2-5% organic matter - 2.0 pints of Treflan E.C. or M.T.F., 1.6 pints of Treflan 5, 20 ounces of Treflan 80DC, or 10 pounds of Treflan TR-10.
- Soils with 5-10% organic matter - 2.0 pints of Treflan E. C. or M.T.F., 1.6 pints of Treflan 5, 20 ounces of Treflan 80 DC, or 10 pounds of Treflan TR-10.

*Trademark of DowElanco

T2EAGXXX Approved ___/___/___
Initial printing

- Amendments:**
- 1) Plant species classified as chicory defined.
 - 2) Uses of plant parts of the crop chicory defined.

Supplemental Labeling



DowElanco

Quad IV, 9002 Purdue Road

P.O. Box 681428

Indianapolis Indiana 46268-1189 USA

~~Treflan E.C. (EPA Reg. No. 62719-98)~~
~~Treflan M.T.F. (EPA Reg. No. 62719-116)~~
~~Treflan 5 (EPA Reg. No. 62719-118)~~
~~Treflan 80DC (EPA Reg. No. 62719-216)~~

For distribution and use only in the state of California

Treflan Application Over Standing or Shredded Cotton Stalks After September 1 for Weed Control In Cotton

ATTENTION

- it is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Treflan herbicide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Treflan according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Treflan.

Directions for Use

Treflan may be broadcast applied, after September 1, over the top of standing cotton stalks or after shredding using ground or aerial equipment. Treflan must be incorporated once within 24 hours after application using a disc operated at 4 to 6 mph. The second incorporation may be delayed until spring prior to bedding. To avoid dilution of the herbicide or bringing untreated soil to the surface, the treatment should not be chiselled, ripped or deep plowed following incorporation.

Refer to the label of the Treflan product used for details on fall application, soil preparation, application rates and weeds controlled.

29 JUN 1992

BEST AVAILABLE COPY

*Trademark of DowElanco

122-T2EAGXXX
Replaces EA3367

Amendments

- 1) Label edited to reflect DowElanco transfer.
- 2) Previously approved (Treflan 5); use over shredded cotton stalks after Sept. 1 is added to Treflan E.C., M.T.F. and 80DC labels.

U.S. Crop Production

Supplemental Labeling



DowElanco

Quad IV 9002 Purdue Road

P O Box 681428

Indianapolis, Indiana 46268-1189 USA

~~Treflan[®] E.C. (EPA Reg. No. 62719-99)~~
~~Treflan M.T.F. (EPA Reg. No. 62719-116)~~
~~Treflan 5 (EPA Reg. No. 62719-118)~~
~~Treflan 80DC (EPA Reg. No. 62719-216)~~

For distribution and use only in the states of Arizona and California

Treflan 72 Hour Incorporation Delay

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Treflan herbicide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Treflan according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Treflan.

Directions for Use

When Treflan is applied as a preplant incorporated treatment, the first incorporation pass must be accomplished within 24 hours after application. In Arizona and California the incorporation delay has been extended from 24 to 72 hours when applied to dry soils. However, when Treflan is applied to warm soil or if wind velocity is 10 mph or higher, variable weed control may result from delaying the first incorporation beyond 24 hours.

Where two incorporation passes are required, the second incorporation may occur anytime prior to planting. Follow other recommended incorporation directions on the label for Treflan.

62719-116

Trademark of DowElanco

123-T2EAGXXX Approved / /
Replaces EA5059

Amendments:

- 1) Label edited to reflect DowElanco transfer.
- 2) Previously approved (Treflan 5); incorporation delay of 72 hours added use to Treflan E.C., M.T.F and 80DC labels.

BEST AVAILABLE COPY

Supplemental Labeling



DowElanco Quad IV, 9002 Purdue Road P O Box 681428 Indianapolis Indiana 46268-1189 USA

- ~~Treflan* E.C. (EPA Reg. No. 62719-93)~~
- ~~Treflan M.T.F. (EPA Reg. No. 62719-116)~~
- ~~Treflan 5 (EPA Reg. No. 62719-118)~~
- ~~Treflan 80DC (EPA Reg. No. 62719-316)~~
- ~~Treflan TR-10 (EPA Reg. No. 62719-131)~~

Preplant Soil Incorporated Treatment for Weed Control in Chicory (*Cichorium Intybus* or *Cichorium endiva*)

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Treflan before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Treflan according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Treflan.

Directions for Use

Treflan may be applied to chicory grown either as a root crop or leafy vegetable as indicated below:

Cichorium Intybus, considered to be a root crop, may yield the following:

- Chicory - the dried and processed root used as a coffee substitute.
- Radicchio - green leaves harvested from field grown plantings.
- Belgian Endive - white leaves grown in the dark growth from field grown rootstalks.

Cichorium endiva, considered to be a leafy vegetable, may yield the following:

- Escarole - curly green leaves from field grown plantings.
- Endive - very curly green leaves from field grown plantings.

Apply Treflan as a soil incorporated treatment in spring or early summer prior to planting. Apply and incorporate Treflan according to directions on the Treflan label.

Broadcast Application Rates per Acre:

Soil Texture	Treflan E.C. or Treflan M.T.F. (pints)	Treflan 5 (pints)	Treflan 80DC (ounces)	Treflan TR-10 (pounds)
Coarse	1.0	0.8	10	5.0
Medium	1.5	1.2	15	7.5
Fine	2.0	1.6	20	10

- Coarse and medium soils with 2-5% organic matter - 1.5 pints of Treflan E.C. or M.T.F., 1.2 pints of Treflan 5, 15 ounces of Treflan 80DC, or 7.5 pounds of Treflan TR-10.
- Fine soils with 2-5% organic matter - 2.0 pints of Treflan E.C. or M.T.F., 1.6 pints of Treflan 5, 20 ounces of Treflan 80DC, or 10 pounds of Treflan TR-10.
- Soils with 5-10% organic matter - 2.0 pints of Treflan E. C. or M.T.F., 1.6 pints of Treflan 5, 20 ounces of Treflan 80 DC, or 10 pounds of Treflan TR-10.

*Trademark of DowElanco

T2EAGXXX Approved ___/___/___
Initial printing

Amendments:

- 1) Plant species classified as chicory defined.
- 2) Uses of plant parts of the crop chicory defined.

BEST AVAILABLE COPY