


U.S. Crop Production

# Supplemental Labeling



DowElanco Quad IV, 9002 Purdue Road P O Box 681428 Indianapolis Indiana 46268-1189 USA

~~Treflan E.C. (EPA Reg. No. 62719-09)~~  
 Treflan M.T.F. (EPA Reg. No. 62719-116)  
~~Treflan 5 (EPA Reg. No. 62719-118)~~  
~~Treflan 80DC (EPA Reg. No. 62719-216)~~

For Distribution and Use Only in the States of Alabama, Florida, Georgia, and Texas

## Treflan Plus Atrazine Tank Mix for Weed Control in Corn

**ATTENTION**

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Treflan before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Treflan according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Treflan.

### Directions for Use

#### Treflan Plus Atrazine Tank Mix

Treflan may be applied in tank mix combination with atrazine plus an emulsifiable oil or oil concentrate when corn is from the 2-leaf stage of growth up to 12 inches tall and weeds are no more than 1 1/2 inches in height. A period of 24 to 48 hours is required to obtain atrazine postemergence activity after which the preemergence activity of the Treflan/atrazine combination may be activated by 0.5 inch or more of rainfall or overhead sprinkler irrigation or mechanical incorporation. **Note:** In Texas, the Treflan plus Atrazine tank mix may be applied only to coarse textured soils.

**Incorporation Directions:** Mechanical incorporation may be accomplished with one pass of a sweep-type cultivator or properly adjusted rolling cultivator. The sweep-type cultivator should have 3 to 5 sweeps per row middle and be operated at a speed that will provide vigorous soil mixing. Set middle sweeps so as to avoid exposing untreated soil. Adjust incorporation equipment so as to avoid mechanical injury to the crop.

#### Broadcast Application Rates/Acre:

Soil Texture	<del>Treflan E.C. or</del> Treflan M.T.F.	<del>Treflan 5</del>	<del>Treflan 80DC</del>
	(pints)	(pints)	(ounces)
Coarse†	1.0††	0.8	10
Medium	1.0 - 1.5	0.8 - 1.2	10 - 15
Fine	1.5 - 2.0	1.2 - 1.6	15 - 20

†In Texas, the Treflan plus Atrazine tank mix may be applied only to coarse textured soils.  
 ††Apply 1.5 pints/acre of Treflan E.C. or M.T.F., 1.2 pints/acre of Treflan 5 or 16 oz of Treflan 80DC on coarse soils to control fall panicum, pigweed and Texas panicum.

#### Precautions

- Do not apply to sweet corn or corn grown for seed.
- Do not apply Treflan to corn as a preplant or preemergence treatment or crop injury may occur.
- Where corn is planted in a furrow, apply Treflan only after a cultivation to move soil into the row.
- Refer to the atrazine product label for application rates, additional use directions, precautions and limitations before use.

\*Trademark of DowElanco

#### Amendments:

(Label code) Approved: Treflan E.C. 06/19/91; Treflan M.T.F. 07/05/91; Treflan 5 06/18/91; Treflan 80DC 06/24/91

1) Treflan plus atrazine tank mix has been removed from the product labels for Treflan and placed on supplemental labeling for use only in AL, FL, GA and TX.