62719 118

10/1

Supplemental Labeling



DowElanco

Quad IV, 9002 Purdue Road

PO Box 681428

Indianapolis, Indiana 46268-1189 USA

TREFLAN* 5 (EPA Reg No. 62719-118) (For Use in Idaho, Oregon and Washington)

Treflan 5 Applied preplant Incorporated for Weed Control in Potatoes



Split Application:

Apply and incorporate TREFLAN in a split application. Make the first application before planting and the second application after plants have fully emerged.

Soil Incorporation: Set equipment so that the bed and furrow are uniformly covered with a layer of treated soil. If the layer of treated soil is not uniform and the herbicide is concentrated over the bed, potato emergence may be retarded and stem brittleness can occur. When applying and incorporating Treflan after potato plants have fully emerged, do not completely cover the plants with treated soil. Likewise, do not completely cover plants during subsequent cultivations. Be careful that incorporation equipment does not damage seed pieces or elongating sprouts.

Broadcast Application Rates

Treflan 5 Before Planting (and)		
Soli Texture	After Emergence	
	(pints)	
Coarse and Medium	0.6 + 0.6	

- Do not apply to soils containing more than 2% organic matter.

Treflan/Eptam Tank Mix:

TREFLAN may be tank mixed with Eptam and applied as a preplant soil incorporated treatment to control additional weeds. This tank mix treatment must be incorporated immediately after application. Use incorporation instructions provided above.

Broadcast Application Rates

Soll Texture	Treflan 5	Eptam 7E
	(pints)	(pints)
Coarse and Medium	0.6	3.5

Precautions:

- Do not apply the TREFLAN/Eptam tank mix before and after planting in the same season.
- •Refer to the TREFLAN 5 and Eptam product labels for additional use difections precautions and limitations before use.

*Trademark of DowElar Jo

Revisions: Preplant incorporated use on potatoes has

been deleted from TREFLAN 5 label.

This is an initial DowElanco printing.

T2EAGXXX Approved __/_/_