

U.S. Crop Production

Supplemental Labeling



DowElanco

Quad IV, 9002 Purdue Road

P.O. Box 681428

Indianapolis, Indiana 46268-1189 USA

~~Treflan E.C. (EPA Reg. No. 62719-03)~~

~~Treflan M.T.F. (EPA Reg. No. 62719-116)~~

Treflan 5 (EPA Reg. No. 62719-118)

~~Treflan 80DC (EPA Reg. No. 62719-216)~~

For distribution and use only in the state of Texas

Incorporation with the Springtooth Harrow on Coarse Textured Soils to be Bedded up Prior to Planting

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Treflan herbicide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Treflan according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Treflan.

Directions for Use

Implement Definition: A springtooth harrow is defined as an implement with 3 to 4 rows of shanks equipped with chisel points spaced at intervals of 7 inches or less and staggered so that no soil is left unturned.

Directions For Use: The springtooth harrow may be used to effectively incorporate (mix) Treflan into coarse textured (sandy) soils to be bedded up prior to planting.

Soil Preparation: Destroy existing weeds before an application of Treflan. Chop and thoroughly mix crop residues into the soil to a depth of at least 4 to 6 inches by deep plowing or discing prior to an application of Treflan. Use machinery that breaks up large clods before an application of Treflan.

Springtooth Harrow Use Directions: Treflan must be incorporated the first time within 24 hours after application. Set the springtooth harrow to cut 3 to 4 inches deep and operate at a speed of 5 mph or greater. Two passes over the field are required with the second pass in a different direction than the first. The springtooth harrow also may be used as the first or second incorporation tool in combination with other recommended equipment for the other incorporation.


When Treflan is applied and incorporated before bedding, do not furrow out deeper than the depth to which Treflan was incorporated. Furrowing too deep will expose untreated soil and allow weeds to germinate in the bottom of the furrow.

Precautions

- Do not incorporate with springtooth harrow if soil is too wet for good mixing.
- Avoid removal of treated soil from seedbed during planting operation since exposure of untreated soil will allow weeds to grow.

*Trademark of DowElanco

123T2EAGXXX
Replaces EA115



Amendments

- 1) Label edited to reflect the DowElanco transfer.
- 2) Previously approved (Treflan E.C. and M.T.F.); springtooth harrow added as incorporation tool to Treflan 5 and Treflan 80DC labels.

Supplemental Labeling



DowElanco Quad IV, 9002 Purdue Road P.O. Box 681428 Indianapolis, Indiana 46268-1189 USA

with COMMENTS
in EPA Letter Dated:

29 JUN 1988

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, the pesticide registered under EPA Reg. No. 62719-118

- ~~Treflan* E.C. (EPA Reg. No. 62719-93)~~
- ~~Treflan M.T.F. (EPA Reg. No. 62719-116)~~
- Treflan 5 (EPA Reg. No. 62719-118)
- ~~Treflan 80DC (EPA Reg. No. 62719-216)~~
- ~~Treflan TR-10 (EPA Reg. No. 62719-131)~~

Preplant Soil Incorporated Treatment for Weed Control in Chicory (*Cichorium Intybus* or *Cichorium endiva*)

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Treflan before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Treflan according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Treflan.

Directions for Use

Treflan may be applied to chicory grown either as a root crop or leafy vegetable as indicated below:

Cichorium Intybus, considered to be a root crop, may yield the following:

- Chicory - the dried and processed root used as a coffee substitute.
- Radicchio - green leaves harvested from field grown plantings.
- Belgian Endive - white leaves grown in the dark growth from field grown rootstalks.

Cichorium endiva, considered to be a leafy vegetable, may yield the following:

- Escarole - curly green leaves from field grown plantings.
- Endive - very curly green leaves from field grown plantings.

Apply Treflan as a soil incorporated treatment in spring or early summer prior to planting. Apply and incorporate Treflan according to directions on the Treflan label.

Broadcast Application Rates per Acre:

Soil Texture	Treflan E.C. or Treflan M.T.F. (pints)	Treflan 5 (pints)	Treflan 80DC (ounces)	Treflan TR-10 (pounds)
Coarse	1.0	0.8	10	5.0
Medium	1.5	1.2	15	7.5
Fine	2.0	1.6	20	10

- Coarse and medium soils with 2-5% organic matter - 1.5 pints of Treflan E.C. or M.T.F., 1.2 pints of Treflan 5, 15 ounces of Treflan 80DC, or 7.5 pounds of Treflan TR-10.
- Fine soils with 2-5% organic matter - 2.0 pints of Treflan E.C. or M.T.F., 1.6 pints of Treflan 5, 20 ounces of Treflan 80DC, or 10 pounds of Treflan TR-10.
- Soils with 5-10% organic matter - 2.0 pints of Treflan E. C. or M.T.F., 1.6 pints of Treflan 5, 20 ounces of Treflan 80 DC, or 10 pounds of Treflan TR-10.

*Trademark of DowElanco
T2EAGXXX Approved
Initial printing

Amendments:

- 1) Plant species classified as chicory defined.
- 2) Uses of plant parts of the crop chicory defined.

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, the pesticide registered under EPA Reg. No. 62719-118