U.S.-Crop Production

Supplemental 22 JUN 1993 Furgiride, and Redonticide Act. as amended, for the restriction Labeling

ACCEPTED as amended, for the posticide togistered under 7/9

DowElanco

Quad IV, 9002 Purdue Road

PO Box 681428

Indianapolis, Indiana 46268-1189 USA

Treffent E.C. (EPA Reg. No. 42710-02) -Treflan M.T.F. (EPA Rog. No. 62719-116) Treflan 5 (EPA Reg. No. 62719-118) Treflan 800C (EPA Reg. No. 62719-216)

For Distribution and Use Only in the States of Alabama, Florida, Georgia, and Texas.

Treflan Plus Atrazine Tank Mix for Weed Control in Corn

AT TENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Treflan before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Treflan according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Treflan.

Directions for Use

Treflan Plus Atrazine Tank Mix

Treflan may be applied in tank mix combination with atrazine plus an emulsifiable oil or oil concentrate when corn is from the 2-leaf stage of growth up to 12 inches tall and weeds are no more than 1 1/2 inches in height. A period of 24 to 48 hours is required to obtain atrazine posternergence activity after which the preemergence activity of the Treflan/atrazine combination may be activated by 0.5 inch or more of rainfall or overhead sprinkler irrigation or mechanical incorporation. Note: In Texas, the Treflan plus Atrazine tank mix may be applied only to coarse textured soils.

Incorporation Directions: Mechanical incorporation may be accomplished with one pass of a sweeptype cultivator or properly adjusted rolling cultivator. The sweep-type cultivator should have 3 to 5 sweeps per row middle and be operated at a speed that will provide vigorous soil mixing. Set middle sweeps so as to avoid exposing untreated soil. Adjust incorporation equipment so as to avoid mechanical injury to the crop.

Broadcast Application Rates/Acre:

Soil Texture	Trellen E.C. of Trellen M.T.F.	Treflan 5	Treflan 80DC
Coarset	(pints)	(pints) 0.8	(ounces)
Medium	1.0 - 1.6	0.8 - 1.2	10 - 15
Fine	1.5 - 2.0	1.2 - 1.6	15 - 20

†In Texas, the Treflan plus Atrazine tank mix may be applied only to coarse textured soils. † | Apply 1.5 pints/acre of Treflan E.C. or W.T.F., 1.2 pints/acre of Treflan 5 or 15 oz of Treflan 800C on coarse soils to control fall panicum, pigweed, and Texas panicum.

Precautions

- Do not apply to sweet corn or corn grown for seed.
- Do not apply Treflan to corn as a preplant or preemergence treatment or crop injury may occur.
- Where corn is planted in a furrow, apply Treflan only after a cultivation to move soil into the row.
- · Refer to the atrazine product label for application rates, additional use directions, precautions and limitations before use.

*Trademark of DowElanco

(Label code) Approved: Treflan E.C. 06/19/91; Treflan M.T.F. 07/05/91; Treflan 5 06/18/91; Treffan 80DC 06/24/91

1) Treflan plus atrazine tank mix has been removed from the product labels for Treflan and placed on supplemental labeling for use only in AL, FL, GA and TX.