U.S. Crop Production

Supplemental Labeling



DowElanco

Quad IV, 9002 Purdue Road

P.O. Box 681428

Indianapolis, Indiana 46268-1189 USA

AUCERTED

AUG 2 4 1994

is the fine Foderal intercloide. Francisco, and flode modifie Act. as amended, for the posticide regimes of under EPA step. No. 60719-118

Treflan* E.C. (EPA Reg. No. 62719-93)
Treflan M.T.F. (EPA Reg. No. 62719-116)
Treflan 5 (EPA Reg. No. 62719-118)

Postemergence Soil Incorporated Application for Weed Control in Cotton

(For Distribution and Use in Texas, Okiahoma and New Mexico)

ATTENTION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This labeling must be in the possession of the user at the time of application.

Read the label affixed to the container for Treflan herbicide before applying. Carefully follow all
precautionary statements and applicable use directions.

• Use of Treftan according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Treftan.

Directions for Use

Treflan may be applied to cotton as a posternergence incorporated treatment from the 4-true leaf stage up to layby. Apply as a broadcast spray using ground or aerial equipment. A ground applied directed spray is recommended if cotton foliage prevents uniform coverage of the soil surface.

Incorporation Directions: Treflan must be mechanically incorporated within 24 hours. Mechanical incorporation may be accomplished with one pass of a sweep-type cultivator or properly adjusted rolling cultivator. The sweep-type cultivator should have 3 to 5 sweeps per row middle and be operated at a speed that will provide vigorous soil mixing. Set middle sweeps so as to avoid exposing untreated soil Adjust incorporation equipment so as to avoid mechanical injury to the crop.

Broadcast Application Rates/Acre

Soil Texture	Treflan E.C. or Treflan M.T.F.	Treflan 5
Coarse	(pints) 0.75 - 1.0	(pints) 0.6 - 0.8
Medium	1.0 - 1.5	0.8 - 1.2
Fine	1.5 - 2.0	1.2 - 1.6

BEST AVAILABLE COPT

- Coarse and medium soils with 2-5% organic matter 1.5 pints of Treflan E.C. or M.T.F. or 1.2 pints of Treflan 5
- Fine soils with 2-5% organic matter 2.0 pints of Treflan E.C. or M.T.F. or 1.6 pints of Treflan 5

Precautions

- · Do not apply within 90 days of harvest.
- Treated soil may be shallow cultivated or rotary hoed without loss of herbicidal activity. To avoid oringing untreated soil to the surface and loss of weed control, do not cultivate deeper than the depth or incorporation.
- *Trademark of DowElanco

(Label Code) Approved __/_/_
Initial printing.

Amendments:

 Added broadcast treatment from 4-true leaf stage of growth to layby to directions for postemergence incorporated treatment.