



Turf Fertilizer - Contains Team* 1.15%
 EPA Reg. No. 62719-150

Directions for Use for Established Ornamental Plants in Landscape Settings

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for this product before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of this product according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for this product.

Directions for Use

Established Ornamental Plants in Landscape Settings

Not for use on plants grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on golf courses or lawns and grounds.

Application

Turf Fertilizer - Contains Team* 1.15% herbicide is recommended for preemergence control of annual grasses and certain broadleaf weeds in a wide variety of established ornamental trees, shrubs, and flowers. It should be applied one to two weeks prior to the anticipated germination of the target annual weeds. Use applicators designed to apply herbicide or insecticide granules. Calibrate the applicator according to the manufacturer's directions prior to use and check frequently during application to be sure the equipment is working properly and distributing the granules uniformly. Do not apply more than the recommended amount. This product will control annual weeds only where it is applied to the soil surface. An even distribution of the granules with no skips or misses is important for satisfactory weed control.

Application timing: Apply one (1) to two (2) weeks prior to the germination of weed seeds or to clean cultivated weed free areas. Do not apply this product to plantings when the foliage is wet.

Soil Preparation: This product can be surface applied around established plants or on ornamental beds. Apply to a smooth soil surface (no large clods) to assure uniform distribution. Clean-cultivate and hoe to remove existing weeds before applying this product.

Activation: Optimum weed control performance will be obtained when followed by overhead irrigation or rainfall, within a few hours after application.

Broadcast Application Rates:

Season of Application	Pounds per Acre	Pounds per 1000 sq ft
Spring Application (Summer annuals)	174 to 260 lb/acre	4 to 6 lb/1000 sq ft
Fall Application (Winter annuals)	260 lb/acre	6 lb/1000 sq ft

In areas with extended growing seasons or where desired, a second application at the recommended rate can be made approximately 10 - 12 weeks following the initial application.

This product may be used for annual weed control in landscape settings on the following established ornamental plant species:

Ornamental Trees:

<u>Common Name</u>	<u>Scientific Name</u>	<u>Common Name</u>	<u>Scientific Name</u>
almond	<i>Prunus dulcis</i>	maple, sugar	<i>Acer saccharum</i>
apple, crabapple	<i>Malus</i> spp.	oak, pin	<i>Quercus palustris</i>
apricot	<i>Prunus armeniaca</i>	oak, scarlet	<i>Quercus coccinea</i>
ash, white	<i>Fraxinus americana</i>	peach	<i>Prunus persica</i>
baldcypress	<i>Taxodium distichum</i>	pine, Austrian	<i>Pinus nigra</i>
birch, European white	<i>Betula pendula</i>	pine, eastern white	<i>Pinus strobus</i>
blackgum	<i>Nyssa sylvatica</i>	pine, Japanese black	<i>Pinus thunbergiana</i>
cherry	<i>Prunus</i> spp.	pine, loblolly	<i>Pinus taeda</i>
chestnut, Chinese	<i>Castanea mollissima</i>	pine, red	<i>Pinus resinosa</i>
cottonwood	<i>Populus deltoides</i>	pine, scotch	<i>Pinus sylvestris</i>
dogwood, flowering	<i>Cornus florida</i>	planetree, London	<i>Platanus acerifolia</i>
dogwood, kousa	<i>Cornus kousa</i>	plum	<i>Prunus</i> spp.
douglasfir	<i>Pseudotsuga menziesii</i>	redbud, eastern	<i>Cercis canadensis</i>
fir, balsam	<i>Abies balsamea</i>	spruce, Colorado	<i>Picea pungens</i>
hemlock, Canada	<i>Tsuga canadensis</i>	spruce, Norway	<i>Picea abies</i>
honeylocust	<i>Gleditsia triacanthos</i>	spruce, white	<i>Picea glauca</i>
larch, Japanese	<i>Larix kaempferi</i>	sweetgum	<i>Liquidambar styraciflua</i>
locust, black	<i>Robinia pseudoacacia</i>	sycamore	<i>Platanus occidentalis</i>
maple, Norway	<i>Acer platanoides</i>	tuliptree	<i>Liriodendron tulipifera</i>
maple, red	<i>Acer rubrum</i>	walnut, black	<i>Juglans nigra</i>
maple, silver	<i>Acer saccharinum</i>		

Ornamental Shrubs:

<u>Common Name</u>	<u>Scientific Name</u>	<u>Common Name</u>	<u>Scientific Name</u>
andromeda, Japanese	<i>Pieris japonica</i>	forsythia	<i>Forsythia</i> spp.
arborvitae, American	<i>Thuja occidentalis</i>	guava, pineapple	<i>Feijoa sellowiana</i>
azalea	<i>Rhododendron</i> spp.	holly	<i>Ilex</i> spp.
barberry, Japanese	<i>Berberis thunbergii</i>	honeysuckle	<i>Lonicera</i> spp.
barberry, mento	<i>Berberis mentorensis</i>	indiahawthorn	<i>Raphiolepis indica</i>
boxwood, common	<i>Buxus sempervirens</i>	juniper	<i>Juniperus</i> spp.
boxwood, littleleaf	<i>Buxus microphylla</i>	laurel, mountain	<i>Kalmia latifolia</i>
camellia, Japanese	<i>Camellia japonica</i>	lilac, common	<i>Syringa vulgaris</i>
camellia, sasanqua	<i>Camellia sasanqua</i>	mockorange	<i>Philadelphus</i> spp.
cherrylaurel, American	<i>Prunus caroliniana</i>	pittosporum, Japanese	<i>Pittosporum tobira</i>
cinquefoil	<i>Potentilla</i> spp.	privet	<i>Ligustrum</i> spp.
cleyera, Japanese	<i>Cleyera japonica</i>	redcedar, eastern	<i>Juniperus virginiana</i>
cotoneaster, cranberry	<i>Cotoneaster apiculata</i>	rhododendron	<i>Rhododendron</i> spp.
cotoneaster, zabel	<i>Cotoneaster zabelii</i>	spiraea, vanhoutte	<i>Spiraea vanhouttei</i>
deutzia	<i>Deutzia</i> spp.	viburnum	<i>Viburnum</i> spp.
elaagnus, silverberry	<i>Elaeagnus pungens</i>	weigela	<i>Weigela</i> spp.
euonymus, spreading	<i>Euonymus kiautschovica</i>	willow	<i>Salix</i> spp.
euonymus, winged	<i>Euonymus alatus</i>	yew, anglojap	<i>Taxus media</i>
euonymus, wintercreeper	<i>Euonymus fortunei</i>	yew, Japanese	<i>Taxus cuspidata</i>
firethorn	<i>Pyracantha</i> spp.	yewpine	<i>Fodocarpus macrophyllus</i>

Ornamental Groundcover Plantings:

<u>Common Name</u>	<u>Scientific Name</u>	<u>Common Name</u>	<u>Scientific Name</u>
aaronsbeard	<i>Hypericum calycinum</i>	lilyturf, bigblue	<i>Liriope muscari</i>
bellflower, adriatic	<i>Campanula elatines</i>	marigold	<i>Tagetes</i> spp.
bellflower, poscharsky	<i>Campanula poscharskyana</i>	myoporum	<i>Myoporum laetum</i>
ceanothus	<i>Ceanothus</i> spp.	plumbago, dwarf	<i>Ceratostigma umbaginoides</i>
coreopsis	<i>Coreopsis</i> spp.	rockrose	<i>Cistus</i> spp.
cotoneaster	<i>Cotoneaster</i> spp.	rosemary	<i>Rosmarinus officinalis</i>
coyote brush	<i>Baccharis pilularis</i>	rupturewort	<i>Hemaria glabra</i>
crown vetch	<i>Coronilla vana</i>	snow-in-summer	<i>Cerastium tomentosum</i>
daisy trailing African	<i>Osteospermum fruticosum</i>	speedwell	<i>Veronica</i> spp.
fern, asparagus	<i>Asparagus densiflorus</i>	st. johnswort	<i>Hypericum coris</i>
gazania	<i>Gazania</i> spp.	stonecrop (sedum)	<i>Sedum</i> spp.
germander	<i>Teucrium chamaedrys</i>	strawberry, beach	<i>Fragaria chiloensis</i>
ice plant, largeleaf	<i>Carpobrotus edulis</i>	thrift	<i>Armenia maritima</i>
ivy, Algerian	<i>Hedera canariensis</i>	verbena	<i>Verbena</i> spp.
ivy, English	<i>Hedera helix</i>	wirevine, creeping	<i>Muehlenbeckia axillaris</i>
lily-of-the-nile	<i>Agapanthus</i> spp.	yarrow, woolly	<i>Achillea tomentosa</i>

Roses and Other Established Flowers:

African daisy	dianthus	marigold	shasta daisy
aster (perennial)	dusty miller	marigold, cape	snapdragon
balsam	floss flower	morningglory	snow-on-the-mountain
blackeyed susan	forget-me-not	nasturtium	stock
calendula	four o'clock	nicotiana	sunflower
carnation	gaillardia	petunia	sweet alyssum
centaurea, velvet	gladiolus	phlox	sweet pea
chrysanthemum	golden glow	pincushion flower	sweet sultan
coreopsis	impatiens	poppy, California	sweet william
cornflower	ixora	portulaca	vinca
cosmos	lobelia	rose	yarrow
dahlia	lupine	salvia	zinnia

*Trademark of DowElanco

(Label Code) Approved ___/___/___
Initial printing.

Amendments: Adds ornamental uses not within the scope of the WPS (plants not grown for sale or research purposes) to uses for Turf Fertilizer - Contains Team 1.15%.