AUG | ! 1993

Mr. Douglas M. Roby DowElanco 9002 Purdue Rd. P.O. Box 681428 Indianapolis, IN 46268

Dear Mr. Roby:

Subject: Minor Revisions & Alternate Brand Name

Turf Fertilizer Contains Team 1.25%

EPA Reg. No. 62719-152

Your submission dated July 21, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

The registration record for the product named above has been amended to include the additional product name listed below. It is understood that the label will be identical with that of the basic label accepted under this registration except for product name.

"Super Team 1.25%"

Dorb

The Committee of the state of the contract of

This acceptance of your label does not relieve you of any obligation to comply with the Worker Protection Standard (WPS). Under the WPS labeling regulations at 40 CFR part 158, subpart K, § 156.200(c)(3), you are prohibited form distributing or selling any product within the scope of the WPS requirements after April 21, 1994, without amended labeling accepted by the Agency.

Sincerely yours,

Robert J. Taylor Product Manager 25 Fungicide-Herbicide Branch Registration Division (H7505C)

Enclosure

the title with an time of the contract of the

ì

RD:RTaylor:eja:8/11/93:3056800

(Editor's Note: This label is intended for retail sale to non-professional users.)

(Container Label)

Logo - DowElanco

Super Team* 1.25%

A Granular Fertilizer Containing Super Team for the Preemergence Control of Crabgrass, Foxtall, Goosegrass, *Poa Annua* and Other Annual Weed Grasses in Established Turfgrasses.

Active Ingredients:

N-butyl-N-ethyl-α,α,α-trifluoro-2,6-dinitro- <i>p</i> -toluidine	0.82%
trifluralin (α,α,α-trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine)	0.43%
Inert Ingredients	
Total	100.00%

Guaranteed Fertilizer Analysis	
Total Nitrogen (N)	24.0%
Available Phosphoric Acid (P2O5)	6.0%
Soluble Potash (K2O)	12.0%

Contains 0.625 pounds active ingredient per 50 pound bag.

Keep Out of Reach of Children WARNING

See back or container/side panel for additional precautionary statements.

Notice: Read the entire label. Use only according to label directions. Before buying this product, read Limited Warranty and Disclaimer Section elsewhere on this label.

In case of emergency endangering health or the environment involving this product, call collect 517-636-4400

Do Not Ship or Store with Food, Feeds, Drugs, or Clothing.

EPA Reg. No. 62719-152 EPA Est. No.

*Trademark of DowElanco

DowElanco Indianapolis, Indiana 48268, U.S.A.

Herbicide Net Contents - 40 Pounds

ACCEPTED
with COMMENTS
in EPA Letter Dated:

AUG | 1 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 62719-152

Precautionary Statements

Keep Out of Reach of Children

Hazards to Humans and Domestic Animals

WARNING

Causes Eye Irritation • Do Not Get in Eyes • Harmful If Swallowed, Inhaled Or Absorbed Through The Skin

Avoid breathing dust and contact with skin or clothing. The granular formulation may cause skin sensitization reactions in certain individuals. Use eye protestion and protective clothing such as coveralls, a long-sleeved shirt and impermeable gloves when handling this product. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Statements of Practical Treatment

If In eyes: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. See an ophthalmologist or physician immediately.

If swallowed: Call physician or Poison Control Center. Drink promptly a large quantity of milk, egg white, gelatin solution, or if these are not available, large quantities of water. Avoid alcohol. Do not induce vomiting.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation develops.

If Inhaled: If breathing difficulty occurs, move individual to fresh air and get medical attention. If not breathing, provide cardiopulmonary resuscitation assistance (mouth-to-mouth) and call a physician.

Environmental Hazards

This pesticide is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift or runoff from treatment areas may be hazardous to aquatic organisms in neighboring aquatic sties. Do not contaminate water when disposing of equipment washwaters...

Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read all directions carefully before applying this product.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container only. In case of leak or spill, contain material and dispose as waste.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

General Information

This turf fertilizer product contains Super Team, a preemergence herbicide which is applied to established turfgrasses for the control of the winter annual grass: annual bluegrass (*Poa Annua*); and summer annual grasses: smooth and hairy crabgrass, goosegrass (sliver crabgrass or crowlootgrass), barryardgrass (watergrass) and green and yellow foxtail. This product also provides partial control of prostrate spurge (*Euphorbia humistrata*), spotted spurge (*Euphorbia maculata*), creeping spurge (*Euphorbia maculata*), creeping woodsorrel (*Oxalis corniculata*) and yellow woodsorrel (*Oxalis atricta*).

Important Use Precautions

Researching: Do not research treated areas for minimum of 8 weeks after a single application of 3.6 lb per 1,000 sq ft or 12 to 16 weeks after a single application of 5.5 lb per 1,000 sq ft.

Do not apply this product to dichondra, or newly sprigged areas of bermudagrass, St. Augustinegrass, centipedegrass, or zoysiagrass. Any cultural practices that disturb the soil, such as aerification or verticutting, should be done prior to application.

This Product is Recommended for Use on the Following Established Warm and Cool Season Perennial Turfgrass Species:

Cool Season Turigrasses

- Bentgrass fairways
- Kentucky bluegrass
- · Perennial ryegrass
- Fescues

Warm Season Turfgrasses

- Bahiagrass
- Bermudagrass
- Centipedegrass
- · Fescue, tall
- St. Augustinegrass
- Zoysiagrass

Application Directions

This product should be applied one to two weeks prior to the anticipated germination of the target annual weeds. Apply using a properly calibrated granular fertilizer spreader which will uniformly distribute the product over the target area. Avoid skips and excessive overlaps as poor weed control or turigrass injury may occur. Optimum weed control performance will be obtained if treated areas are irrigated soon after application. This product will not harm most nearby ornamentals.

Broadcast Application Rates:

	Cool Season Turigrasses	Warm Season Turfgrasses
Summer Annual Grass Weeds (Spring Application)	5.5 tb/1,000 sq ft	5.5 lb/1,000 sq ft
Winter Annual Grass Weeds (Fall application)	3.6 lb/1,000 sq ft	5.5 lb/1,000 sq ft

Use the following rate table to determine the total amount of product to apply once total size of the area to be treated has been determined.

Size of Area to be Treated	Total Amount of	Product Required
(sq_ft)	3.6 lb/1,000 sq ft Rate	5.5 lb/1,000 sq ft Rate
1,000	3.6 lb	5.5 lb
2,000	7.2 lb	11.0 lb
3,000	10.8 lb	16.5 lb
4,000	14.4 lb	22.0 lb
5,000	18.0 lb	27.5 lb

Note: More uniform application may be achieved by dividing the total amount of product required in half and applying each half over the entire treatment area in a different direction.

***	PANTY	 MATION	

(Subregistrant may include appropriate statements to address Warranty Disclaimer, Inherent Risks of Use or Limitation of Remedies pertaining to use of this product.)

Copyright © 1993 DowElanco

EPA Approved __/_/_
Final Printed Labeling printed __/_/_

Revisions:

1) Use of alternate brand name "Super Team" - 1.25%".

2) Revised use precautions to accommodate non-professional use by homeowners (precautions relevant to golf course use deleted).

3) Deleted low use rates for summer annual grass weeds.

4) Deleted directions for repeat and split applications.