

062719-00152-022699

Printed: 15:09:47 Tuesday, 25 May, 1999 # 45 / 3117

Systems Integration Group, Inc.

Service Assessment Control

Please read instructions on reverse before completing form.	Form Approved.	OMB No. 2070-0060.	Approval expires 05-31-98
United States Environmental Protect Washington, DC 2	0460 X	Registration Amendment Other	OPP Identifier Number 232762
Applicat	<u>ion for Pesticide - Section</u>	<u> </u>	
Company/Product Number     Dow AgroSciences/62719-152	2. EPA Product Manager Joanne I. Millo		pposed Classification
4. Company/Product (Name)	PM#		None Restricted
Dow AgroSciences/Turf Fertilizer - Contains Team 1.2	25% 23		<del></del>
5. Name and Address of Applicant (Include ZIP Code)	6. Expedited Review.		, , , ,
Dow AgroSciences LLC	(b)(i), my product is simi	lar or identical in Cor	mposition and labeling
9330 Zionsville Road	EPA Reg. No.		
Indianapolis, IN 46268	EFA Reg. No.		
Check if this is a new address	Product Name		
	Section - II		
Amendment - Exptain below.	Final printed labe Agency letter date	is in response to <b>NO</b> ed	TIFICATION
Resubmission in response to Agency letter dated	"Me Too" Applica	FF	B 26 1999
Notification - Explain below.	Other- Explain be	elow.	
Explanation: Use additional page(s) if necessary. (For Section	n Land Section II.)		
See attached for proposed revisions to label	in raine decident inly		
	Section - III		
1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging Unit Packaging	Water Soluble Packaging	2. Type of Container	
Yes* Yes	Yes	Metal	
No No	No	Plastic	
*Certification must If "Yes" No. per	If "Yes" No. per	Glass Paper	
be submitted Unit Packaging wgt. container	Package wgt container	Other (S	Specify)
3. Location of Net Contents Information 4. Size(s) F	Retail Container 5 Lo	cation of Label Direction	nns
		On Label	
Label Container	thograph Other	On Labeling accor	npanying product
P. Manner in Witten Laber is Milked to Product	aper glued		
	Section - IV		· · · · · · · · · · · · · · · · · · ·
1. Contact Point (Complete items discosts below for idtitle-		10000 to 20000 45:	o o o o dio o tio o l
Contact Point /Complete items directly below for identification.			
Name Lacru E Haramond	Title  Pagulatory Managar		iclude Area Gode)
Larry E. Hammond	Regulatory Manager	(317) 337-46	T T
Certific		naaka alah eene kik	Date Application     Received
I certify that the statements I have made on this form an I acknowledge that any knowing false or misleading sta- both under applicable law.			(Stamped)
2. Signature	3. Title	<del></del>	
Jarry C. Xerr mordical	Regulatory Manager		
4. Typed Name	5. Date		<b>1</b> • • • • • • • • • • • • • • • • • • •
Larry E. Hammond	February 19, 1999		Lat.
* Tradamark of Dow AgroScionogs LLC			■ ****:

Three is it.

# Turf Fertilizer - Contains Team\* 1.25%

EPA Reg. No. 62719-152

Alternate Brand Name(s): Super Team 1.25%

#### **Registration Notes:**

and/or

Current label text based on EPA-accepted copy dated June 15, 1995, and notification dated 01-25-96.

#### Proposed Changes by Notification:

Several marketing and packaging-related claims used by supplemental distributors are being submitted in accordance with PR Notice 98-10 under "N. Other Revisions ... not described in Section A.-M. These claims are related to, or are consistent with: (1) package size (how much area the package will treat); (2) established label claims (e.g., crabgrass control); (3) turf fertilizer carrier (e.g., "Encourages quick spring greenup"); or (4) seller/customer relationships (e.g., "satisfaction guaranteed"). These changes are consistent with 40 CFR Part 156 and do not alter label language previously accepted by EPA.

#### The optional statements for use by supplemental distributors are as follows:

Prevents crabgrass & other unsightly weeds and/or
Encourages quick spring greenup and/or
Greens your lawn with extended feeding nitrogen and/or
Covers up to 15, 000 sq ft (100' X 150') and/or
Covers up to 5,000 sq ft (100' X 50') and/or
Prevents crabgrass before it starts and/or
Made in the USA

[Supplemental Distributor's name] Satisfaction Guaranteed, see back for details.

NOTIFICATION FEB 26 1999



# Turf Fertilizer - Contains Team\* 1.25%

EPA Reg. No. 62719-152

Alternate Brand Name(s): Super Team 1.25%

#### **Registration Notes:**

Current label text based on EPA-accepted copy dated June 15, 1995, and notification dated 01-25-96.

#### **Proposed Changes by Notification:**

Several marketing and packaging-related claims used by supplemental distributors are being submitted in accordance with PR Notice 98-10 under "N. Other Revisions ... not described in Section A.-M. These claims are related to, or are consistent with: (1) package size (how much area the package will treat); (2) established label claims (e.g., crabgrass control); (3) turf fertilizer carrier (e.g., "Encourages quick spring greenup"); or (4) seller/customer relationships (e.g., "satisfaction guaranteed"). These changes are consistent with 40 CFR Part 156 and do not alter label language previously accepted by EPA.

#### The optional statements for use supplemental distributors are as follows:

Prevents crabgrass & other unsightly weeds
and/or
Encourages quick spring greenup
and/or
Greens your lawn with extended feeding nitrogen
and/or
Covers up to 15, 000 sq ft (100' X 150')
and/or
Covers up to 5,000 sq ft (100' X 50')
and/or
Prevents crabgrass before it starts
and/or
Made in the USA
and/or
[Supplemental Distributor's name] Satisfaction Guaranteed, see back for details.

[Editor's note: Added text is underlined.]

\*Trademark of Dow AgroSciences LLC



# 4/ 8

# **Turf Fertilizer - Contains Team\* 1.25%**

A Granular Fertilizer Containing Team for the Preemergence Control of Crabgrass, Foxtail, Goosegrass, *Poa annua* and Other Annual Weed Grasses in Established Turfgrasses.

and/or							
revents crabgrass & other unsightly weeds							
and/or							
ourages quick spring greenup							
and/or							
Greens your lawn with extended feeding nitrogen	NOTIFICATION						
<u>and/or</u>	MOITATION						
Covers up to 15, 000 sq ft (100' X 150')	FEB 26 1999						
and/or	. 25 2 6 1777						
Covers up to 5,000 sq ft (100' X 50')							
and/or							
Prevents crabgrass before it starts							
and/or  Made in the USAand/or  [Supplemental Distributor's name] Satisfaction Guaranteed, see back for details.							
					Active Ingredients:		
					benefin: N-butyl-N-ethyl- $\alpha$ , $\alpha$ , $\alpha$ -trifluoro-2,6-dinitro- $\rho$ -toluidine	0.82%	
trifluralin ( $\alpha$ , $\alpha$ , $\alpha$ -trifluoro-2,6-dinitro- <i>N</i> , <i>N</i> -dipropyl-p-toluidine)	0.43%						
Inert Ingredients	98.75%						
Total	100.00%						
Guaranteed Fertilizer Analysis†							
Total Nitrogen (N)							
Available Phosphoric Acid (P2O <sub>5</sub> )							
Soluble Potash (K <sub>2</sub> O)	XX.X%						

[†Editor's note: See subregistrant label for specific fertilizer analysis of the fertilizer blend used.] Contains 0.625 pounds active ingredient per 50 pound bag.

### Keep Out of Reach of Children

## **CAUTION**

See back or container/side panel for additional precautionary statements.

Notice: Read the entire label. Use only according to label directions. Before buying this product, read Limited Warranty and Disclaimer Section elsewhere on this label.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994. If you wish to obtain additional product information, visit our web site at www.dowagro.com.

Do Not Ship or Store with Food, Feeds, Drugs, or Clothing.


EPA Reg. No. 62719-152

EDA Est No.

\*Trademark of Dow AgroSciences LLC

Dow AgroSciences LLC • Indianapolis, Indiana 46268 USA

Herbicide Net Weight - 50 Pounds



### **Precautionary Statements**

### Hazards to Humans and Domestic Animals

### Keep Out of Reach of Children

## **CAUTION**

Harmful If Swallowed, Inhaled Or Absorbed Through The Skin

Avoid breathing dust and contact with skin, eyes or clothing. The granular formulation may cause skin sensitization reactions in certain individuals. Wear protective clothing such as coveralls or long-sleeved shirt and long pants, shoes and socks, and impermeable gloves when handling this product. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

#### First Aid

If in eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

If swallowed: Do not induce vomiting. Call physician or Poison Control Center. Drink promptly a large quantity of milk, egg white, gelatin solution, or if these are not available, large quantities of water. Avoid alcohol.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation develops.

**If inhaled:** If breathing difficulty occurs, move individual to fresh air and get medical attention. If not breathing, provide cardiopulmonary resuscitation assistance (mouth-to-mouth) and get medical attention immediately.

#### **Environmental Hazards**

This pesticide is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift or runoff from treatment areas may be hazardous to aquatic organisms in neighboring aquatic sties. Do not contaminate water when disposing of equipment washwaters.

#### **Directions for Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all directions carefully before applying this product.

#### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container only. In case of leak or spill, contain material and dispose as waste. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

#### **General Information**

This turf fertilizer product contains Team\*, a preemergence herbicide for application to established turfgrasses for the control of the winter annual grass: annual bluegrass (*Poa annua*); and summer annual grasses: smooth and hairy crabgrass, goosegrass (silver crabgrass or crowfootgrass), barnyardgrass (watergrass) and green and yellow foxtail. This product also provides partial control of prostrate spurge (*Euphorbia humistrata*), spotted spurge (*Euphorbia maculata*), creeping spurge (*Euphorbia serpens*), creeping woodsorrel (*Oxalis corniculata*) and yellow woodsorrel (*Oxalis stricta*).



#### Important Use Precautions

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

**Reseeding:** Do not reseed treated areas for minimum of 8 weeks after a single application of 160 pounds per acre or 12 to 16 weeks after a single application of 240 pounds per acre. For split applications, do not reseed treated areas for 8 to 10 weeks after the last 120 pounds per acre rate or 10 to 12 weeks after the last 160 pounds per acre rate.

Do not apply this product to golf course putting greens, dichondra, or newly sprigged areas of bermudagrass, St. Augustinegrass, centipedegrass, or zoysiagrass. Any cultural practices that disturb the soil, such as aerification or verticutting, should be done prior to application.

# This Product is Recommended for Use on the Following Established Warm and Cool Season Perennial Turfgrass Species:

#### Established Cool Season Turfgrasses

- Bentgrass fairways
- Kentucky bluegrass
- Perennial ryegrass
- Fescues

#### Established Warm Season Turfgrasses

- Bahiagrass
- Bermudagrass
- Centipedegrass
- Tall fescue
- St. Augustinegrass
- Zoysiagrass

# Application

This product should be applied one to two weeks prior to the anticipated germination of the target annual weeds. Apply using a properly calibrated granular fertilizer spreader which will uniformly distribute the product over the target area. Avoid skips and excessive overlaps as poor weed control or turfgrass injury may occur. Optimum weed control performance will be obtained if treated areas are irrigated soon after application. This product will not harm most nearby ornamentals.

In areas with extended growing seasons or where desired, a second application at the recommended rate can be made 8 to 10 weeks following the initial application on cool season turfgrasses and 10 to 12 weeks following the initial application on warm season turfgrasses.

#### **Broadcast Application Rates:**

	Cool Season Turigrasses	Warm Season Turfgrasses
Summer Annual Grass Weeds	120 to 240 lb/acre	240 lb/acre
(Spring Application)	2.75 to 5.5 lb/1000 sq ft	5.5 lb/1000 sq ft
Winter Annual Grass Weeds	120 to 160 lb/acre	240 lb/acre
(Fall application)	2.75 to 3.6 lb/1000 sq ft	5.5 lb/1000 sq ft



#### Split Applications for Extended Control and Lawn Care Operator Programs:

As an alternative to single application programs, this product may also be applied in split applications. This program is desirable when the initial application is made well in advance of weed germination and where weed control is desired for a longer period of time.

Apply this product at 120 pounds plus 120 pounds per acre for Cool Season Turfgrasses and in the northern half of the Warm Season Turfgrass area of the U.S. or 160 pounds plus 160 pounds per acre in the southern half of the Warm Season Turfgrasses area of the U.S. The second application should be made 8 to 10 weeks following the 120 pounds per acre rate and 10 to 12 weeks following the 160 pounds per acre rate.

#### **Spreader Settings**

(Editors note: Subregistrant label may include a table of recommended spreader equipment and spreader settings for the fertilizer blend used.)

### Warranty Disclaimer

Dow AgroSciences warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. Dow AgroSciences MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

#### Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Dow AgroSciences or the seller. All such risks shall be assumed by buyer.

#### **Limitation of Remedies**

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Dow AgroSciences' election, one of the following:

- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used.

Dow AgroSciences shall not be liable for losses or damages resulting from handling or use of this product unless Dow AgroSciences is promptly notified of such loss or damage in writing. In no case shall Dow AgroSciences be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer above and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Dow AgroSciences or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

\*Trademark of Dow AgroSciences LLC

EPA-Accepted 06/15/95