

PLU B 62719-167

pg 185 12

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	62719-168	JUN 26 1991
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)		
NAME OF PESTICIDE PRODUCT		
SUSPENS 30W		

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

7
 Dow Flanco & Company
 9002 Purdue Road, Quad IV
 P.O. Box 681428
 Indianapolis, IN 46268-1180
 L

176/5392271
18

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 62719-168."
 - b. Add the following statement (in bold letters) to the front panel of the labeling:

NOT FOR USE IN FEDERALLY INSPECTED MEAT AND POULTRY PLANTS.
 - c. On page 3 under handling procedures, delete "It is recommended that a full faced canister type respirator be used The statement must read, "Wear a full-faced canister respirator . . . etc."

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL DATE 6/26/91

- d. Change "other" to "similar" in the phrase "and other insect pests" throughout the label.
- e. Limit (qualify) the site lawns to home/residential areas only, i.e.

Lawns (Residential Sites Only)

- f. On page 8, delete the statement beginning, "Because of varying environmental conditions . . . etc." The product is not approved for direct application to plants.

3. Within 14 months from the date of this Registration Notice, you must submit a 1 year storage stability study.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

BEST AVAILABLE COPY

Specimen Label

**Suspend* 30W Insecticide
Water Dilutable**

CONTROLS NUMEROUS PESTS IN AND AROUND STRUCTURES

RECOMMENDED FOR COMMERCIAL AND INDUSTRIAL USE

**For Use in and Around the Home and Food and Non-Food Areas of Buildings
Such as: Schools, Hospitals, Warehouses, Office Buildings, Apartment
Buildings, Theaters, Hotels, Motels, Kennels, Food Processing Plants,
Food Service Establishments, Truck Trailers, Railroad Cars, and Food
Manufacturing and Warehousing Establishments.**

Active Ingredient(s):

(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-
alpha-(1-methylethyl)benzeneacetate

Inert Ingredient(s):

E.P.A. Registration No. ~~464~~ 62719-RAI

E.P.A. Est. 464-MI-1

ACCEPTED
with COMMENTS 30%
in EPA Letter Dated: 70%

JUN 26 1991

KEEP OUT OF REACH OF CHILDREN

—INSERT 1 FROM PAGE 2

WARNING

AVISO:

**PRECAUCION AL USUARIO: Si usted no lee ingl(ACUTE ACCENT)es, no use este
producto hasta que la etiqueta le haya sido explicada ampliamente.**

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.

PRECAUTIONARY STATEMENTS

**Hazards to Humans and Domestic Animals
MAY CAUSE EYE INJURY (BUL)
CAUSES SKIN IRRITATION (BUL)
HARMFUL IF SWALLOWED (BUL)
MAY BE IRRITATING TO NOSE AND THROAT**

INSERT 2 -

**Do Not Get In Eyes, On Skin Or Clothing (BUL)
Wear Protective Clothing, Such As Long-Sleeved Shirt And Pants, Gloves
And Footwear Resistant To Petroleum Solvents, And Eye Protection (BUL)
Wash Thoroughly With Soap And Water After Handling (BUL)
Remove Contaminated Clothing And Wash Before Reuse (BUL)
Avoid Breathing Vapors (BUL)
Keep Away From Food, Feedstuffs And Water Supplies (BUL)
Do not apply directly to food (BUL)
Cover or remove all food and food processing equipment during
application. After spraying in ~~meat packing plants~~ bakeries and other
food processing plants, wash with an effective cleaning compound and
then rinse with potable water all equipment, benches, shelving, etc.,
where exposed food will be handled. In the home, all food processing
surfaces and utensils should be covered during treatment or thoroughly
washed before use. Cover exposed food. Do not spray plants used for
food or feed.
Do not treat establishments where livestock feed is present.**

(Continued)

BEST AVAILABLE COPY

(except USDA meat and poultry
processing plants.)

STATEMENT OF PRACTICAL TREATMENT:

If Swallowed: Call a physician or Poison Control Center immediately. Contains petroleum distillate. Do not induce vomiting because of aspiration hazard and probability of mucosal damage.

If Inhaled: Remove to fresh air. Apply artificial respiration if indicated. Get medical attention immediately.

If On Skin: Remove contaminated clothing and wash affected areas with soap and water. Get medical attention if irritation develops.

If In Eyes: Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

INSERT 1
ON PAGE 1

Physical or Chemical Hazards

Do Not Use or Store Near Heat or Open Flame.

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

Environmental Hazards

~~This pesticide is toxic to fish and other wildlife. Do not apply directly to any body of water. Do not contaminate water sources by cleaning of equipment or disposal of wastes.~~

NOTICE

Read and understand the entire label before using. Use only according to label directions.

Before buying or using this product, read "WARRANTY LIMITATIONS AND DISCLAIMER" elsewhere on this label. If terms are not acceptable, return unopened package at once to seller for full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under WARRANTY LIMITATIONS AND DISCLAIMER.

Do Not Ship or Store with Food, Feeds, Drugs, or Clothing

IN CASE OF AN EMERGENCY

endangering life or property involving this product, call collect 517-636-4400

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

(Continued)

This pesticide is highly toxic to fish and other aquatic organisms. Do not apply directly to any body of water. Do not contaminate water sources by disposing of equipment washwaters.

BEST AVAILABLE COPY

GENERAL INFORMATION

- + SUSPEND 30W insecticide is a wettable powder designed for use as a spray to control various pests in and around residential and nonresidential buildings and structures and on various modes of transport.
- + Do not formulate this product into other end-use products.
- + Unless prohibited by a product's label, users at their own discretion, can tank mix pesticides currently labeled for similar use patterns. It is always recommended that a small jar compatibility test using proper proportions of chemicals and water be run to check for physical compatibility prior to tank mixing. Do not tank mix this product with products containing dichlorvos (DDVP).
- + Important: Read all Directions before using SUSPEND 30W.

General Pest Control Indoors

Directions For General Use Indoors

SUSPEND 30W insecticide is to be mixed with water and applied as crack and crevice or spot treatments with pressurized sprayers or other equipment suitable for applying insecticides to localized areas. The active ingredient in this product can provide effective residual control of pests listed on this label. To minimize airborne particles spray pressure should not exceed 30 psi.

Handling Procedures for General Use Indoors

- + Do not allow humans or pets on treated areas until spray has dried.
- + Before spraying, remove pets and cover aquaria, i.e. fish bowls, and turn off air pump.
- + Do not apply where electrical short circuits could occur.
- + Do not use indoors as a space spray or in fogging equipment.
- + A period of from 4 to 7 days is normally required to observe maximum effectiveness on insect populations. Except as noted under Food Handling Establishment Directions, applications can be made in 7 day or longer intervals. If necessary, SUSPEND 30W insecticide may be applied after 2 days from last treatment (Call back treatments), but such use should be limited to once per month.
- + It is recommended that ~~eye protection be worn when making overhead applications.~~ A full faced canister type respirator be used when making overhead applications or spraying poorly ventilated areas.

(Continued)

BEST AVAILABLE COPY

Do not apply this product in patient rooms while occupied or in any rooms while occupied by the elderly or infirm. Do not apply to classrooms while in use. Do not apply to institutions (including libraries, sports facilities, etc.) in the immediate area when occupants are present.

Sites: When used in accordance to label directions SUSPEND 30W may be applied as spot or crack and crevice treatments in and around residential and nonresidential buildings and structures including residential and commercial kitchens and all types of food handling establishments. This product can be applied to walls, floors, ceilings, in and around cabinets, between, behind and beneath equipment and appliances, around floor drains, window and door frames, around plumbing, sinks and other possible pest harborage. Permitted areas of use include but are not limited to:

Apartment buildings	Food service establishments	Laboratories
Bakeries	Granaries and grain mills	Mausoleums
Bottling facilities	Greenhouses	Mobile and motor homes
Breweries	Hospitals	Offices
Cafeterias	Hotels	Restaurants
Food manufacturing plants	Houses	Schools
Food processing plants (except USDA meat and poultry processing plants)	Industrial buildings	Stores
	Kitchens	Warehouses
		Wineries

Rates: Applications of 0.025% to 0.05% SUSPEND 30W can be made depending on pest species and conditions of premises. See Specific Indoor Use Directions for additional information.

Mixing Instructions: To make a 0.025% water based spray mix 1 packet (3.2 grams) of SUSPEND 30W per each gallon of spray. To make a 0.05% water based spray mix 2 packets (6.4 grams) of SUSPEND 30W per each gallon of spray.

Tank Mixing: Unless prohibited by a product's label, users at their own discretion, can tank mix pesticides currently labeled for similar use patterns. It is always recommended that a small jar compatibility test using proper proportions of chemicals and water be run to check for physical compatibility prior to tank mixing. Do not tank mix this product with products containing dichlorvos (DDVP).

Application Methods:

This product may be applied indoors as crack and crevice and spot treatments. Treat where pests are found or are likely to occur. Except as noted under Food Handling Establishment Directions, applications can be made in 7-day or longer intervals. If necessary, SUSPEND 30W insecticide may be applied after 2 days from last treatment. (Call back treatments), but such use should be limited to once per month.

(Continued)

BEST AVAILABLE COPY

Spot, or Crack and Crevice Applications: Use a low pressure system with a pinpoint fan or cone nozzle to apply the spray mixture to areas such as: floors, cracks and crevices in and around baseboards, walls, wall voids, expansion joints, areas around water and sewer pipes, and voids formed by equipment or appliances. For all applications use these sprays at the rate of no more than 1 gallon (diluted spray) per 1,000 square feet of surface area.

Cabinet Interiors: When treating interiors of cabinets containing food or food utensils, remove or otherwise protect such items from contact with spray. Allow spray to dry before returning food or food utensils to treated cabinets. Prevent the above items from directly contacting treated surfaces. Shelf liners or similar material can provide adequate protection from treated surfaces. Thoroughly wash dishes, food utensils or food contacting surfaces with soap and water if they are directly exposed to this product.

Food Handling Establishments: SUSPEND 30W may be applied in both food and nonfood areas of all types of food handling establishments. This includes, but is not limited to, restaurants, grocery stores, bakeries, bottling plants, canneries, and grain mills. See Application sites for a more complete but not exhaustive listing. Do not treat establishments

This product is also acceptable for use in edible product areas of official establishments operating under the Federal meat, poultry, shell egg grading, and egg products inspection programs, as a spot and crack and crevice treatments. where livestock feed is present

Note: Applications of this product within food handling areas are limited to spot and crack and crevice treatments. Applications can be applied at a minimum of 7 day intervals in restaurants and similar food service establishments and applied at a minimum of 14 day intervals in other types of food-handling establishments.

Do not apply in areas of food processing facilities which are in operation or foods are directly exposed. Do not apply this spray to surfaces or utensils that may come into contact with food. Food contact surfaces and equipment should be thoroughly cleaned with an effective cleaning compound and rinsed with potable water before using.

Food areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), prepared, edible waste storage, and enclosed processing systems (mills, dairies, edible oils syrups). Serving areas are places where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Non-food areas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

(Continued)

**Indoor Pests Controlled with
SUSPEND 30W {DAGGER}**

Ants (1)	Flour beetles (Confused, Red Saw-toothed)
Beetles	Indian meal moths
Brown dog ticks (2)	Mediterranean flour moths
Carpet beetles (3)	Rice weevils
Centipedes	Silverfish
Cockroaches (Such as: American, Brownbanded, German, Oriental, Smokey brown, Asian)(4)	Sowbugs
Crickets	Spiders
Fleas (2)	Ticks
	And other insect pests

DAGGER)Numbers in parentheses refer to Specific Use Directions.

Specific Indoor Use Directions -

- 1) **Ants** may be controlled by treating ant trails and wherever else these pests may find entrance. For example, around doors, windows and wall voids..
- 2) **Brown dog ticks and fleas** may be controlled by applying spray to infested areas, nearby cracks and crevices, along baseboards, windows and door frames, where these pests may be present. For best results, old pet bedding should be removed or replaced with clean, fresh bedding after treatment. **Do not treat pets with this product.**
- 3) **Carpet beetles** may be controlled by thoroughly applying the spray along baseboards and edges of carpeting; under carpeting, rugs and furniture, in closets and on shelving.
- 4) **Cockroaches** can be controlled by making crack and crevice, and spot treatments. Treat where insects are found or normally occur including, but not limited to floors, cracks and crevices in walls, along and behind baseboards, around plumbing, floor drains and other utility installations, beneath and behind sinks, cabinets or other fixtures. Applications within food handling areas are limited to spot and crack and crevice treatments.

Other than the applicator, areas being treated should be vacated during application. Cover aquaria and fish bowls (turn off air pumps) and remove other pets. Do not permit humans or pets to contact treated areas until spray has thoroughly dried. Do not treat pets with this product.

(Continued)

General Pest Control Outdoors

Directions for General Use Outdoors

SUSPEND 30W insecticide is to be mixed with water and applied outdoors with pressurized sprayers as a general surface spray. The active ingredient in this product will provide effective residual control of pests listed on this label.

Handling Procedures For General Use Outdoors

- + Do not allow humans or pets on treated areas until spray has dried.
- + Keep out of fishpools or other bodies of water.
- + Do not treat vegetable gardens.
- + Do not allow livestock to graze in treated areas.
- + Do not feed treated grass cuttings (hay) or seed screenings to livestock, nor use treated hay for livestock bedding.

Sites: When used in accordance to label directions SUSPEND 30W may be applied to and around outside surfaces of residential and nonresidential buildings and structures. Permitted areas of use include but are not limited to:

- | | |
|-------------|------------------------|
| Decks | Lawns |
| Driveways | Patios |
| Eaves | Refuse dumps |
| Fences | Walkways |
| Foundations | Walls |
| Garages | Window and door frames |

**Outdoor Pests Controlled with
SUSPEND 30W**

- | | |
|-----------------|------------------------|
| Ants | Fleas |
| Beetles | Earwigs |
| Brown dog ticks | Sowbugs |
| Carpenter ants | Spiders |
| Centipedes | Ticks |
| Cockroaches | and other insect pests |
| Crickets | |
-

(Continued)

For Outdoor Pests

Use SUSPEND 30W insecticide at the rate of 1 to 2 packets (3.2 - 6.4 grams) per 1 gallon of water to control on contact ants, cockroaches, crickets, sowbugs, spiders, ticks and other insects. Use at the rate of no more than 1 gallon per 1,000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Because of varying environmental conditions and the numerous varieties of ornamental plants grown, the applicator should exercise caution when treating plants that may be sensitive to insecticides.

Building Perimeter Treatment: To help prevent pest infestations of buildings by ants, cockroaches, centipedes, crickets, sowbugs (pillbugs), spiders and other insects, treat a 1 to 8 feet band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Apply insecticide into expansion joints, cracks and other probable harborage areas. Use 1 to 2 packets (3.2 - 6.4 grams) of SUSPEND 30W per 1000 square feet. Apply as a coarse wet spray at the rate of about 1 to 3 gallons per 1,000 square feet.

Outdoor Control of Asian Cockroaches: To control outdoor infestations of Asian Cockroaches, dilute 2 packets (6.4 grams) of SUSPEND 30W insecticide in 30 gallons of water to treat about 5,000 square feet. Repeat as needed. Keep humans and pets off treated areas until the grass has completely dried.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
Storage: Store in a warm, dry place. Keep container closed.

Pesticide Disposal: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. In case of spill or leak, soak up with sand, earth or synthetic absorbents. Due to chemical reactivity, do not use alkaline absorbents or clean area of spill with strong alkaline cleansers or bleach. Mild household detergents may be used.

Container Disposal: Do not reuse empty container. Wrap empty container in several layers of newspaper and discard in trash.

(Continued)

WARRANTY LIMITATIONS AND DISCLAIMER

The Dow Chemical Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions therein under normal conditions of use. THIS IS THE ONLY WARRANTY MADE ON THIS PRODUCT. NO OTHER EXPRESS AND NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS MADE OUTSIDE OF THIS LABEL. Therefore, neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), under abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes, etc.) or under conditions not reasonably foreseeable to or beyond the control of seller.

When buyer or user suffers losses or damages resulting from the use or handling of this product (including claims based on contract, negligence, strict liability, or other legal theories), buyer or user must promptly notify in writing The Dow Chemical Company of any claims to be eligible to receive either remedy given below. The EXCLUSIVE REMEDY OF THE BUYER OR USER and the LIMIT OF LIABILITY of The Dow Chemical Company or any other seller will be one of the following, at the election of The Dow Chemical Company:

- (1) Refund of purchase price paid by buyer or user for product bought,
or
- (2) Replacement of amount of product used.

The seller will not be liable for consequential or incidental damages or losses.

The terms of this Warranty Limitations And Disclaimer cannot be varied by any written or verbal statements or agreements. Any employee or sales agent of the seller is not authorized to vary or exceed the terms of this Warranty Limitations And Disclaimer in any manner.

14353-L1

689

~~DOW DIAMOND~~* DOWELANCO TRADEMARK *

~~The Dow Chemical Company~~
~~Midland, Michigan 48674 U.S.A.~~

DowElanco
P.O. Box 681428
Quad IV, 9002 Purdue Rd., Indianapolis, IN


*Trademark of ~~THE DOW CHEMICAL COMPANY~~
DOWELANCO

4626P-1189

**PRECAUTIONARY STATEMENTS HAZARD TO HUMANS
AND DOMESTIC ANIMALS WARNING**

INSERT 2

May be fatal if swallowed or inhaled. Harmful if absorbed through skin. Causes substantial but temporary eye injury. Do not get in eyes, on skin, or on clothing. Wear protective clothing, rubber gloves, and goggles. Wear full faced gas mask with canister type recommended for general insecticide protection when making a general surface treatment above one's head indoors or when spraying poorly ventilated areas such as crawl spaces. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing. Do not apply directly to food. cover or remove all food and food processing equipment during application. After spraying in meat packing plants, bakeries and other food processing plants, wash with an effective cleaning compound and then rinse with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Do not spray plants used for food or feed.



BEST AVAILABLE COPY

62719-168

1.512

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (S 757) WASHINGTON, DC 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	62719-168	JUN 26 1991
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREГИSTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>	NAME OF PESTICIDE PRODUCT	
	3000	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

The Glance & Company
 4002 Purdue Road, Quad IV
 P.O. Box 691400
 Indianapolis, IN 46268-1100

176/5392271
18

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

The following information is provided in accordance with FIFRA section 7(b)(2)(B) and 7(b)(2)(C):

1. The following information is provided in accordance with FIFRA section 7(b)(2)(B) and 7(b)(2)(C):


2. The following information is provided in accordance with FIFRA section 7(b)(2)(B) and 7(b)(2)(C):

- a. All addresses: "EPA Registration No. 62719-168."
- b. Add the following statement (in bold letters) to the front panel of the labeling:

NOT FOR USE IN FEDERALLY INSPECTED MEAT AND POULTRY PLANTS.
- c. On page 3 under handling procedures, delete "It is recommended that a full faced canister type respirator be used" The statement must read, "Wear a full-faced canister respirator etc."

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL: 

DATE: 6/26/91

- d. Change "other" to "similar" in the phrase "and other insect pests" throughout the label.
- e. Limit (qualify) the site lawns to home/residential areas only, i.e.

Lawns (Residential Sites Only)

- f. On page 8, delete the statement beginning, "Because of varying environmental conditions . . . etc." The product is not approved for direct application to plants.

3. Within 14 months from the date of this Registration Notice, you must submit a 1 year storage stability study.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
 Product Manager (13)
 Insecticide-Rodenticide Branch
 Registration Division (H7505C)

Enclosures

Specimen Label

Suspend* 30W Insecticide
Water Dilutable

CONTROLS NUMEROUS PESTS IN AND AROUND STRUCTURES

RECOMMENDED FOR COMMERCIAL AND INDUSTRIAL USE

For Use in and Around the Home and Food and Non-Food Areas of Buildings
Such as: Schools, Hospitals, Warehouses, Office Buildings, Apartment
Buildings, Theaters, Hotels, Motels, Kennels, Food Processing Plants,
Food Service Establishments, Truck Trailers, Railroad Cars, and Food
Manufacturing and Warehousing Establishments.

Active Ingredient(s):

(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-
alpha-(1-methylethyl)benzeneacetate

Inert Ingredient(s):

E.P.A. Registration No. ~~464~~ 62719-RAI

E.P.A. Est. 464-MI-1

ACCEPTED
with COMMENTS 30%
in EPA Letter Dated: 70%

JUN 26 1991

KEEP OUT OF REACH OF CHILDREN

—INSERT 1 FROM PAGE 2

WARNING

AVISO:

PRECAUCION AL USUARIO: Si usted no lee ingl(ACUTE ACCENT)es, no use este
producto hasta que la etiqueta le haya sido explicada ampliamente.

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.

62719-169

PRECAUTIONARY STATEMENTS

~~Hazards to Humans and Domestic Animals
MAY CAUSE EYE INJURY {BUL}
CAUSES SKIN IRRITATION {BUL}
HARMFUL IF SWALLOWED {BUL}
MAY BE IRRITATING TO NOSE AND THROAT~~

INSERT 2

BEST AVAILABLE COPY

Do Not Get In Eyes, On Skin Or Clothing {BUL}
Wear Protective Clothing, Such As Long-Sleeved Shirt And Pants, Gloves
And Footwear Resistant To Petroleum Solvents, And Eye Protection {BUL}
Wash Thoroughly With Soap And Water After Handling {BUL}
Remove Contaminated Clothing And Wash Before Reuse {BUL}
Avoid Breathing Vapors {BUL}
Keep Away From Food, Feedstuffs And Water Supplies {BUL}
Do not apply directly to food {BUL}
Cover or remove all food and food processing equipment during
application. After spraying in ~~meat-packing plants~~ bakeries and other
food processing plants, wash with an effective cleaning compound and
then rinse with potable water all equipment, benches, shelving, etc.,
where exposed food will be handled. In the home, all food processing
surfaces and utensils should be covered during treatment or thoroughly
washed before use. Cover exposed food. Do not spray plants used for
food or feed.
Do not treat establishments where livestock feed is present.

(Continued)

(except USDA meat and poultry
processing plants.)

STATEMENT OF PRACTICAL TREATMENT:

INSERT 1
ON PAGE 1

If Swallowed: Call a physician or Poison Control Center immediately. Contains petroleum distillate. Do not induce vomiting because of aspiration hazard and probability of mucosal damage.
If Inhaled: Remove to fresh air. Apply artificial respiration if indicated. Get medical attention immediately.
If On Skin: Remove contaminated clothing and wash affected areas with soap and water. Get medical attention if irritation develops.
If In Eyes: Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Physical or Chemical Hazards

Do Not Use or Store Near Heat or Open Flame.

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

Environmental Hazards

This pesticide is toxic to fish and other wildlife. Do not apply directly to any body of water. Do not contaminate water sources by cleaning of equipment or disposal of wastes.

NOTICE

Read and understand the entire label before using. Use only according to label directions.

Before buying or using this product, read "WARRANTY LIMITATIONS AND DISCLAIMER" elsewhere on this label. If terms are not acceptable, return unopened package at once to seller for full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under WARRANTY LIMITATIONS AND DISCLAIMER.

Do Not Ship or Store with Food, Feeds, Drugs, or Clothing

IN CASE OF AN EMERGENCY

endangering life or property involving this product, call collect 517-636-4400

DIRECTIONS FOR USE

BEST AVAILABLE COPY

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

(Continued)

This pesticide is highly toxic to fish and other aquatic organisms. Do not apply directly to any body of water. Do not contaminate water sources by disposing of equipment washwaters.

GENERAL INFORMATION

- + SUSPEND 30W insecticide is a wettable powder designed for use as a spray to control various pests in and around residential and nonresidential buildings and structures and on various modes of transport.
- + Do not formulate this product into other end-use products.
- + Unless prohibited by a product's label, users at their own discretion, can tank mix pesticides currently labeled for similar use patterns. It is always recommended that a small jar compatibility test using proper proportions of chemicals and water be run to check for physical compatibility prior to tank mixing. Do not tank mix this product with products containing dichlorvos (DDVP).
- + Important: Read all Directions before using SUSPEND 30W.

General Pest Control Indoors**Directions For General Use Indoors**

SUSPEND 30W insecticide is to be mixed with water and applied as crack and crevice or spot treatments with pressurized sprayers or other equipment suitable for applying insecticides to localized areas. The active ingredient in this product can provide effective residual control of pests listed on this label. To minimize airborne particles spray pressure should not exceed 30 psi.

Handling Procedures for General Use Indoors

- + Do not allow humans or pets on treated areas until spray has dried.
- + Before spraying, remove pets and cover aquaria, i.e. fish bowls, and turn off air pump.
- + Do not apply where electrical short circuits could occur.
- + Do not use indoors as a space spray or in fogging equipment.
- + A period of from 4 to 7 days is normally required to observe maximum effectiveness on insect populations. Except as noted under Food Handling Establishment Directions, applications can be made in 7 day or longer intervals. If necessary, SUSPEND 30W insecticide may be applied after 2 days from last treatment (Call back treatments), but such use should be limited to once per month.
- + It is recommended that ~~eye protection be worn when making overhead applications.~~ A full faced canister type respirator be used when making overhead applications or spraying poorly ventilated areas.

BEST AVAILABLE COPY

(Continued)

Do not apply this product in patient rooms while occupied or in any rooms while occupied by the elderly or infirm. Do not apply to classrooms while in use. Do not apply to institutions (including libraries, sports facilities, etc.) in the immediate area when occupants are present.

1-1-12

Sites: When used in accordance to label directions SUSPEND 30W may be applied as spot or crack and crevice treatments in and around residential and nonresidential buildings and structures including residential and commercial kitchens and all types of food handling establishments. This product can be applied to walls, floors, ceilings, in and around cabinets, between, behind and beneath equipment and appliances, around floor drains, window and door frames, around plumbing, sinks and other possible pest harborage. Permitted areas of use include but are not limited to:

Apartment buildings	Food service establishments	Laboratories
Bakeries	Granaries and grain mills	Mausoleums
Bottling facilities	Greenhouses	Mobile and motor homes
Breweries	Hospitals	Offices
Cafeterias	Hotels	Restaurants
Food manufacturing plants	Houses	Schools
Food processing plants (except USDA meat and poultry processing plants)	Industrial buildings	Stores
	Kitchens	Warehouses
		Wineries

Rates: Applications of 0.025% to 0.05% SUSPEND 30W can be made depending on pest species and conditions of premises. See Specific Indoor Use Directions for additional information.

Mixing Instructions: To make a 0.025% water based spray mix 1 packet (3.2 grams) of SUSPEND 30W per each gallon of spray. To make a 0.05% water based spray mix 2 packets (6.4 grams) of SUSPEND 30W per each gallon of spray.

Tank Mixing: Unless prohibited by a product's label, users at their own discretion, can tank mix pesticides currently labeled for similar use patterns. It is always recommended that a small jar compatibility test using proper proportions of chemicals and water be run to check for physical compatibility prior to tank mixing. Do not tank mix this product with products containing dichlorvos (DDVP).

Application Methods:

This product may be applied indoors as crack and crevice and spot treatments. Treat where pests are found or are likely to occur. Except as noted under Food Handling Establishment Directions, applications can be made in 7-day or longer intervals. If necessary, SUSPEND 30W insecticide may be applied after 2 days from last treatment (Call back treatments), but such use should be limited to once per month.

(Continued)

BEST AVAILABLE COPY

Spot, or Crack and Crevice Applications: Use a low pressure system with a pinpoint fan or cone nozzle to apply the spray mixture to areas such as: floors, cracks and crevices in and around baseboards, walls, wall voids, expansion joints, areas around water and sewer pipes, and voids formed by equipment or appliances. For all applications use these sprays at the rate of no more than 1 gallon (diluted spray) per 1,000 square feet of surface area.

Cabinet Interiors: When treating interiors of cabinets containing food or food utensils, remove or otherwise protect such items from contact with spray. Allow spray to dry before returning food or food utensils to treated cabinets. Prevent the above items from directly contacting treated surfaces. Shelf liners or similar material can provide adequate protection from treated surfaces. Thoroughly wash dishes, food utensils or food contacting surfaces with soap and water if they are directly exposed to this product.

Food Handling Establishments: SUSPEND 30W may be applied in both food and nonfood areas of all types of food handling establishments. This includes, but is not limited to, restaurants, grocery stores, bakeries, bottling plants, canneries, and grain mills. See Application sites for a more complete but not exhaustive listing.

This product is also acceptable for use in edible product areas of official establishments operating under the Federal meat, poultry, shell egg grading, and egg products inspection programs, as a spot and crack and crevice treatments. Do not treat establishments where livestock feed is present

Note: Applications of this product within food handling areas are limited to spot and crack and crevice treatments. Applications can be applied at a minimum of 7 day intervals in restaurants and similar food service establishments and applied at a minimum of 14 day intervals in other types of food-handling establishments.

Do not apply in areas of food processing facilities which are in operation or foods are directly exposed. Do not apply this spray to surfaces or utensils that may come into contact with food. Food contact surfaces and equipment should be thoroughly cleaned with an effective cleaning compound and rinsed with potable water before using.

BEST AVAILABLE COPY

(Continued)

Food areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), prepared, edible waste storage, and enclosed processing systems (mills, dairies, edible oils syrups). Serving areas are places where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Non-food areas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

7/12

**Indoor Pests Controlled with
SUSPEND 30W (DAGGER)**

Ants (1)	Flour beetles (Confused, Red
Beetles	Saw-toothed)
Brown dog ticks (2)	Indian meal moths
Carpet beetles (3)	Mediterranean flour moths
Centipedes	Rice weevils
Cockroaches (Such as:	Silverfish
American, Brownbanded,	Sowbugs
German, Oriental,	Spiders
Smokey brown, Asian)(4)	Ticks
Crickets	And other insect pests
Fleas (2)	

DAGGER)Numbers in parentheses refer to Specific Use Directions.

Specific Indoor Use Directions -

- 1) **Ants** may be controlled by treating ant trails and wherever else these pests may find entrance. For example, around doors, windows and wall voids..
- 2) **Brown dog ticks and fleas** may be controlled by applying spray to infested areas, nearby cracks and crevices, along baseboards, windows and door frames, where these pests may be present. For best results, old pet bedding should be removed or replaced with clean, fresh bedding after treatment. Do not treat pets with this product.
- 3) **Carpet beetles** may be controlled by thoroughly applying the spray along baseboards and edges of carpeting; under carpeting, rugs and furniture, in closets and on shelving.
- 4) **Cockroaches** can be controlled by making crack and crevice, and spot treatments. Treat where insects are found or normally occur including, but not limited to floors, cracks and crevices in walls, along and behind baseboards, around plumbing, floor drains and other utility installations, beneath and behind sinks, cabinets or other fixtures. Applications within food handling areas are limited to spot and crack and crevice treatments.

Other than the applicator, areas being treated should be vacated during application. Cover aquaria and fish bowls (turn off air pumps) and remove other pets. Do not permit humans or pets to contact treated areas until spray has thoroughly dried. Do not treat pets with this product.

(Continued)

BEST AVAILABLE COPY

16

General Pest Control Outdoors

Directions for General Use Outdoors

SUSPEND 30W insecticide is to be mixed with water and applied outdoors with pressurized sprayers as a general surface spray. The active ingredient in this product will provide effective residual control of pests listed on this label.

Handling Procedures For General Use Outdoors

- + Do not allow humans or pets on treated areas until spray has dried.
- + Keep out of fishpools or other bodies of water.
- + Do not treat vegetable gardens.
- + Do not allow livestock to graze in treated areas.
- + Do not feed treated grass cuttings (hay) or seed screenings to livestock, nor use treated hay for livestock bedding.

Sites: When used in accordance to label directions SUSPEND 30W may be applied to and around outside surfaces of residential and nonresidential buildings and structures. Permitted areas of use include but are not limited to:

- | | |
|-------------|------------------------|
| Decks | Lawns |
| Driveways | Patios |
| Eaves | Refuse dumps |
| Fences | Walkways |
| Foundations | Walls |
| Garages | Window and door frames |

**Outdoor Pests Controlled with
SUSPEND 30W**

- | | |
|-----------------|------------------------|
| Ants | Fleas |
| Beetles | Earwigs |
| Brown dog ticks | Sowbugs |
| Carpenter ants | Spiders |
| Centipedes | Ticks |
| Cockroaches | and other insect pests |
| Crickets | |
-

(Continued)

BEST AVAILABLE COPY

For Outdoor Pests

Use SUSPEND 30W insecticide at the rate of 1 to 2 packets (3.2 - 6.4 grams) per 1 gallon of water to control on contact ants, cockroaches, crickets, sowbugs, spiders, ticks and other insects. Use at the rate of no more than 1 gallon per 1,000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Because of varying environmental conditions and the numerous varieties of ornamental plants grown, the applicator should exercise caution when treating plants that may be sensitive to insecticides.

Building Perimeter Treatment: To help prevent pest infestations of buildings by ants, cockroaches, centipedes, crickets, sowbugs (pillbugs), spiders and other insects, treat a 1 to 8 feet band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Apply insecticide into expansion joints, cracks and other probable harborage areas. Use 1 to 2 packets (3.2 - 6.4 grams) of SUSPEND 30W per 1000 square feet. Apply as a coarse wet spray at the rate of about 1 to 3 gallons per 1,000 square feet.

Outdoor Control of Asian Cockroaches: To control outdoor infestations of Asian Cockroaches, dilute 2 packets (6.4 grams) of SUSPEND 30W insecticide in 30 gallons of water to treat about 5,000 square feet. Repeat as needed. Keep humans and pets off treated areas until the grass has completely dried.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
Storage: Store in a warm, dry place. Keep container closed.

Pesticide Disposal: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. In case of spill or leak, soak up with sand, earth or synthetic absorbents. Due to chemical reactivity, do not use alkaline absorbents or clean area of spill with strong alkaline cleansers or bleach. Mild household detergents may be used.

Container Disposal: Do not reuse empty container. Wrap empty container in several layers of newspaper and discard in trash.

(Continued)

WARRANTY LIMITATIONS AND DISCLAIMER

The Dow Chemical Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions therein under normal conditions of use. THIS IS THE ONLY WARRANTY MADE ON THIS PRODUCT. NO OTHER EXPRESS AND NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS MADE OUTSIDE OF THIS LABEL. Therefore, neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), under abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes, etc.) or under conditions not reasonably foreseeable to or beyond the control of seller.

When buyer or user suffers losses or damages resulting from the use or handling of this product (including claims based on contract, negligence, strict liability, or other legal theories), buyer or user must promptly notify in writing The Dow Chemical Company of any claims to be eligible to receive either remedy given below. The EXCLUSIVE REMEDY OF THE BUYER OR USER and the LIMIT OF LIABILITY of The Dow Chemical Company or any other seller will be one of the following, at the election of The Dow Chemical Company:

- (1) Refund of purchase price paid by buyer or user for product bought,
or
- (2) Replacement of amount of product used.

The seller will not be liable for consequential or incidental damages or losses.

The terms of this Warranty Limitations And Disclaimer cannot be varied by any written or verbal statements or agreements. Any employee or sales agent of the seller is not authorized to vary or exceed the terms of this Warranty Limitations And Disclaimer in any manner.

14353-L1

689

~~DCW DIAMONDA~~ DOWELANCO TRADEMARK *

~~The Dow Chemical Company~~
~~Midland, Michigan 48674 U.S.A.~~

DowElanco
P.O. Box 681428
Quad IV, 902 Purdue Rd., Indianapolis, IN
46268-1989

*Trademark of ~~THE DOW CHEMICAL COMPANY~~
DOWELANCO

BEST AVAILABLE COPY

108

**PRECAUTIONARY STATEMENTS HAZARD TO HUMANS
AND DOMESTIC ANIMALS WARNING**

INSERT 2

May be fatal if swallowed or inhaled. Harmful if absorbed through skin. Causes substantial but temporary eye injury. Do not get in eyes, on skin, or on clothing. Wear protective clothing, rubber gloves, and goggles. Wear full faced gas mask with canister type recommended for general insecticide protection when making a general surface treatment above one's head indoors or when spraying poorly ventilated areas such as crawl spaces. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing. Do not apply directly to food. cover or remove all food and food processing equipment during application. After spraying in meat packing plants, bakeries and other food processing plants, wash with an effective cleaning compound and then rinse with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Do not spray plants used for food or feed.