

62719-178

10/23/2003

1/5

T4A / Gallery Turf Fertilizer (R) / Amend With Edits / 10-06-03

Page 1

ACCEPTED

OCT 23 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under

62719-178

(Product Label)

Gallery* Turf Fertilizer (R)

[Editors note: Supplemental distributor label may include fertilizer and customer service information sections within this label.]

A turf fertilizer containing Gallery, a selective-preemergence herbicide for control of certain broadleaf weeds and suppression of annual grasses in home lawns.

Active Ingredient:

isoxaben: N-[3-(1-ethyl-1-methylpropyl)-5-isoxazoly]-2,6-dimethoxybenzamide
and isomers 0.38%

Inert Ingredients 99.62%

Total Ingredients 100.00%

Contains 0.09 ~~lb~~ pounds active ingredient per 25 ~~lb~~ pound bag.

[Editor's note: Bag size and calculated amount of active ingredient per bag provided by supplemental distributor.]

[Editor's note: Supplemental distributor will add fertilizer analysis and derivation statement for fertilizer carrier used.]

Guaranteed Fertilizer Analysis	
Total Nitrogen (N)	X.X%
X.X% Nitrate Nitrogen	
X.X% Water Soluble Nitrogen	
X.X% Water Insoluble Nitrogen	
Available Phosphoric Acid (P ₂ O ₅)	X.X%
Soluble Potash (K ₂ O)	X.X%

[Editor's note: Supplemental distributor should include the source of all primary nutrients or secondary nutrients, or both, and micronutrients.]

Keep Out Of Reach Of Children

CAUTION

See back or container/side panel for additional precautionary statements.

EPA Reg. No. 62719-178

EPA Est. No. _____

*Trademark of Dow AgroSciences LLC

Dow AgroSciences LLC Indianapolis, IN 46268 U.S.A.

[Editor's note: Supplemental distributor substitute company name and address for Dow AgroSciences.]

Herbicide

Net Weight lb

Precautionary Statements

Hazards to Humans and Domestic Animals

Causes Eye Irritation Harmful If Swallowed, Inhaled Or Absorbed Through The Skin

Avoid breathing dust and contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information.

Environmental Hazards

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift or inadvertent application to areas adjacent to treated turfgrasses may result in reduced germination or emergence of nontarget plants. Do not contaminate water when disposing of equipment washwaters.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read all directions carefully before applying this product.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container. Protect stored product from moisture. In case of leak or spill, contain material and dispose as waste.

Pesticide Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

General Information

This turf fertilizer product contains Gallery*, a preemergence herbicide for control of certain broadleaf weeds and suppression of annual grasses in established turfgrasses. Apply in late summer to early fall, in early spring, or anytime prior to germination of target weeds.

General Use Precautions

Gallery Turf Fertilizer (R) does not control established weeds. Existing weeds should be controlled with postemergence herbicides. To insure optimal fertilizer and herbicidal response, water treated areas as soon as possible after application. A single rainfall or sprinkler irrigation of 0.5 inch or more is required to activate this product.

Apply Gallery Turf Fertilizer (R) only on established turf. Apply to newly seeded turf (including overseeded turf) only after seedlings are established (three leaf stage and tillering) and well rooted. Do not overseed established turf sooner than 60 days following an application of Gallery Turf Fertilizer (R).

Do not apply Gallery Turf Fertilizer (R) to non-turf areas such as flower beds or gardens.

Do not allow "drift" from rotary-type applicators to reach such areas. Gallery prevents seed emergence and may injure bedding plants.

Do not apply Gallery Turf Fertilizer (R) to dichondra.

Do not apply Gallery Turf Fertilizer (R) to golf course putting greens.

Do not apply more than 833 lb of Gallery Turf Fertilizer (R) per acre.

Users who wish to use Gallery Turf Fertilizer (R) on turfgrass species not recommended on this label may determine the suitability for such uses by treating a small area at a recommended rate. Prior to treating a larger area, the treatment should be observed for any sign of herbicidal injury for 30 to 60 days to determine if the treatment is safe to the target turf species. **The user assumes responsibility for any crop damage or other liability resulting from use of this product on turf species not recommended on this label.**

Gallery Turf Fertilizer (R) is recommended for use on the following turfgrass species:

Common Name

Scientific Name

Established Cool Season Grasses

Bentgrass, colonial
Bentgrass, creeping
Bluegrass, Kentucky
Fescue, chewings
Fescue, creeping red
Fescue, sheep
Fescue, tall
Ryegrass, perennial

Agrostis tenuis
Arostis stolonifera
Poa pratensis
Festuca rubra var. commutata
Festuca rubra
Festuca ovina
Festuca arundinaceae
Lolium perenne

Established Warm Season Grasses

Bahiagrass
Bermudagrass
Centipedegrass
Fescue, tall
St. Augustinegrass
Zoysiagrass
Zoysiagrass

Paspalum notatum var. Saurae parodi
Cynodon dactylon
Eremochloa ophiuroides
Festuca arundinaceae
Stenotaphrum secundatum
Zoysia japonica
Zoysia tenuifolia

Application

4/5

Equipment and Application Techniques

Apply Gallery Turf Fertilizer (R) using a drop or rotary-type spreader designed to apply granular fertilizer. Calibrate application equipment prior to use according to manufacturer's directions. Check frequently to be sure equipment is operating properly and distributing uniformly. Avoid use of spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or crop injury may occur. More uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at right angles to the first. A splash board mounted below the release point of drop-type spreaders can improve the uniformity of product distribution.

Broadcast Application Rates

Apply Gallery Turf Fertilizer (R) at a broadcast rate of 4.6 to 5.7 lbounds per 1,000 square feet. A minimum rate of 4.6 lbounds per 1,000 sq ft is recommended for optimum results. Use the higher rate in the rate range where heavy weed infestation is anticipated.

Weeds Controlled

For all weeds listed below, use the higher rate in the rate range where heavy weed infestation is anticipated.


Weeds controlled by Gallery Turf Fertilizer (R) applied prior to weed germination at 4.6 to 5.7 lbounds per 1,000 sq ft.

Common Name	Scientific Name
Burweed, lawn	<i>Soliva Pterosperma</i>
Buttercup	<i>Ranunculus spp.</i>
Celery, wild	<i>Apium leptophyllum</i>
Chickweed, common	<i>Stellaria media</i>
Chickweed, mouseear	<i>Cerastium vulgatum</i>
Foolsparsely	<i>Aethusa cynapium</i>
Geranium, Carolina	<i>Geranium carolinianum</i>
Henbit	<i>Lamium amplexicaule</i>
Knotweed, prostrate	<i>Polygonum aviculare</i>
Mallow, little	<i>Malva parviflora</i>
Parsley - piert	<i>Aichemilla arvensis</i>
Pennywort, lawn	<i>Hydrocotyle sibthorpioides</i>
Pineappleweed	<i>Matricaria matricarioides</i>
Speedwell, thymeleaf	<i>Veronica serpyllifolia</i>
Spurge, prostrate	<i>Euphorbia humistrata</i>
Spurge, spotted	<i>Euphorbia maculata</i>
Spurry, corn	<i>Spergula arvensis</i>
Woodsorrel, creeping	<i>Oxalis corniculata</i>
Woodsorrel, yellow	<i>Oxalis stricta</i>

Weeds partially controlled by a single application; or, controlled by repeat applications of Gallery Turf Fertilizer (R) applied prior to weed germination at 4.6 to 5.7 lbounds per 1,000 sq ft.

Common Name	Scientific Name
Clover, spp. ¹	<i>Trifolium spp.</i>
Clover, white ¹	<i>Trifolium repens</i>
Dandelion ¹	<i>Taraxacum officinale</i>
Medic, black	<i>Medicago lupulina</i>
Plantain, broadleaf	<i>Plantago major</i>
Plantain, buckhorn	<i>Plantago lanceolata</i>
Plantago, slender	<i>Plantago elongata</i>

¹From seed only



5/5

Weeds suppressed or partially controlled by Gallery Turf Fertilizer (R) applied prior to weed germination at 4.6 to 5.7 ~~lb~~ pounds per 1,000 sq ft.

Common Name	Scientific Name
Bluegrass, annual	<i>Poa annua</i>
Crabgrass	<i>Digitaria supp.</i>
Ryegrass, annual (Italian)	<i>Lolium multiflorum</i>

Terms and Conditions of Use

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitations of Remedies.

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tomadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. All such risks shall be assumed by Buyer.

Limitation of Remedies

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, and Inherent Risks of Use, and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

*Trademark of Dow AgroSciences LLC
EPA-Accepted / /

