

62719-178

01-22-2004

46



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

JAN 22 2004

Ms. Kimberly S. Gilbert
Regulatory Manager
Dow AgroSciences LLC
9330 Zionsville Road
Indianapolis, IN 46268

Dear Ms. Gilbert:

Subject: Gallery* Turf Fertilizer
Registration No. 62719-178 ✓
Application and Letter Dated July 28, 2003, Request To
Amend Registration with Revised Labeling as Described
on the Application and in the Letter; and Resubmission
of Labeling in Response To Agency's Labeling Review
with Ms. Cindy Loy on September 29 and 30, 2003, and
Described in your Resubmission Letter Dated
October 10, 2003; and Your Letter Dated January 20,
2003, Request To Amend Labeling To Include Labeling
for the Product Name: "Gallery* Turf Fertilizer"

The resubmitted labeling associated with your request to
amend the subject pesticide product registration has been
reviewed and found acceptable under the Federal Insecticide,
Fungicide and Rodenticide Act, as amended, provided that you:

- o Submit one copy of the final printed label prior to
shipment under the enclosed stamped revised
label.

If this condition is not complied with, this registration
will be subject to cancellation in accordance with FIFRA, section
6(e). Your release for shipment of this product under this
labeling constitutes acceptance of this condition.

A copy of the label is enclosed for your records.

Sincerely yours,

JSM

Joanne I. Miller
Product Manager (23)
Herbicide Branch
Registration Division (7505C)

Enclosure

2/10

(Product Label)

Gallery* Turf Fertilizer

[Editors note: Supplemental distributor label may include fertility and customer service information sections within this label.]

A turf fertilizer containing Gallery, a preemergence herbicide for control of certain broadleaf weeds and suppression of annual grasses in home lawns.

For professional use only.


Active Ingredient:

isoxaben: N-[3-(1-ethyl-1-methylpropyl)-5-isoxazolyl]-2,6-dimethoxybenzamide and isomers 0.38%

Inert Ingredients 99.62%

Total 100.00%

Contains 0.09 lb active ingredient per 25 lb bag.



[Editor's note: Bag size and calculated amount of active ingredient per bag provided by supplemental distributor.]

[Editor's note: Supplemental distributor will add fertilizer analysis and derivation statement for fertilizer carrier used.]

Guaranteed Fertilizer Analysis	
Total Nitrogen (N)	X.X%
X.X% Nitrate Nitrogen	
X.X% Water Soluble Nitrogen	
X.X% Water Insoluble Nitrogen	
Available Phosphoric Acid (P ₂ O ₅)	X.X%
Soluble Potash (K ₂ O)	X.X%

[Editor's note: Supplemental distributor should include the source of all primary nutrients or secondary nutrients, or both, and micronutrients.]

Keep Out Of Reach Of Children

CAUTION

See back or container/side panel for additional precautionary statements.

EPA Reg. No. 62719-178

EPA Est. No. _____

*Trademark of Dow AgroSciences LLC

Dow AgroSciences LLC • Indianapolis, IN 46268 U.S.A. (not licensed)

Herbicide

Net Weight - XX Pounds/XX.X kg

3/10

Precautionary Statements

Hazards to Humans and Domestic Animals

Causes Eye Irritation • Harmful If Swallowed, Inhaled Or Absorbed Through The Skin

Avoid breathing dust and contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information.

Environmental Hazards

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift or inadvertent application to areas adjacent to treated turfgrasses may result in reduced germination or emergence of nontarget plants. Do not contaminate water when disposing of equipment washwaters.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read all directions carefully before applying this product.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container. Protect stored product from moisture. In case of leak or spill, contain material and dispose as waste.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

4/6

General Information

This turf fertilizer product contains Gallery*, a preemergence herbicide for control of certain broadleaf weeds and suppression of annual grasses in established turfgrasses. Apply in late summer to early fall, in early spring, or anytime prior to germination of target weeds.

General Use Precautions

Gallery Turf Fertilizer does not control established weeds. Existing weeds should be controlled with postemergence herbicides. To insure optimal fertilizer and herbicidal response, water treated areas as soon as possible after application. A single rainfall or sprinkler irrigation of 0.5 inch or more is required to activate this product.

Apply Gallery Turf Fertilizer only on established turf. Apply to newly seeded turf (including overseeded turf) only after seedlings are established (three leaf stage and tillering) and well rooted. Do not overseed established turf sooner than 60 days following an application of Gallery Turf Fertilizer.

Do not apply Gallery Turf Fertilizer to non-turf areas such as flower beds or gardens.

Do not allow "drift" from rotary-type applicators to reach such areas. Gallery prevents seed emergence and may injure bedding plants.

Do not apply Gallery Turf Fertilizer to dichondra.

Do not apply Gallery Turf Fertilizer to golf course putting greens.

Do not apply more than 833 lb of Gallery Turf Fertilizer per acre.

Users who wish to use Gallery Turf Fertilizer on turfgrass species not recommended on this label may determine the suitability for such uses by treating a small area at a recommended rate. Prior to treating a larger area, the treatment should be observed for any sign of herbicidal injury for 30 to 60 days to determine if the treatment is safe to the target turf species. **The user assumes responsibility for any crop damage or other liability resulting from use of this product on turf species not recommended on this label.**

Gallery Turf Fertilizer is Recommended for Use on the Following Turfgrass Species:

Common Name

Scientific Name

Established Cool Season Grasses


- Bentgrass, colonial
- Bentgrass, creeping
- Bluegrass, Kentucky
- Fescue, chewing
- Fescue, creeping red
- Fescue, sheep
- Fescue, tall
- Ryegrass, perennial

- Agrostis tenuis*
- Arostis stolonifera*
- Poa pratensis*
- Festuca rubra var. commutata*
- Festuca rubra*
- Festuca ovina*
- Festuca arundinaceae*
- Lolium perenne*

Established Warm Season Grasses

- Bahiagrass
- Bermudagrass
- Centipedegrass
- Fescue, tall
- St. Augustinegrass

- Paspalum notatum var. Saurae parodi*
- Cynodon dactylon*
- Eremochloa ophiuroides*
- Festuca arundinaceae*
- Stenotaphrum secundatum*



5/10

Zoysiagrass
Zoysiagrass

Zoysia japonica
Zoysia tenuifolia

Application

Equipment and Application Techniques

Apply Gallery Turf Fertilizer using a drop or rotary-type spreader designed to apply granular fertilizer. Calibrate application equipment prior to use according to manufacturer's directions. Check frequently to be sure equipment is operating properly and distributing uniformly. Avoid use of spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or crop injury may occur. More uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at right angles to the first. A splash board mounted below the release point of drop-type spreaders can improve the uniformity of product distribution.

Broadcast Application Rates

Apply Gallery Turf Fertilizer at a broadcast rate of 4.6 to 5.7 lb per 1000 sq ft (200 to 250 lb per acre). A minimum rate of 4.6 lb per 1000 sq ft (200 lb per acre) is recommended for optimum results. Use the higher rate in the rate range where heavy weed infestation is anticipated.

Weeds Controlled

For all weeds listed below, use the higher rate in the rate range where heavy weed infestation is anticipated.

Weeds controlled by Gallery Turf Fertilizer applied prior to weed germination at 4.6 to 5.7 lb per 1000 sq ft (200 to 250 lb per acre).

Common Name

Scientific Name

Burweed, lawn	<i>Soliva Pterosperma</i>
Buttercup	<i>Ranunculus spp.</i>
Celery, wild	<i>Apium leptophyllum</i>
Chickweed, common	<i>Stellaria media</i>
Chickweed, mouseear	<i>Cerastium vulgatum</i>
Foolsparsely	<i>Aethusa cynapium</i>
Geranium, Carolina	<i>Geranium carolinianum</i>
Henbit	<i>Lamium amplexicaule</i>
Knotweed, prostrate	<i>Polygonum aviculare</i>
Mallow, little	<i>Malva parviflora</i>
Parsley - piert	<i>Alchemilla arvensis</i>
Pennywort, lawn	<i>Hydrocotyle sibthorpioides</i>
Pineappleweed	<i>Matricaria matricarioides</i>
Speedwell, thymeleaf	<i>Veronica serpyllifolia</i>
Spurge, prostrate	<i>Euphorbia humistrata</i>
Spurge, spotted	<i>Euphorbia maculata</i>
Spurry, corn	<i>Spergula arvensis</i>
Woodsorrel, creeping	<i>Oxalis corniculata</i>
Woodsorrel, yellow	<i>Oxalis stricta</i>

Weeds partially controlled by a single application; or, controlled by repeat applications of Gallery Turf Fertilizer applied prior to weed germination at 4.6 to 5.7 lb per 1000 sq ft (200 to 250 lb per acre).

Common Name

Scientific Name

Clover, spp. ¹	<i>Trifolium spp.</i>
Clover, white ¹	<i>Trifolium repens</i>
Dandelion ¹	<i>Taraxacum officinale</i>

6/6

Medic, black
Plantain, broadleaf
Plantain, buckhorn
Plantago, slender

Medicago lupulina
Plantago major
Plantago lanceolata
Plantago elongata

¹From seed only

Weeds suppressed or partially controlled by Gallery Turf Fertilizer applied prior to weed germination at 4.6 to 5.7 lb per 1000 sq ft (200 to 250 lb per acre).

Common Name

Scientific Name

Bluegrass, annual
Crabgrass
Ryegrass, annual (Italian)

Poa annua
Digitaria supp.
Lolium multiflorum

Terms and Conditions of Use

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies.

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. All such risks shall be assumed by Buyer.

Limitation of Remedies

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use, and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

*Trademark of Dow AgroSciences LLC
EPA-Accepted ___/___/___

