

62719-178

02/17/2005

1/27



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

MAR 17 2005

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Ms. Kimberly S. Gilbert
Regulatory Manager
Dow AgroSciences LLC
9330 Zionsville Road
Indianapolis, IN 46268

Dear Ms. Gilbert:

Subject: Gallery® Turf Fertilizer
Registration No. 62719-178
Application and Letter Dated February 14, 2005, Request
To Amend Registration with Revised Labeling as
Described on the Application and in the Letter

Your request to amend the subject pesticide product registration has been reviewed and found acceptable under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, provided that you:

1. Delete the "Note" on pages 6 and 23 that restricts the use of "sprays containing Roundup over the top of ornamental plants".
2. Delete all "editors notes" involving "Supplemental distributors"
3. Submit one copy of the final printed label prior to shipment under the enclosed stamped revised label.

If these conditions are not complied with, this registration will be subject to cancellation in accordance with FIFRA, section 6(e). Your release for shipment of this product under this labeling constitutes acceptance of these conditions.

A stamped copy of both the residential use and the professional use label are enclosed for your records.

Sincerely yours,

Joanne J. Miller

Joanne I. Miller
Product Manager (23)
Herbicide Branch
Registration Division (7505C)

Enclosure

2/27

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

[Sub Label A: Professional Uses]

(Product Label)

MAR 17 2005
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

Gallery® Turf Fertilizer

Herbicide


62719-178

[Editors note: Supplemental distributor label may include fertility and customer service information sections within this label.]

A turf fertilizer containing Gallery, a preemergence herbicide for control of certain broadleaf weeds and suppression of annual grasses in landscape ornamentals, container grown ornamentals, field grown ornamentals, and home lawns.

For professional use only.

Active Ingredient:	
isoxaben: N-[3-(1-ethyl-1-methylpropyl)-5-isoxazolyl]-2,6-dimethoxybenzamide and isomers.....	0.38%
Inert Ingredients	99.62%
Total	100.00%



Contains 0.09 lb active ingredient per 25 lb bag.

[Editor's note: Bag size and calculated amount of active ingredient per bag provided by supplemental distributor.]

[Editor's note: Supplemental distributor will add fertilizer analysis and derivation statement for fertilizer carrier used.]

Guaranteed Fertilizer Analysis	
Total Nitrogen (N).....	X.X%
X.X% Nitrate Nitrogen	
X.X% Water Soluble Nitrogen	
X.X% Water Insoluble Nitrogen	
Available Phosphoric Acid (P ₂ O ₅).....	X.X%
Soluble Potash (K ₂ O).....	X.X%

[Editor's note: Supplemental distributor should include the source of all primary nutrients or secondary nutrients, or both, and micronutrients.]

Keep Out Of Reach Of Children

CAUTION

Precautionary Statements

Hazards to Humans and Domestic Animals

Causes Eye Irritation • Harmful If Swallowed, Inhaled Or Absorbed Through The Skin

3/28

Avoid breathing dust and contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves made of any waterproof material
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information.

Environmental Hazards

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift or inadvertent application to areas adjacent to treated turfgrasses may result in reduced germination or emergence of nontarget plants. Do not contaminate water when disposing of equipment washwaters.

See back or container/side panel for additional precautionary statements.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

EPA Reg. No. 62719-178

EPA Est. No. _____

®Trademark of Dow AgroSciences LLC

Dow AgroSciences LLC • Indianapolis, IN 46268 U.S.A. (not licensed)

Net Weight - _____

4/27

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read all directions carefully before applying this product.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements of this label about personal protective equipment (PPE) and restricted entry interval. The requirements in the box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow workers to enter during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical-resistant gloves made of any waterproof material.
- Shoes plus socks

Non-Agricultural Use Requirements

The requirements of this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Entry Restrictions for Non-WPS Uses: When this product is applied to turf and ornamental plantings in landscape settings, do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container. Protect stored product from moisture. In case of leak or spill, contain material and dispose as waste.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

General Information

5/27

This turf fertilizer product contains Gallery[®], a preemergence herbicide for control of certain broadleaf weeds and suppression of annual grasses in established turfgrasses, landscape ornamentals, container grown ornamentals, and field grown ornamentals. Apply in late summer to early fall, in early spring, or anytime prior to germination of target weeds.

General Use Precautions and Restrictions

Gallery Turf Fertilizer controls weeds germinating from seed. Gallery Turf Fertilizer does not control established weeds. Existing weeds should be controlled with postemergence herbicides. To insure optimal fertilizer and herbicidal response, water treated areas as soon as possible after application. A single rainfall or sprinkler irrigation of 0.5 inch or more is required to activate this product.

Do not apply more than 833 lb of Gallery Turf Fertilizer per acre.

Chemigation: Do not apply Gallery Turf Fertilizer through any type of irrigation system.

Treatment of Turf or Ornamental Species not Listed on the Label for Gallery Turf Fertilizer

Users who wish to use Gallery Turf Fertilizer on a plant species not listed on this label may determine the suitability for such use by treating a small area or a small number of plants at a recommended rate. Prior to treating a larger area, the treated area/plants should be observed for any sign of herbicidal injury during 30 to 60 days of typical growing conditions. **The user assumes responsibility for any plant damage or other liability resulting from use of this product on species not recommended on this label.**

Application Instructions

Apply Gallery Turf Fertilizer using a drop or rotary-type spreader designed to apply granular fertilizer. Calibrate application equipment prior to use according to manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or plant injury may occur. More uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at right angles to the first. When using a drop-type spreader, a splashboard mounted below the release point will provide more even granule distribution.

Broadcast Application Rates

Apply Gallery Turf Fertilizer at a broadcast rate of 200 to 250 lb per acre (4.6 to 5.7 lb per 1000 sq ft). A minimum rate of 200 lb per acre (4.6 lb per 1000 sq ft) is recommended for optimum results. Use the higher rate in the rate range where heavy weed infestation is anticipated.

Weeds Controlled or Suppressed by Gallery Turf Fertilizer

Weeds controlled when applied at 200 to 250 lb per acre (4.6 to 5.7 lb per 1000 sq ft)

Common Name	Scientific Name
burweed, lawn	<i>Soliva pterosperma</i>
buttercup	<i>Ranunculus spp.</i>
celery, wild	<i>Apium leptophyllum</i>
chickweed, common	<i>Stellaria media</i>
chickweed, mouseear	<i>Cerastium vulgatum</i>
foolparsely	<i>Aethusa cynapium</i>
geranium, Carolina	<i>Geranium carolinianum</i>
henbit	<i>Lamium amplexicaule</i>
knotweed, prostrate	<i>Polygonum aviculare</i>
mallow, little	<i>Malva parviflora</i>
parsley - piert	<i>Alchemilla arvensis</i>

pennywort, lawn	<i>Hydrocotyle sibthorpioides</i>
pineappleweec	<i>Matricaria matricarioides</i>
speedwell, thymeleaf	<i>Veronica serpyllifolia</i>
spurge, prostrate	<i>Euphorbia humistrata</i>
spurge, spotted	<i>Euphorbia maculata</i>
spurry, corn	<i>Spergula arvensis</i>
woodsorrel, creeping	<i>Oxalis corniculata</i>
woodsorrel, yellow	<i>Oxalis stricta</i>

Weeds partially controlled by a single application or controlled by repeat applications when applied at 200 to 250 lb per acre (4.6 to 5.7 lb per 1000 sq ft)

Common Name	Scientific Name
clover, spp.	<i>Trifolium spp.</i>
clover, white	<i>Trifolium repens</i>
dandelion	<i>Taraxacum officinale</i>
medic, black	<i>Medicago lupulina</i>
plantain, broadleaf	<i>Plantago major</i>
plantain, buckhorn	<i>Plantago lanceolata</i>
plantago, slender	<i>Plantago elongata</i>

¹From seed only

Weeds suppressed or partially controlled when applied at 200 to 250 lb per acre (4.6 to 5.7 lb per 1000 sq ft)

Common Name	Scientific Name
bluegrass, annual	<i>Poa annua</i>
crabgrass	<i>Digitaria supp.</i>
ryegrass, annual (Italian)	<i>Lolium multiflorum</i>

Uses

Turfgrass

Gallery Turf Fertilizer is recommended as a preemergence treatment for control of certain broadleaf weeds in established cool season and warm season turfgrasses.

Apply Gallery Turf Fertilizer anytime prior to germination of target weeds.

Note: Refer to the General Information section of this label for general use precautions and information on application rates and weeds controlled prior to using this product.

Specific Use Precautions:

Apply Gallery Turf Fertilizer only on established turf. Apply to newly seeded turf (including overseeded turf) only after seedlings are established (three leaf stage and tillering) and well rooted. Do not overseed established turf sooner than 60 days following an application of Gallery Turf Fertilizer.

- Do not apply Gallery Turf Fertilizer to golf course putting greens.
- Do not apply Gallery Turf Fertilizer to dichondra.

Gallery Turf Fertilizer is recommended for use on the following turfgrass species:

Established Cool Season Turfgrasses

Common Name	Scientific Name
-------------	-----------------

bentgrass, colonial	<i>Agrostis tenuis</i>
bentgrass, creeping	<i>Agrostis stolonifera</i>
bluegrass, Kentucky	<i>Poa pratensis</i>
fescue, chewings	<i>Festuca rubra</i> var. <i>commutata</i>
fescue, creeping red	<i>Festuca rubra</i>
fescue, sheep	<i>Festuca ovina</i>
fescue, tall	<i>Festuca arundinaceae</i>
ryegrass, perennial	<i>Lolium perenne</i>

Established Warm Season Turfgrasses

Common Name

bahiagrass
bermudagrass
centipedegrass
fescue, tall
St. Augustinegrass
zoysiagrass
zoysiagrass

Scientific Name

Paspalum notatum var. *Saurae parodi*
Cynodon dactylon
Eremochloa ophiuroides
Festuca arundinaceae
Stenotaphrum secundatum
Zoysia japonica
Zoysia tenuifolia

Ornamental Plantings

Gallery[®] Turf Fertilizer is recommended as a preemergence treatment for control of certain broadleaf weeds in landscape ornamentals, container grown ornamentals, and field grown ornamentals.

Apply Gallery Turf Fertilizer anytime prior to germination of target weeds or immediately after cultivation.

Note: Refer to the General Information section of this label for general use precautions and information on application rates and weeds controlled prior to using this product.

Note: Do not apply sprays containing Roundup over the top of ornamental plants. Extreme care must be exercised to prevent contact of sprays containing Roundup with foliage or stems of turfgrasses, trees, shrubs, or other desirable vegetation since severe damage or death may result. If spraying Roundup in areas adjacent to desirable plants, use a shield to prevent spray from contacting foliage or stems of desirable plants.

Specific Use Precautions:

To avoid possible plant injury, **do not** apply Gallery Turf Fertilizer to:

- nursery: seedling beds, cutting beds, or transplant beds
- unrooted liners or cuttings that have been planted in pots for the first time
- pots less than six inches wide
- bedding plants or areas where bedding plants will be planted or transplanted within 1 year after application

Do not apply Gallery Turf Fertilizer to newly transplanted ornamentals or nursery stock until soil or potting media has been settled by packing and irrigation or rainfall and no cracks are present or plant injury may occur.

Applications of Gallery Turf Fertilizer over the top of plants with newly forming buds may cause injury. Possible plant injury may be avoided by applying to the soil surface beneath ornamental plants.

When planting into a site treated with Gallery Turf Fertilizer in the previous 8 months, use untreated soil as fill around roots when replacing plants or injury may occur.

7/27

8/27

Note: Injury to certain ornamental plants has been observed following application of Gallery Turf Fertilizer. To avoid plant injury, Gallery Turf Fertilizer is not recommended for weed control in the following ornamental plant species:

Ajuga spp. (bugle)
Brassica spp. (mustard)
Echinacea purpurea (purple coneflower)
Euonymus alatus 'compacta' (dwarf burning bush)
Euphorbia spp. (spurge)
Hydrangea spp. (hydrangea)
Iberis spp. (candytuft)
Juniperus horizontalis 'Prince of Wales' (prince of wales juniper)
Melaleuca quinquenervia (cajeput tree)
Rhododendron carolinianum (Carolina rhododendron)
Rhododendron catawbiense 'Roseum elegans' (roseum elegans rhododendron)
Sedum spp. (stonecrop)
Yucca recurvifolia (green yucca)

Gallery Turf Fertilizer may be used on the following established plant species (Note: Limitations on recommended treatment methods):

Trees

Recommended Treatment Method:

C = Container Grown

F = Field Grown

Scientific Name	Common Name	
<i>Abies balsamea</i>	fir, balsam	C, F
<i>Abies concolor</i>	fir, white	F
<i>Abutilon hybridum</i>	albus-flowering maple	C, F
	luteus-flowering maple	C, F
	roseus-flowering maple	C, F
	tangerine-flowering maple	C, F
	vesuvius red-flowering maple	F
<i>Acer ginnala</i>	flame maple	F
<i>Acer rubrum</i>	red maple	F
	red sunset maple	F
<i>Acer saccharinum</i>	silver maple	C, F
<i>Alsophila australis</i>	Australian tree fern	C, F
<i>Araucaria heterophylla</i>	norfolk island pine	C, F
<i>Archontophoenix cunninghamiana</i>	king palm	C, F
<i>Areacastrum romanzoffianum</i>	queen palm	C, F
<i>Bauhinia galpinii</i>	red bauhinia	C, F
<i>Betula nigra</i>	birch, river	C, F
<i>Betula papyrifera</i>	paper birch	F
<i>Brachychiton populneus</i>	bottle tree	C, F
<i>Bucida buceras</i>	black olive	F
<i>Ceratonia siliqua</i>	carob	F
<i>Cercis canadensis</i>	redbud	C, F
<i>Chamaecyparis obtusa</i>	filicoides-fernspray cypress	F
	gracilis-slender hinoki cypress	F
<i>Chamaecyparis pisifera</i>	sawara-false cypress	F
	squarrosa-moss cypress	F
<i>Chamaedorea cataractarum</i>	cat palm	F
	palm	C, F
<i>Chamaedorea costaricana</i>	palm	C, F
<i>Chamaedorea elegans</i>	parlor palm	C, F

<i>Chamaerops humilis</i>	Mediterranean fan palm	C, F
<i>Cornus florida</i>	cloud nine dogwood	C, F
	dogwood, flowering	C, F
<i>Crataegus viridis</i>	green hawthorn	F
<i>Cryptomeria japonica</i>	cryptomeria, Japanese	C, F
<i>Cupaniopsis anacardioides</i>	carrot wood	F
<i>Cupressus glabra</i>	Arizona cypress	F
<i>Cupressocyparis 'Emerald Isle'</i>	emerald isle leyland cypress	C, F
<i>Cupressocyparis leylandii</i>	blue leyland cypress	C, F
<i>Cupressus ariz 'Blue pyramid'</i>	blue pyramid cypress	C, F
<i>Cupressus sempervirens</i>	cypress tree	C, F
<i>Cycas revoluta</i>	sago palm	C, F
<i>Elaeagnus angustifolia</i>	Russian olive	C, F
<i>Elaeagnus x ebbengei 'Gilt edge'</i>	gilt edge silverberry	C, F
<i>Eucalyptus camaldulensis</i>	red gum eucalyptus	F
<i>Eucalyptus cinerea</i>	eucalyptus, mealy	F
	silver dollar eucalyptus	F
<i>Eucalyptus microtheca</i>	coolibah tree	C, F
<i>Eucalyptus sideroxylon</i>	eucalyptus, red ironbark	F
<i>Fagus sylvatica</i>	European beech	C, F
<i>Ficus benjamina</i>	fig	C, F
	mini fig	C, F
<i>Fraxinus udhei</i>	shamel ash	C, F
<i>Ginkgo biloba</i>	ginkgo (maidenhair tree)	F
<i>Gleditsia triacanthos</i>	honey locust	F
	shademaster honey locust	F
<i>Heteromeles arbutiflora</i>	toyon	F
<i>Illicium floridanum</i>	Florida anise-tree	C, F
<i>Juniperus virginiana</i>	redcedar, eastern	C, F
<i>Leptospermum scoparium</i>	tea tree	C, F
<i>Liquidambar styraciflua</i>	sweetgum, American	F
<i>Magnolia grandiflora</i>	magnolia, southern	C, F
<i>Magnolia stellata</i>	royal star magnolia	C, F
<i>Morus alba</i>	white mulberry	F
<i>Musa aluminata</i>	banana	C, F
<i>Oxydendrum arboreum</i>	sourwood	C, F
<i>Picea abies</i>	pendula-weeping Norway spruce	C, F
	repens-spreading Norway spruce	C, F
	spruce, Norway	C, F
<i>Picea glauca</i>	conica-dwarf alberta spruce	C, F
<i>Picea glauca conica</i>	conica-dwarf alberta spruce	F
<i>Picea pungens</i>	dwarf globe blue spruce	C, F
	glauca-Colorado blue spruce	C, F
	hoopsii-hoop's blue spruce	C, F
	koster-koster blue spruce	F
<i>Pinus aristata</i>	bristlecone pine	F
<i>Pinus canariensis</i>	canary island pine	F
<i>Pinus contorta</i>	shore pine, beach pine	F
<i>Pinus eldarica</i>	eldarica pine	C, F
<i>Pinus leucodermis</i>	Bosnian pine	C, F
<i>Pinus mugo</i>	pumilio-shrubby swiss mountain pine	C, F
<i>Pinus nigra</i>	Austrian black pine	C, F
<i>Pinus radiata</i>	monterey pine	F
<i>Pinus strobus</i>	eastern white pine	C, F
	white pine	C, F
<i>Pinus sylvestris</i>	columnar Scotch pine	C, F

16/23

	Scotch pine	C, F
<i>Pinus thunbergiana</i>	Japanese black pine	C, F
<i>Platanus occidentalis</i>	American sycamore	F
<i>Platanus racemosa</i>	California sycamore	F
<i>Podocarpus</i> spp.	podocarpus	F
<i>Populus deltoides</i>	cottonwood	F
<i>Prosopis chilensis</i>	Chilean mesquite	C, F
<i>Prunus yedoensis</i>	yoshino flowering cherry	F
<i>Prunus caroliniana</i>	Carolina laurel cherry	C, F
<i>Prunus laurocerasus</i>	English laurel	C, F
<i>Quercus ilicifolia</i>	bear oak	F
<i>Quercus palustris</i>	pin oak	F
<i>Quercus phellos</i>	willow oak	C, F
<i>Quercus rubra</i>	red oak	C, F
<i>Quercus virginiana</i>	live oak	C, F
<i>Salix babylonica</i>	babylon weeping willow	F
	corkscrew willow	F
<i>Sequoiadendron giganteum</i>	giant sequoia	F
<i>Swietenia mahogani</i>	mahogany	F
<i>Tabebuia caraiba</i>	yellow tab	F
<i>Trachycarpus fortunei</i>	windmill palm	C, F
<i>Tsuga canadensis</i>	eastern hemlock	C, F
<i>Ulmus parvifolia</i>	Chinese elm	F
<i>Washingtonia robusta</i>	Mexican fan palm	F
<i>Zamia furfuracea</i>	cardboard palm	C, F

Shrubs**Recommended Treatment Method:****C = Container Grown****F = Field Grown**

Scientific Name	Common Name	
<i>Abelia grandiflora</i>	edward goucher abelia	C, F
	glossy abelia	C, F
	sunrise variegated abelia	C, F
<i>Acacia abyssinica</i>	abyssinica acacia	C, F
<i>Acacia redolens</i>	acacia, prostrate	C, F
<i>Acacia stenophylla</i>	shoestring acacia	C, F
<i>Acalypha wilkesiana</i>	copper leaf	C, F
<i>Acer ginnala</i>	amur maple	C, F
<i>Acer palmatum</i>	coral bark Japanese maple	C, F
<i>Acer palmatum</i>	dwarf Japanese maple	C, F
<i>Agave americana</i>	century plant	F
<i>Amelanchier alnifolia</i>	Saskatoon serviceberry	C, F
<i>Andromeda polifolia</i>	bog rosemary	C, F
<i>Anisodonteia hypomandarum</i>	cape mallow	C, F
<i>Arctostaphylos uva-ursi</i>	barberry	C, F
<i>Ardisia japonica</i>	chirimen marberry	C, F
<i>Astilbe arendsii</i>	false spiraea	C, F
<i>Astilbe chinensis</i>	astilbe/false spirea	C, F
<i>Athyrium nipponicum</i>	Japanese painted fern	C, F
<i>Baccharis pilularis</i>	coyotebush	F
<i>Berberis gladwynensis</i>	william penn barberry	C, F
<i>Berberis mentorensis</i>	mentor barberry	C, F
<i>Berberis thunbergii</i>	aurea-golden Japanese barberry	F
	crimson pygmy barberry	C, F
	rose glow barberry	C, F

11/27

	atropurea-redleaf Japanese barberry	F
	cherry bomp	C, F
<i>Bougainvillea</i> spp.	barbara karst	C, F
	California gold	C, F
	pink pixie	C, F
	scarlet o'hara	C, F
	temple fire	C, F
	Texas dawn	C, F
<i>Buxus microphylla japonica</i>	boxwood, Japanese	F
<i>Buxus microphylla Koreana</i>	Korean boxwood	F
<i>Buxus sempervirens</i>	boxwood, common	C, F
<i>Buxus x 'Green velvet'</i>	green velvet boxwood	C, F
<i>Callistemon citrinus</i>	bottlebrush, lemon	F
<i>Callistemon viminalis</i>	weeping bottlebrush	C, F
<i>Calluna vulgaris</i>	spring torch Scotch heather	C, F
<i>Camellia japonica</i>	camellia	C, F
<i>Caryopteris clandonensis</i>	blue mist bluebeard	C, F
<i>Caryopteris x clandonen 'Blk night'</i>	dark knight bluebeard	C, F
<i>Cassia artemisioides</i>	cassia, feathery	C, F
<i>Cassis. eremophila</i>	senna	C, F
<i>Ceanothus</i> spp.	wild lilac	F
<i>Cephalotaxus drupacae</i>	plum yew	C, F
<i>Cerastium tomentosum</i>	snow-in-summer	C, F
<i>Ceratostigma willmottianum</i>	Chinese plumbago	C, F
<i>Ceratostigma plumbaginoides</i>	dwarf plumbago	C, F
<i>Chaenomeles japonica</i>	orange flowering quince	C, F
<i>Chamaecyparis obtusa</i>	kosteri cypress	C, F
	nana-dwarf hinoki cypress	C, F
	torulosa cypress	C, F
<i>Chamaecyparis pisifera</i>	baileyi-dogwood	F
	flaviramea-dogwood	F
	sawara-false cypress	F
	squarrosa minima cypress	C, F
	filifera-thread cypress	C, F
<i>Chrysalidocarpus lutescens</i>	areca palm	F
<i>Clethra alnifolia</i>	summersweet	C, F
<i>Cleyera japonica</i>	cleyera, Japanese	C, F
<i>Colonema pulchrum</i>	pink breath of heaven	C, F
<i>Convolvulus mauritanicus</i>	ground morningglory	C, F
<i>Convolvulus cneorum</i>	bush morning glory	C, F
<i>Cornus alba</i>	sibirica-siberian dogwood	C, F
<i>Cornus stolonifera</i>	baileyi-red-osier dogwood	F
	flaviramea-yellowtwig dogwood	F
<i>Corylus contorta</i>	walking stick	C, F
<i>Cotinus coggygia</i>	royal purple smoke tree	C, F
<i>Cotinus dammeri</i>	coral beauty smoke tree	C, F
	eichholz smoke tree	C, F
<i>Cotoneaster adpressus</i>	praecox-early cotoneaster	C, F
<i>Cotoneaster apiculatus</i>	cotoneaster, cranberry	C, F
<i>Cotoneaster congestus</i>	cotoneaster, pyrenees	C, F
<i>Cotoneaster dammeri</i>	cotoneaster, bearberry	C, F
<i>Cotoneaster himalayan</i>	himalayan cotoneaster	C, F
<i>Cotoneaster horizontalis</i>	cotoneaster, rock	C, F
<i>Cycas revoluta</i>	sago palm	C, F
<i>Cytisus praecox</i>	hollandia-warminster broom	C, F
<i>Cytisus scoparius</i>	lena-Scotch broom	C, F

12/08

<i>Cytisus</i> spp.	hollandia-Scotch broom	F
	allgold warminster broom	C, F
	lilac time broom	C, F
<i>Dalea greggii</i>	trailing indigo bush	C, F
<i>Daphne cneorum</i>	rose daphne	C, F
<i>Daphne odora</i>	fragrant daphne	C, F
<i>Deutzia crenata</i>	nakiana-dwarf deutzia	C, F
<i>Deutzia gracilis</i>	slender gracilis	C, F
<i>Dodonea viscosa</i>	hopseed bush	F
<i>Elaeagnus pungens</i>	fruitland silver berry	C, F
<i>Enkianthus companulatus</i>	red-veined enkianthus	C, F
<i>Erica cinerea</i>	purple bell heather	C, F
<i>Erica vagans</i>	cornish heather	C, F
<i>Erica x darleyensis</i>	Mediterranean pink heather	C, F
<i>Escallonia</i> spp.	escallonia	C, F
<i>Eugenia myrtifolia</i>	teenie genie brushcherry	C, F
<i>Eugenia myrtifolia 'Globulus'</i>	dwarf brush cherry	C, F
<i>Euonymus fortunei</i>	canadale gold euonymus	C, F
	emerald'n gold euonymus	F
	sunspot euonymus	C, F
<i>Euonymus japonica</i>	silver king euonymus	F
	choilipo euonymus	C, F
	gold spot euonymus	C, F
	silver princess euonymus	C, F
	variegated evergreen euonymus	C, F
<i>Euonymus kiatschovica</i>	spreading euonymus	C, F
<i>Euonymus vegetus</i>	bigleaf wintercreeper	C, F
<i>Fatsia japonica</i>	Japanese aralia	C, F
<i>Felicia amelloides</i>	blue marguerite	C, F
<i>Forsythia intermedia</i>	forsythia, border	C, F
<i>Forsythia x 'Spring glory'</i>	spring glory forsythia	C, F
<i>Fuchsia x 'Santa Claus'</i>	santa claus fuchsia	C, F
<i>Gardenia jasminoides</i>	august beauty gardenia	C, F
	gardenia	C, F
	miniature gardenia	C, F
	radican gardenia	C, F
<i>Gaultheria procumbens</i>	wintergreen	C, F
<i>Gaultheria shallon</i>	santal/lemon leaf	C, F
<i>Gelsemium sempervirens</i>	Carolina jessamine	C, F
<i>Genista pilosa</i>	woadwaxen	C, F
<i>Hamamelis virginiana</i>	common witch hazel	C, F
<i>Hardenbergia violacea</i>	lilac vine	C, F
<i>Hebe buxifolia</i>	boxleaf hebe	C, F
<i>Hibiscus rosa-sinensis</i>	ross estey-hibiscus	C, F
<i>Hibiscus syriacus</i>	rose of sharon, red bird	C, F
	rose of sharon, red heart	F
	rose of sharon, woodbridge	C, F
<i>Ilex aquifolium</i>	balkans holly	F
	gold coast holly	F
<i>Ilex aquipemyi</i>	san jose holly	C, F
<i>Ilex attenuata</i>	savannah holly	C, F
<i>Ilex cornuta</i>	burford holly	C, F
	dwarf burford holly	C, F
	needle point holly	C, F
	holly, Chinese	C, F
<i>Ilex crenata</i>	compacta-dwarf Japanese holly	C, F

	convexa holly	C, F
	dwarf Chinese holly	C, F
	green luster holly	C, F
	helleri-heller's Japanese holly	C, F
	hetzii's Japanese holly	C, F
	stokesii Japanese holly	C, F
<i>Ilex glabra</i>	compacta-compact inkberry holly	C, F
<i>Ilex glabra</i>	nordica-inkberry holly	C, F
<i>Ilex meserveae</i>	blue boy holly	C, F
	blue girl holly	C, F
	China boy holly	C, F
	China girl holly	C, F
	ebony magic holly	F
<i>Ilex vomitoria</i>	nana-dwarf yaupon holly	C, F
	pendula-weeping yaupon holly	C, F
	yaupon holly	C, F
<i>Illicium annisatum</i>	mystery gardenia	C, F
<i>Itea ilicifolia</i>	henry garnet holly leaf sweetspire	C, F
<i>Ixora collinea</i>	ixora	C, F
<i>Juniperus chinensis</i>	hollywood juniper	C, F
	media-old gold juniper	C, F
	pfitzer juniper	C, F
	pfitzerana glauca-blue juniper	C, F
	pfitzerana-pfitzer juniper	C, F
	sea green juniper	F
	torulosa-hollywood juniper	C, F
<i>Juniperus conferta</i>	emerald sea shore juniper	C, F
	shore juniper	C, F
<i>Juniperus horizontalis</i>	andorra juniper	C, F
	bar harbor juniper	C, F
	blue chip juniper	C, F
	blue rug juniper	C, F
	creeping juniper	C, F
	dwarf andorra juniper	C, F
	huntington blue juniper	C, F
	plumosa-andorra juniper	C, F
	wiltonii-blue carpet juniper	C, F
<i>Juniperus procumbens</i>	nana-dwarf Japaneses garden juniper	C, F
<i>Juniperus prostrata</i>	prostrata juniper	C, F
<i>Juniperus sabina</i>	broadmoor juniper	C, F
	foemina-hicks juniper	C, F
	savin juniper	C, F
	tamariscifolia-tam juniper	C, F
<i>Juniperus scopulorum</i>	emerald green juniper	F
	wichita blue juniper	C, F
<i>Juniperus squamata</i>	blue juniper	C, F
	blue star juniper	C, F
	parsonii juniper	C, F
<i>Kalmia latifolia</i>	laurel, mountain	C, F
<i>Lagerstroemia indica</i>	rape myrtle	C, F
<i>Lantana spp.</i>	lantana	C, F
<i>Leucophyllum frutescens</i>	Texas sage	C, F
<i>Leucophyllum laevigatum</i>	chihuahuan sage	C, F
<i>Leucothoe axillaris</i>	leucothoe, coast	C, F
<i>Leucothoe fontanesiana</i>	leucothoe, drooping	C, F
<i>Ligustrum japonicum</i>	privet, Japanese	C, F

14/27

	wax ligustrum	C, F
	yellow tip ligustrum	C, F
<i>Ligustrum lucidum</i>	privet, glossy	C, F
<i>Ligustrum ovalifolium</i>	California privet	F
<i>Ligustrum texanum</i>	howardi privet	C, F
	wax leaf privet	C, F
<i>Ligustrum vicaryi</i>	privet, golden	F
	vicary golden privet	F
<i>Ligustrum vulgare</i>	lodense privet	C, F
<i>Livistona chinensis</i>	Chinese fountain palm	F
<i>Lonicera fragrantissima</i>	winter honeysuckle	C, F
<i>Lonicera periclymenum</i>	flowering woodbine	C, F
	serotina woodbine	C, F
<i>Lonicera sempervirens</i>	trumpet honeysuckle	C, F
<i>Loropetalum chin rubrum 'Razzleb'</i>	razzleberry fringe flower	C, F
<i>Loropetalum chinense</i>	sizzling pink fringe flower	C, F
<i>Mahonia aquifolium compacta</i>	dwarf Oregon grape	C, F
<i>Mahonia bealei</i>	leather leaf mahonia	C, F
<i>Mahonia repens</i>	creeping mahonia	C, F
<i>Michelia figo</i>	banana shrub	C, F
<i>Myrica cerifera</i>	wax myrtle	C, F
<i>Myoporum parvifolium</i>	putah creek	C, F
<i>Nandina domestica</i>	compacta-dwarf heavenly bamboo	C, F
	harbour dwarf-heavenly bamboo	C, F
	heavenly bamboo (nandina)	C, F
	nana compacta-heavenly bamboo	C, F
	nana purpurea-heavenly bamboo	C, F
	woods dwarf-heavenly bamboo	C, F
<i>Nerium oleander</i>	hardy red oleander	C, F
	oleander	C, F
	ruby lace oleander	C, F
<i>Osmanthus fortunei</i>	fortunes osmanthus	C, F
<i>Osmathus fragrans</i>	sweet olive	C, F
<i>Pennisetum setaceum 'Rubrum'</i>	purple fountain grass	C, F
<i>Phoenix roebelenii</i>	pigmy date palm	C, F
<i>Photinia fraseri</i>	fraser's photinia	C, F
<i>Physocarpus opulifolius</i>	dwarf ninebark	C, F
<i>Pieris japonica</i>	lily-of-the-valley	C, F
	mountain fire lily-of-the-valley	C, F
	snowdrift lily-of-the-valley	C, F
	temple bells lily-of-the-valley	C, F
	valley rose lily-of-the-valley	C, F
	valley valentine lily-of-the-valley	C, F
<i>Pieris japonica x forestii</i>	forest flame lily-of-the-valley	C, F
<i>Pinus mugo</i>	mugo-mugho pine	C, F
<i>Pittosporum tobira</i>	green pittosporum	C, F
	wheeler's dwarf pittosporum	C, F
<i>Plumbago ariculata</i>	blue cape plumbago	F
<i>Plumbago capensis</i>	plumbago	C, F
<i>Podocarpus macrophyllus</i>	yewpine	C, F
<i>Polygala fructicosa</i>	sweet pea shrub	C, F
<i>Polystichum polyblepharum</i>	tassel fern	C, F
<i>Potentilla fragiformis</i>	cinquefoil	F
<i>Potentilla fruticosa</i>	cinquefoil	C, F
	floppy disc cinquefoil	C, F
	gold drop pontentilla	F

	goldfinger potentilla	C, F
	red ace potentilla	C, F
	sunset potentilla	C, F
	tangerine potentilla	C, F
<i>Potentilla spp.</i>	cinquefoil	
<i>Potentilla verna</i>	spring cinquefoil	C, F
<i>Prunus glandulosa</i>	dwarf pink flowering almond	C, F
<i>Prunus laurocerasus 'Otto luykens'</i>	otto luykens English laurel	C, F
<i>Psidium cattleianum</i>	strawberry guava	C, F
<i>Pyracantha fortuneana</i>	lolendei monrovia pyracantha	C, F
	monon pyracantha	F
	red elf hybrid pyracantha	F
	rutgers hybrid pyracantha	C, F
	santa cruz pyracantha	C, F
	victory pyracantha	F
<i>Raphiolepis indica</i>	charisma-monruce raphiolepis	C, F
	enchantress-moneess raphiolepis	F
	raphiolepis (India hawthorn)	C, F
	springtime-monme raphiolepis	F
<i>Raphiolepis ovata</i>	roundleaf raphiolepis	C, F
<i>Rhododendron calendulaceum</i>	cannon's double azalea	C, F
	flame azalea	F
	golden flare azalea	C, F
	klondike azalea	C, F
<i>Rhododendron campylocarpum</i>	butterfly rhododendron	F
<i>Rhododendron carolinianum x daurium</i>	PJM rhododendron	C, F
<i>Rhododendron catawbiense</i>	catawba album rhododendron	C, F
	catawba rhododendron	C, F
	lord roberts rhododendron	C, F
	rocket rhododendron	C, F
<i>Rhododendron caucasicum x ponticum</i>	cunningham white rhododendron	C, F
<i>Rhododendron exbury</i>	cannon's double azalea	C, F
	golden flare azalea	C, F
	klondike azalea	C, F
<i>Rhododendron forrestii repens</i>	gomer waterer rhododendron	C, F
<i>Rhododendron forrestii x griersonianum</i>	elizabeth rhododendron	C, F
<i>Rhododendron griffithianum</i>	jean marie rhododendron	C, F
<i>Rhododendron hybrid spp.</i>	America rhododendron	C, F
	English roseum rhododendron	F
	nova zembla rhododendron	C, F
	scintillation rhododendron	C, F
<i>Rhododendron impeditum</i>	rhododendron	C, F
<i>Rhododendron indica</i>	formosa azalea	C, F
	waucabusa azalea	C, F
<i>Rhododendron kaempferi</i>	blue danube azalea	C, F
<i>Rhododendron kerume</i>	coral bells azalea	C, F
	hino crimson azalea	C, F
	hino pink azalea	C, F
	mildred azalea	C, F
	snow azalea	C, F
<i>Rhododendron maximum</i>	rhodie max (rosebay)	C, F
<i>Rhododendron mucronulatum</i>	rhododendron	F
<i>Rhododendron obtusum</i>	hino-crimson azalea	C, F
<i>Rhododendron ponticum</i>	chionoides rhododendron	C, F
	daphnoides rhododendron	C, F
<i>Rhododendron racemosum</i>	dwarf scarlet wonder rhododendron	C, F

16/27

	tribly rhododendron	C, F
	unique rhododendron	C, F
	vulcan rhododendron	C, F
<i>Rhododendron sassthigiatim x carolinianum</i>	ramapo rhododendron	C, F
<i>Rhododendron satuski</i>	gumpo pink azalea	C, F
	higasa azalea	F
	reijn azalea	C, F
<i>Rhododendron spp. hybrids</i>	carror azalea	C, F
	fashion azalea	C, F
	gerard christina azalea	F
	girard roberta azalea	C, F
	golden flare exbury azalea	F
	heimut vogel azalea	F
	henry s red azalea	F
	hot shot azalea	C, F
	hume azalea	F
	inga azalea	F
	irene koster azaiea	C, F
	president clay azalea	C, F
	tradition azalea	C, F
<i>Rhus lancea</i>	sumac, African	C, F
<i>Rhus typhina</i>	staghorn sumac	C, F
<i>Rosa x 'Flower carpet'</i>	red groundcover rose	C, F
<i>Rosa rugosa</i>	ramanas rose	C, F
<i>Rosmannus officinalis</i>	rosemary	F
<i>Senecio cineraria</i>	dusty-miller	
<i>Skimmia japonica</i>	Japanese skimmia	C, F
<i>Skimmia revesiana</i>	reeve's skimmia	C, F
<i>Soianum rantonetii 'Royal purple'</i>	Paraguay nightshade	C, F
<i>Spiraea bumalda</i>	anthony waterer spiraea	C, F
<i>Spiraea cinerea</i>	first snow spiraea	C, F
<i>Spiraea japonica</i>	dolchia spiraea	C, F
	Japanese alpine spiraea	C, F
	magic carpet spiraea	C, F
	neon flash spiraea	C, F
	shirobana spiraea	C, F
<i>Spiraea vanhouttei</i>	bridal wreath	C, F
<i>Streptosolen jamesonii</i>	marmalade bush	C, F
<i>Syringa rothomagensis</i>	Chinese lilac	C, F
<i>Syringa vulgaris</i>	lilac, common	F
<i>Taxus cuspidata</i>	yew, Japanese	F
<i>Tecomaria capensis</i>	cape honeysuckle	C, F
<i>Ternstroemia gymnanthera</i>	temstroemia, Japanese	C, F
<i>Teucnum fruticans</i>	bush germander	C, F
<i>Thevetia nerifolia</i>	yellow oleander	C, F
<i>Thuja occidentalis</i>	emerald arborvitae	C, F
	globosa-globe arborvitae	C, F
	little giant-dwarf arborvitae	C, F
	nigra-dark American arborvitae	C, F
	pyramidalis arborvitae	C, F
	rheingold arborvitae	C, F
	techny arborvitae	F
	woodwardii arborvitae	C, F
<i>Thuja orientalis</i>	aureus nana-dwarf golden arborvitae	C, F
	minima glauca-dwarf arborvitae	C, F

17/27

<i>Tibouchina urvilleana</i>	princes flower	C, F
<i>Veitchia merrilli</i>	Christmas palm	F
<i>Viburnum bodnantense</i>	pink dawn viburnum	C, F
<i>Viburnum carlesii</i>	Koreanspice viburnum	C, F
<i>Viburnum davidii</i>	david viburnum	C, F
<i>Viburnum japonicum</i>	viburnum	F
<i>Viburnum judd (V. x juddii)</i>	viburnum	C, F
<i>Viburnum lantana</i>	wayfaring tree	F
<i>Viburnum opulus sterile</i>	common snowball viburnum	F
<i>Viburnum plicatum tomentosum</i>	doublefile viburnum	C, F
<i>Viburnum setigerum</i>	tea viburnum	F
<i>Viburnum tinus compactum</i>	spring bouquet viburnum	F
<i>Viburnum trilobum</i>	cranberry bush	C, F
<i>Viburnum trilobum compactum</i>	dwarf cranberry bush	C, F
<i>Viburnum x pragense</i>	viburnum	C, F
<i>Weigela florida</i>	bristol ruby weigela	C, F
	java red weigela	C, F
	minuet weigela	C, F
<i>Xylosma congestum</i>	xylosma	F
<i>Yucca filamentosa</i>	yucca	C, F

Terms and Conditions of Use

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies.

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. All such risks shall be assumed by Buyer.

Limitation of Remedies

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

18/27

The terms of the Warranty Disclaimer, Inherent Risks of Use, and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

[®]Trademark of Dow AgroSciences LLC

EPA-Accepted ___/___/___

19/27

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

MAR 17 2005
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

62719-178

[Sub Label B: Residential Uses]

(Product Label)

Gallery® Turf Fertilizer (R)

Herbicide

[Editors note: Supplemental distributor label may include fertility and customer service information sections within this label.]

A turf fertilizer containing Gallery, a preemergence herbicide for control of certain broadleaf weeds and suppression of annual grasses in landscape ornamentals, container grown ornamentals, and home lawns.

For residential use only.

Active Ingredient:

isoxaben: N-[3-(1-ethyl-1-methylpropyl)-
5-isoxazoly]- 2,6-dimethoxybenzamide
and isomers.....0.38%

Inert Ingredients99.62%

Total100.00%

Contains 0.09 lb active ingredient per 25 lb bag.

[Editor's note: Bag size and calculated amount of active ingredient per bag provided by supplemental distributor.]

[Editor's note: Supplemental distributor will add fertilizer analysis and derivation statement for fertilizer carrier used.]

Guaranteed Fertilizer Analysis	
Total Nitrogen (N).....	X.X%
X.X% Nitrate Nitrogen	
X.X% Water Soluble Nitrogen	
X.X% Water Insoluble Nitrogen	
Available Phosphoric Acid (P ₂ O ₅).....	X.X%
Soluble Potash (K ₂ O).....	X.X%

[Editor's note: Supplemental distributor should include the source of all primary nutrients or secondary nutrients, or both, and micronutrients.]

Keep Out Of Reach Of Children

CAUTION

Precautionary Statements

Hazards to Humans and Domestic Animals

Causes Eye Irritation • Harmful If Swallowed, Inhaled Or Absorbed Through The Skin

20/22

Avoid breathing dust and contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information.

Environmental Hazards

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift or inadvertent application to areas adjacent to treated turfgrasses may result in reduced germination or emergence of nontarget plants. Do not contaminate water when disposing of equipment washwaters.

See back or container/side panel for additional precautionary statements.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Agricultural Chemical: Do not snip or store with food, feeds, drugs or clothing.

EPA Reg. No. 52719-178

EPA Est. No. _____

[®]Trademark of Dow AgroSciences LLC

Dow AgroSciences LLC • Indianapolis, IN 46268 U.S.A. (not licensed)

Net Weight - _____

21/27

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read all directions carefully before applying this product.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container. Protect stored product from moisture. In case of leak or spill, contain material and dispose as waste.

Pesticide Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

General Information

This turf fertilizer product contains Gallery[®], a preemergence herbicide for control of certain broadleaf weeds and suppression of annual grasses in established turfgrasses, landscape ornamentals, and container grown ornamentals. Apply in late summer to early fall, in early spring, or anytime prior to germination of target weeds.

General Use Precautions and Restrictions

Gallery Turf Fertilizer (R) controls weeds germinating from seed. Gallery Turf Fertilizer (R) does not control established weeds. Existing weeds should be controlled with postemergence herbicides. To insure optimal fertilizer and herbicidal response, water treated areas as soon as possible after application. A single rainfall or sprinkler irrigation of 0.5 inch or more is required to activate this product.

Do not apply more than 19 lb of Gallery Turf Fertilizer (R) per 1000 sq ft.

Treatment of Turf or Ornamental Species not Listed on the Label for Gallery Turf Fertilizer (R)

Users who wish to use Gallery Turf Fertilizer (R) on a plant species not listed on this label may determine the suitability for such use by treating a small area or a small number of plants at a recommended rate. Prior to treating a larger area, the treated area/plants should be observed for any sign of herbicidal injury during 30 to 60 days of typical growing conditions. **The user assumes responsibility for any plant damage or other liability resulting from use of this product on species not recommended on this label.**

Application Instructions

Apply Gallery Turf Fertilizer (R) using a drop or rotary-type spreader designed to apply granular fertilizer. Calibrate application equipment prior to use according to manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or plant injury may occur. More uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at right angles to the first. When using a drop-type spreader, a splash board mounted below the release point will provide more even granule distribution.

Broadcast Application Rates

Apply Gallery Turf Fertilizer (R) at a broadcast rate of 4.6 to 5.7 lb per 1000 sq ft. A minimum rate of 4.6 lb per 1000 sq ft is recommended for optimum results. Use the higher rate in the rate range where heavy weed infestation is anticipated.

Weeds Controlled or Suppressed by Gallery Turf Fertilizer (R)

22/27

Weeds controlled when applied at 4.6 to 5.7 lb per 1000 sq ft

burweed, lawn	henbit	speedwell, thymeleaf
buttercup	knotweed, prostrate	spurge, prostrate
celery, wild	mallow, little	spurge, spotted
chickweed, common	parsley - pier	spurry, corn
chickweed, mouseear	pennywort, lawn	woodsorrel, creeping
foolsparsely	pineappleweed	woodsorrel, yellow
geranium, Carolina		

Weeds partially controlled by a single application or controlled by repeat applications when applied at 4.6 to 5.7 lb per 1000 sq ft

clover, spp.	plantain, broadleaf
clover, white	plantain, buckhorn
dandelion	plantago, slender
medic, black	

¹From seed only

Weeds suppressed or partially controlled when applied at 4.6 to 5.7 lb per 1000 sq ft

- bluegrass, annual
- crabgrass
- ryegrass, annual (Italian)

Uses

Turfgrass

Gallery Turf Fertilizer (R) is recommended as a preemergence treatment for control of certain broadleaf weeds in established cool season and warm season turfgrasses.

Apply Gallery Turf Fertilizer (R) anytime prior to germination of target weeds.

Note: Refer to the General Information section of this label for general use precautions and information on application rates and weeds controlled prior to using this product.

Specific Use Precautions:

Apply Gallery Turf Fertilizer (R) only on established turf. Apply to newly seeded turf (including overseeded turf) **only** after seedlings are established (three leaf stage and side shoots are visible) and well rooted. Do not overseed established turf sooner than 60 days following an application of Gallery Turf Fertilizer (R).

- Do not apply Gallery Turf Fertilizer (R) to golf course putting greens.
- Do not apply Gallery Turf Fertilizer (R) to dichondra.

Gallery Turf Fertilizer (R) is recommended for use on the following turfgrass species:

Established Cool Season Turfgrasses

bentgrass, colonial	fescue, creeping red
bentgrass, creeping	fescue, sheep
bluegrass, Kentucky	fescue, tall
fescue, chewings	ryegrass, perennial

Established Warm Season Turfgrasses

23/27

bahiagrass	fescue, tall
Bermudagrass	St. Augustinegrass
centipedegrass	zoysiagrass

Ornamental Plantings

Gallery[®] Turf Fertilizer (R) is recommended as a preemergence treatment for control of certain broadleaf weeds in landscape and container grown ornamentals.

Apply Gallery Turf Fertilizer (R) anytime prior to germination of target weeds or immediately after preparing the soil.

Note: Refer to the General Information section of this label for general use precautions and information on application rates and weeds controlled prior to using this product.

Note: Do not apply sprays containing Roundup over the top of ornamental plants. Extreme care must be exercised to prevent contact of sprays containing Roundup with foliage or stems of turfgrasses, trees, shrubs, or other desirable vegetation since severe damage or death may result. If spraying Roundup in areas adjacent to desirable plants, use a shield to prevent spray from contacting foliage or stems of desirable plants.

Specific Use Precautions:

To avoid possible plant injury, **do not** apply Gallery Turf Fertilizer (R) to:

- unrooted liners or cuttings that have been planted in pots for the first time
- pots less than six inches wide
- bedding plants or areas where bedding plants will be planted or transplanted within 1 year after application

Do not apply Gallery Turf Fertilizer (R) to newly transplanted ornamentals until soil or potting media has been settled by packing and irrigation or rainfall and no cracks are present or plant injury may occur.

Applications of Gallery Turf Fertilizer (R) over the top of plants with newly forming buds may cause injury. Possible plant injury may be avoided by applying to the soil surface beneath ornamental plants.

When planting into a site treated with Gallery Turf Fertilizer (R) in the previous 8 months, use untreated soil as fill around roots when replacing plants or injury may occur.

Note: Injury to certain ornamental plants has been observed following application of Gallery Turf Fertilizer (R). To avoid plant injury, Gallery Turf Fertilizer (R) is not recommended for weed control in the following ornamental plant species:

bugle	mustard
cajeput tree	prince of wales juniper
candytuft	purple coneflower
Carolina rhododendron	roseum elegans rhododendron
dwarf burning bush	spurge
green yucca	stonecrop
hydrangea	

Gallery Turf Fertilizer (R) may be used on the following established plant species:

Trees

albus-flowering maple	Japanese black pine
Australian tree fern	king palm

24/07

Austrian black pine	live oak
banana	luteus-flowering maple
birch, river	magnolia, southern
blue leyland cypress	Mediterranean fan palm
blue pyramid cypress	mini ficus
bosnian pine	norfolk island pine
bottle tree	palm
cardboard palm	parlor palm
Carolina laurel cherry	pendula-weeping Norway spruce
Chilean mesquite	pumilio-shrubby swiss mountain pine
cloud nine dogwood	queen palm
columnar Scotch pine	red bauhinia
conica-dwarf alberta spruce	red oak
coolibah tree	redbud
cryptomeria, Japanese	redcedar, eastern
cypress tree	repens-spreading Norway spruce
dogwood, flowering	roseus-flowering maple
dwarf globe blue spruce	royal star magnolia
eastern hemlock	Russian olive
eastern white pine	sago palm
eldarica pine	Scotch pine
emerald Isle leyland cypress	shamel ash
English laurel	silver maple
European beech	sourwood
figus	spruce, Norway
fir, balsam	tangerine-flowering maple
Florida anise-tree	tea tree
gilt edge silverberry	white pine
glauca-Colorado blue spruce	willow oak
hoopsii-hoop's blue spruce	windmill palm

Shrubs

abyssinica acacia	forest flame lily-of-the-valley	purple fountain grass
acacia, prostrate	formosa azalea	putah creek
allgold warminster broom	forsythia, border	pyramidalis arborvitae
America rhododendron	fortunes osmanthus	radican gardenia
amur maple	fragrant daphne	ramanas rose
andorra juniper	fraser's photinia	ramapo rhododendron
anthony waterer spiraea	fruitland silver berry	razzleberri fringe flower
astilbe/false spirea	gardenia	red ace potentilla
august beauty gardenia	girard roberta azalea	red groundcover rose
aureus nana-dwarf golden arborvitae	globosa-globe arborvitae	red-veined enkianthus
banana shrub	glossy abelia	reeve's skimmia
bar harbor juniper	gold spot euonymus	reijn azalea
barbara karst	golden flare azalea	rhapsiolepis (India hawthorn)
bearberry	goldfinger potentilla	rheingold arborvitae
bigleaf wintercreeper	gomer waterer rhododendron	rhodie max (rosebay)
blue boy holly	green luster holly	rhododendron
blue chip juniper	green pittosporum	rocket rhododendron
blue danube azalea	green velvet boxwood	rose daphne
blue girl holly	ground morningglory	rose glow barberry
blue juniper	gumpo pink azalea	rose of sharon, red bird
blue marguerite	harbour dwarf-heavenly bamboo	rose of sharon, woodbridge
blue mist bluebeard	hardy red oleander	ross estey-hibiscus
blue rug juniper	heavenly bamboo (nandina)	roundleaf rhapsiolepis

blue star juniper
 bog rosemary
 boxleaf hebe
 boxwood, common
 bridal wreath
 bristol ruby weigela
 broadmoor juniper
 burford holly
 bush germander
 bush morning glory
 California gold
 camellia
 canadaie gold euonymus
 cannon's double azalea
 cape honeysuckle
 cape mallow
 Carolina jessamine
 carror azalea
 cassia, feathery
 catawba album rhododendron
 catawba rhododendron
 charisma-monruce raphiolepis
 cherry bomb
 chihuahuan sage
 China boy holly
 China girl holly
 Chinese lilac
 Chinese plumbago
 chionoides rhododendron
 chirimen marlberry
 choilipo euonymus
 cinquefoil
 cleyera, Japanese
 common witch hazel
 compacta-compact inkberry holly
 compacta-dwarf heavenly bamboo
 compacta-dwarf Japanese holly
 convexa holly
 copper leaf
 coral bark Japanese maple
 coral beauty smoke tree
 coral bells azalea
 cornish heather
 cotoneaster, bearberry
 cotoneaster, cranberry
 cotoneaster, pyrenees
 cotoneaster, rock
 cranberry bush
 crape myrtle
 creeping juniper
 creeping mahonia
 crimson pygmy barberry
 cunninham white rhododendron
 daphnoides rhododendron
 dark knight bluebeard
 david viburnum

hellerei-heiler's Japanese holly
 henry garnet holly leaf sweetspire
 hetzii's Japanese holly
 himalayan cotoneaster
 hino crimson azalea
 hino pink azalea
 hollandia-warminster broom
 hollywood juniper
 hot shot azalea
 howardi privet
 huntington blue juniper
 irene koster azalea
 ixora
 Japanese alpine spiraea
 Japanese aralia
 Japanese painted fern
 Japanese skimmia
 java red weigela
 jean marie rhododendron
 klondike azalea
 Koreanspice vibunum
 kosteri cypress
 lantana
 laurel, mountain
 leather leaf manonia
 lena-Scotch broom
 leucothoe, coast
 leucothoe, drooping
 lilac time broom
 lilac vine
 lily-of-the-valley
 little giant-dwarf arborvitae
 lodense privet
 lolendei monrovia pyracantha
 lord roberts rhododendron
 magic carpet spiraea
 marmalade bush
 media-old gold juniper
 Mediterranean pink heather
 mentor barberry
 mildred azalea
 miniature gardenia
 minima glauca-dwarf arborvitae
 minuet weigela
 mountain fire lily-of-the-valley
 mugo-mugho pine
 mystery gardenia
 nakiana-dwarf deutzia
 nana compacta-heavenly bamboo
 nana purpurea-heavenly bamboo
 nana-dwarf hinoki cypress
 nana-dwarf Japaneses garden juniper
 nana-dwarf yaupon holly
 needle point holly
 neon flash spiraea
 nigra-dark American arborvitae

royal purple smoke tree
 ruby lace oleander
 rutgers hybrid pyracantha
 sago palm
 salal/lemon leaf
 san jose holly
 santa claus fuchsia
 santa cruz pyracantha
 Saskatoon serviceberry
 savannah holly
 savin juniper
 scarlet o'hara
 scintillation rhododendron
 senna
 serotina woodbine
 shirobana spiraea
 shoestring acacia
 shore juniper
 sibirica-siberian dogwood
 silver princess euonymus
 sizzling pink fringe flower
 slender gracilis
 snow azalea
 snowdrift lily-of-the-valley
 snow-in-summer
 spreading euonymus
 spring cinquefoil
 spring glory forsythia
 spring torch Scotch heather
 squarrosa minima cypress
 staghorn sumac
 stokesii Japanese holly
 strawberry guava
 sumac, African
 summersweet
 sunrise variegated abelia
 sunset potentilla
 sunspot euonymus
 sweet olive
 sweet pea shrub
 tamariscifolia-tam juniper
 tangerine potentilla
 tassel fern
 teenie genie brushcherry
 temple bells lily-of-the-valley
 temple fire
 temstroemia, Japanese
 Texas dawn
 Texas sage
 torulosa cypress
 torulosa-hollywood juniper
 tradition azalea
 trailing indigo bush
 tribly rhododendron
 trumpet honeysuckle
 unique rhododendron

26/28

doichia spiraea	nordica-inkberry holly	valley rose lily-of-the-valley
doublefile viburnum	nova zembra rhododendron	valley valentine lily-of-the-valley
dwarf andorra juniper	oleander	variegated evergreen euonymus
dwarf brush cherry	orange flowering quince	viburnum
dwarf burford holly	otto luykens English laurel	vulcan rhododendron
dwarf Chinese holly	Paraguay nightshade	walking stick
dwarf cranberry bush	parsonii juniper	waucabusa azalea
dwarf Japanese maple	pendula-weeping yaupon holly	wax leaf privet
dwarf ninebark	pfitzer juniper	wax ligustrum
dwarf Oregon grape	pfitzerana glauca-blue juniper	wax myrtle
dwarf pink flowering almond	pfitzerana-pfitzer juniper	weeping bottlebrush
dwarf plumbago	pigmy date palm	wheeler's dwarf pittosporum
dwarf scarlet wonder rhododendron	pink breath of heaven	wichita blue juniper
edward goucher abelia	pink dawn viburnum	william penn barberry
eichholz smoke tree	pink pixie	wiltonii-blue carpet juniper
elizabeth rhododendron	PJM rhododendron	winter honeysuckle
emerald arborvitae	plum yew	wintergreen
emerald sea shore juniper	plumbago	woadwaxen
escallonia	plumosa-andorra juniper	woods dwarf-heavenly bamboo
false spiraea	praecox-early cotoneaster	woodwardii arborvitae
fashion azalea	president clay azalea	yaupon holly
filifera-thread cypress	princes flower	yellow oleander
first snow spiraea	privet, glossy	yellow tip ligustrum
floppy disc cinquefoil	privet, Japanese	yewpine
flowering woodbine	prostrata juniper	yucca
foemina-hicks juniper	purple bell heather	

Terms and Conditions of Use

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies.

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. All such risks shall be assumed by Buyer.

Limitation of Remedies

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or

2/1/07

2. Replacement of amount of product used.

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use, and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

³Trademark of Dow AgroSciences LLC

EPA-Accepted / /