Fine 12 12-19- 197 197 113

Dursban* WB05 III

Controls Pests In and Around Households

Active Ingredient(s)*

Chlorpyrifos: O,C-Diethyl-O-(3,5,6-trichloro-2-pyridinyl)

phosphorothioate 0.50%

D-Trans Allethrin (Ally) Homolog of Cinerin ID) 0.05%

N-Octyl Bicycloheptene Dicarboximide 0.16%

*Piperonyl Butoxide, Technical 0.10%

Inert Ingredients 99.19%

Total: 100.00%

*Piperonyl Butoxice Technical 0.10% consists of 0.08% (butylcarbityl) (6-propylpiperonyl) ether & 0.02% related compounds

EPA Reg. No. 62719-197 EPA Est. ____

Trademark of DowElanco

Net Contents - ____

DowElanco Indianapolis, IN 46268-1189, U. S. A. ACCEPTED

APA 2 1892

Under the l'ederal Insecticide,
l'or end Rodentiande Act,
avoir 1 for the pesticide
reagens 1 for the pesticide
reagens 1 for the pesticide
EPA Reg. No.

Precautionary Statements

Hazards to Humans and Domestic Animals Keep Out of Reach of Children CAUTION

Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs, and domestic water supplies. Wash thoroughly after handling.

If swallowed: Call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If on skin: In case of contact, remove contaminated clothing and immediately wash skin with plenty of soap and water.

If In eyes: Flush eyes with plenty of water.

Note to Physician: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

ENVIRONMENTAL H/ ARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to lakes, streams and ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal or wastes. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

NAC TOPY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Precaucion al Usauario: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada amaliamente.

Translation (To the user): If you cannot read English, do not use this product until the label has been fully explained to you.)

STORAGE DISPOSAL

Storage: Store in original container in a cool dry place inaccessible to children or pets. Protect from freezing.

Container Disposal: Do not reuse empty container. Wrap container in several layers of newspaper and discard in trash.

General Information

Use Dursban WB05 III insecticide to control the pests indicated in the areas listed below by application of the product as undiluted spray. Repeat the treatment as needed.

General Use Precautions

Do not apply sprays of this product in conduits, motor housing, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not allow spray to contact food, feedstuffs and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying. Do not treat pets with this product.

Application to Pests Indoors

Application within Food Handling Establishments (places other than private residences in which food is held, processed, prepared or served), including, but not limited to Restaurants, Grocery Stores, Bakeries, Bottling Plants, Canneries and Grain Mills:

Use as a spot treatment in and around both food and non-tood areas to control cockroaches. (including strains resistant to certain other insecticides), ants, crickets, firebrats, silverfish, spiders, and stored product insects such as confused flour beetles, saw-toothed grain beetles, Indian meal moths, nice weevils, Mediterranean flour moths and red flour beetle. Apply as a coarse spray to localized areas. Do not introduce the spray into the air or allow the spray to contact food or <u>food-contacting surfaces</u>. Areas treated may include dark corners of rooms and closets; along and behind baseboards; beneath and behind stoves, refrigeration units and similar food preparation areas and equipment; floor drains; and around plumbing and other utility installations. For ants, apply to ant trails and wherever these pests may find entrance. Spot treatment may encompass crack and crevice treatment by applying small amounts of material directly into openings leading to voids and hollow spaces in walls, equipment legs and bases, or which occur at points between different elements of construction or between equipment and floors. Repeat treatment as needed, but not more than once every 7 days in restaurants and similar foodservice establishments; or more often than once every 14 days in other types of food handling establishments. Application of this product in food handling establishments other than a spot and/or crack and crevice treatment is not permitted.

Application within Residential Sulidings, including homes and apartment buildings and within non-food areas of industrial, institutional, and commercial buildings including hospitals, stores, manufacturing plants and warehouses: For spot treatment only - Apply as a coarse spray to localized areas where cockroaches (including strains resistant to other insecticides), ants, clover mites, crickets, firebrats, silverfish and spiders are found or normally occur including dark corners of rooms and closets; cracks and crevices in walls, along and behind baseboards; beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations. For ants, apply to ant trails, also around doors and windows, and wherever else these pests may find entrance.

For Control of Carpet Beetles: Thoroughly apply as a spray for spot treatment along baseboards and edges of carpeting, under carpeting, rugs and furnitures, in closets and on shelving, and wherever else these insects are seen or suspected.

For Control of Fleas and Brown Dog Ticks: Thoroughly apply as a spray for spot treatment to infested areas, nearby cracks and crevices and along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. For best results, old bedding should be cleaned or replaced. Do not treat pets or their bedding with this product. To control the source of the flea infestation, pets inhabiting the treated premises should be treated with a product registered for application to animals.

Application to Pests Out-Of-Doors

Files, Mosquitoes: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages and other places where these insects alight or congregate. Repeat as necessary.

Ants, Brown Dog Ticks, Crickets, Fleas, Earwigs: For treatment of localized infestations of these insects in outdoor areas where there are weeds or brushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat applications as infestations warrant and as reinfestations occur.

WARRANTY INFORMATION

(Subregistrant may include appropriate statements to address Warranty Disclaimer, Inherent Risks of Use or Limitation of Remedies pertaining to use of this product.)

rsb 1/15/92

