


Dursban* 1G Insecticide

For Control of Various Insects (and Other Arthropods) Infesting Golf Course Turf Areas.

Active Ingredient(s):

chlorpyrifos: O,O-diethyl-O-(3,5,6-trichloro-2-pyridinyl) phosphorothioate	1.0%
Inert Ingredients	99.0%
Total	100.0%



Keep Out of Reach of Children
CAUTION

See back/side panel for additional precautionary statement.

EPA Reg. No. 62719-210
EPA Est. XXXXX-XX-XX

Net Contents - __ lb/kg

[Note to Label Editor: Minimum package size is 25 lbs per EPA Memorandum of Agreement Dated June 7, 2000.]

*Trademark of Dow AgroSciences LLC
Dow AgroSciences LLC • Indianapolis, Indiana 46268-1189 U.S.A.

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

May Be Harmful If Swallowed

Do not take internally. Avoid inhaling dust. Avoid eye contact. Wash thoroughly after handling. Wash contaminated clothing before reuse. Keep away from food, feedstuffs, and domestic water supplies.

First Aid

If swallowed: Call a physician or poison control center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled: Remove victim to fresh air if symptoms of cholinesterase inhibition appear and get medical attention immediately.

If on Skin: Wash thoroughly with soap and water.

If in Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

Note to Physician: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine, by injection only, is antidotal.

Environmental Hazards

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container. Do not store above 100°F for extended periods of time. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of according to use directions or at an approved waste disposal facility.

Container Disposal: Completely empty container into application equipment. Do not reuse empty container. Discard container in trash.

General Information

Dursban* 1G granular insecticide is intended for control of various insects (and other arthropods) infesting golf course turf areas. **Do not use this product indoors.**

Insects Controlled Include:

ants	fleas
armyworms	grasshoppers
billbugs	sod webworms (lawn moths)
boxelder bugs	sowbugs (pillbugs)
chiggers	(1) fire ants
chinch bugs	
clover mites	
crickets	
cutworms	
earwigs	

(#) Numbers in parentheses refer to specialized application directions.

Dosage Rates

Area To Be Treated	Pounds of Dursban 1G
1,000 sq ft	2.5 pounds
2,000 sq ft	5 pounds
4,000 sq ft	10 pounds
5,000 sq ft	12.5 pounds
10,000 sq ft	25 pounds

Spreader Settings

[Editor's Note: Subregistrant may include a listing of brand names of recommended application equipment and spreader settings in final printed label.]

Approved Uses

Applications to Turf

Apply Dursban 1G uniformly to golf course turfgrass at the rate of 2.5 pounds per 1,000 sq ft, or 1 pound per 400 sq ft. Consult the table to determine the amount of Dursban 1G needed for a larger-sized areas. Use any hand or power-operated gravity or rotary type spreader designed for application of granular materials. To help obtain uniform distribution of Dursban 1G on the turfgrass, apply one-half of the required amount of product in one direction; then apply the amount remaining at a right angle.

1. **Fire ant control (for individual ant mounds):** Apply Dursban 1G at a rate of 2 ounces (4 tablespoons) per active mound. Sprinkle granules gently and evenly over surface of mound and out approximately two feet surrounding the mound. Avoid disturbing ants. For best results, apply when ants are least active: in cool weather, 65°F to 80°F, or in early morning or late evening hours. Treat new mounds as they appear.

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. All such risks shall be assumed by Buyer.

Limitation of Remedies

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the "Warranty Disclaimer" above and this "Limitation of Remedies" cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller or the seller is authorized to vary or exceed the terms of the "Warranty Disclaimer" or this "Limitation of Remedies" in any manner.

*Trademark of Dow AgroSciences LLC
EPA Accepted ___/___/___