

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

JUN 6 2005

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

A. Sterett Robertson Regulatory Leader Regulatory Success-Americas Dow AgroSciences LLC 9330 Zionsville, IN 46268-1054

Subject:

Supplemental Labeling: Add post harvest control of codling moth in pears

Lorsban 4E

EPA Reg. No. 62719-220

Submissions dated March 18, 2005.

Dear Mr. Robertson:

The labeling referred to above submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following comments:

1) At your next label printing, or within eighteen months of the date of this letter, whichever comes first, you must incorporate this supplemental labeling into the main product labeling.

A stamped copy "accepted with comments" of the label is enclosed for your records.

Please submit two (2) copies of the final printed label for our file. If you have any questions please call me at (703) 308-8328.

Sincerely yours.

Akiva Abramovitch, Ph.D.

Chemist

Insecticide/Rodenticide Branch Registration Division (7505C)

Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

Lorsban®-4E

EPA Reg. No. 62719-220

Post Harvest Control of Codling Moth in Pear

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Lorsban®-4E insecticide before applying. Carefully follow all
 precautionary statements and applicable use directions.
- Use of Lorsban-4E according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Lorsban-4E.

Directions for Use

Refer to product label for Lorsban-4E for General Use Precautions, Mixing and Application instructions.

Apply 4 pints of Lorsban-4E per acre. Mix the specified dosage in 100 to 400 gallons of spray per acre and apply using an airblast speed sprayer or other suitable ground equipment.

Specific Use Restrictions:

- Do not make more than 1 post harvest application (prior to dormancy) per year.
- . Do not harvest or use treated fruit for food or feed.
- Do not allow meat or dairy animals to graze in treated orchards.
- Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours unless PPE required for early entry is worn.

with COMMENTS
In EPA Letter Dated:

JUN 6 2005

Under the Federal insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

Trademark of Dow AgroSciences LLC R062-066
Approved: __/_/_
Initial printing.

A1A / Lorsban-4E / Prop Sec 3 Suppl Pear / 03-04-05 file: R062-066 Lorsban-4E Sec 3 Codling Moth Control Postharvest in Pear 04Mar05d.doc

Lorsban®-4E

EPA Reg. No. 62719-220

Registration Notes:

Proposed Section 3 supplemental labeling for use of Lorsban-4E for post harvest control of codling moth in pears based on SLN No. CA-950009.

Trademark of Dow AgroSciences LLC