UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

March 15, 2001

Dr. John Jachetta Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, IN 46268-1054

Subject: Lorsban 50W in Water Soluble Packets, Supplemental labeling

EPA Reg No.: 62719-221 Submission dated March 1, 2001

Dear Dr. Jachetta:

1

The revised labeling referenced to above, submitted in connection with the registration under the Federal Insecticide, fungicide, and Rodenticide Act (FIFRA) as amended, is acceptable provided that you make the labeling changes indicated before you release the product for shipment bearing the amended labeling:

- 1) Add the following under the "Restrictions" heading: "Treat only the lower 4 feet of the trunk."
- Add the following statement requested by SRRD under the "Restrictions" heading: "If the available residue data submitted in 2002 demonstrates that detection of chlorpyrifos at concentrations greater than 0.01 ppm, then DowAgroSciences agrees to discuss further mitigation."

DowAgroSciences must state in writing that they agree to the condition specified in item #2 above, before releasing product for shipment bearing the supplemental labeling. If you have questions, please contact me on (703) 308-6742 or electronically at meneilly dennis @epa.gov.

Sincerely,

Dennis McNeilly, Chemist

Insecticide-Rodenticide Branch

D- Me Mul)

Registration Division (7505C)

2/2

Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Lorsban* 50W

In Water Soluble Packets

EPA Reg. No. 62719-221 (For Distribution and Use Only in States East of the Rockies)

Post-bloom Application to Trunk for Borer Control

ATTENTION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of application.

Read the label affixed to the container for Lorsban* 50W in Water Soluble Packets insecticide before applying. Carefully follow all precautionary statements and applicable use directions.

Use of Lorsban 50W according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the product container.

Directions for Use

Use and Dosage Recommendations

Pests Controlled †	Rate Lorsban 50W	Specific Use Directions
dogwood borer American plum borer apple bark borer roundheaded apple tree borer flatheaded appletree borer broad necked root borer tilehorned prionus	3 lb/100 gal of spray	Mix with water and apply directly to trunk from a distance of no more than 4 ft using low volume handgun or shielded spray equipment. Do not allow spray to contact foliage or fruit. Up to 2 applications may be made with a minimum spray interval of 14 days between applications.

Restrictions

Do not make more than two applications per year for borer control. Do not apply when wind speed is greater than 10 mph.

Do not apply within 28 days of harvest.

with COMME TS
In EPA Letter Dated:

WAR 15 200

Under the Federal Insecucióe
Rungicide, and Rodenticide Act,
Rungicide, for the pessicide
as amended, for the pessicide
registered under EPA Reg.

A1A / Lorsban 50W in Water Soluble Packets / Sec 3 Suppl-Borer Control / 01-29-01 EPA-accepted: __/__/_ initial printing.

^{*}Trademark of Dow AgroSciences LLC