·	PM 23 62719-256					
STED STORIES	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C)	EPA Reg. Number:	Date of Issuance:			
	401 "M" St., S.W. Washington, D.C. 20460	62719- 256	MAR 2 5 1994			
"AL MILOTE	NOTICE OF PESTICIDE:	Term of Issue				
Registration Reregistration		Conditio	Conditional			
(under FIFRA, as a	mendød)	Name of Pesticide Product:				
		Justice	Justice Herbicide			
DowElanco 9330 Zionsy Indianapoli Eder Chages in	s, IN 46268-1054 abeling differing in substance from that accepts					
	d accepted by the Registration Division prior to this product slowys refer to the above EPA regis		xumurce. In any			
	formation furnished by the registrant, the above tered under the Federal Insecticide, Fungicide a	-	ireby			
In order to protec cancel the regist: with the registrat	i no way to be construed as an endorsement or rec it health and the environment, the Administrator, ation of a pesticide in accordance with the Act. ion of a product under this Act is not to be con the name or to its use if it has been covered by	, on his motion, may at . The acceptance of ar istrued as giving the r	t any time suspend or any name in connection			
	oroduct is conditionally regis 3(c)(7)(A) provided that you:		ordance with			
reregistrat Agency requ data; and s	ibmit and/or cite all data requires of your product under FIR submit acceptable responses repondent under FIFRA section 4.	FRA sec. 3(c) lar products t	(5) when the to submit such			
	ake the label changes listed b for shipment:	below before y	you release			
	Revise the EPA Registration Nu No. 62719-256".	umber to read,	, "EPA Reg.			
	Add the statement "Avoid breat mist" to the Precautionary Sta		or or spray			
1	Rewrite the first line of the Equipment (PPE) to read "Appl: Including persons repairing or Year:".	icators and ot	ther handlers,			
Signature of Appre	wing Official:	Date:	<u></u>			

---- -

BEST AVAILABLE COPT

•

page 2 UNITED STATES ENVIRONMENTAL PROTECTION AGENCY EPA Reg. No. 62719-256

> d. Revise the requirement of protective eyewear under the list of Personal Protective Equipment to read "Protective eyewear, such as face shield or safety glasses (brow and temple protection recommended)".

J0₽!!

- e. Make the following changes to the User Safety Recommendations block:
 - i. Rewrite the first recommendation to read "Wash hands, face and arms with soap and water as soon as possible after mixing, loading or applying this product and before eating...".
 - ii. Rewrite the last sentence of the third recommendation to read "After work, remove all clothing, shower using soap and water, and change into clean clothing. Launder clothing worn during mixing, loading, application or cleaning and repairing equipment before reuse."
- f. Rewrite the second sentence of the Environmental Hazards section to read "Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark."
- g. Rewrite the recommendation for repeat applications in the directions for use on Apples, Pears, Stone Fruit and Nut Orchard Floors to read "Applications made under adverse conditions or when weeds are large may require repeat application, not to exceed 1.7 pounds per acre per growing season."

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Joanne T. Miller Product Manager (23) Fungicide-Herbicide Branch Registration Division (7505C)

Enclosure

CONCURRENCES							
	7505C						
SURNAME	P. KENNY					*****	
DATE	3/24/94				*****************		
EPA Form	n 1320-1A (1/90)			Printed on Recycled	Paper	OFFICI	AL FILE COPY

January 21, 1994

١.

3

}

page 2

-afli

[Editor's note: Added text is denoted by underline and deleted text by strike-through.]

(Container Label)

Justice®

For Selective Control Of Many Broadleaf Weeds In Apple, Pear, Stone Fruit And Nut Orchards

Precautionary Statements

Hazards to Humans and Domestic Animals

Keep Out of Reach of Children

DANGER PELIGRO:

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Corrosive - Causes irreversible Eye Damage - Harmful if Absorbed Through Skin Or Inhaled.

Do not get in eyes, on skin, or on clothing.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks
- Protective eyewear

ACCEPTED with COMMENTS In EPA Letter Dated

MAR 25 1991

.,÷

••••

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended. for the pesticide registered under EPA Reg. No. <u>62719-256</u>

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. After each day of use, clothing or PPE must not be reused until it has been cleaned.

Engineering Controls Statements:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protections Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- · Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.



First Aid:

-]

If In eyes: Hold eyelids open and flush with a gentle, steady stream of water for 15 minutes. Get medical attention.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation develops.

If swallowed: Drink promptly a large quantity of milk, egg white, gelatin solution, or if these are not available, large quantities of water. Avoid alcohol.

If inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-tomouth. Get medical attention.

Environmental Hazards

Drift or run off may adversely effect non-target plants. Do not apply directly to water except as specified on this label. Do not contaminate water when disposing of equipment wash waters.

Mixing and Loading: Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-dichlorophenoxyacetic acid have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-dichlorophenoxyacetic acid pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to the label booklet under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

Refer to label booklet for additional precautionary information including Personal Protective Equipment (PPE), Engineering Controls Statements and User Safety Recommendations, and Directions for Use including Storage and Disposal.

Notice: Read the entire label before using. Use only according to label directions. Before buying or using this product, read "Warranty Disclaimer" and "Limitation of Remedies" inside label booklet. In case of emergency endangering life or property involving this product, call collect 517-636-4400. Agricultural Chemical: do not ship or store with food, feeds, drugs, or clothing.

EPA Reg. No. 62719-____

EPA Est. 464-MI-1

DowElanco - Indianapolis, Indiana 46268, USA

Herbicide 5 X 1.12 lb Water Soluble Packets

BEST AVAILABLE COPY

(Label Booklet)

Justice®

For Selective Control Of Many Broadleaf Weeds In Apple, Pear, Stone Fruit And Nut Orchards

Active Ingredient:

2,4-dichlorophenoxyacetic acid**	85.0%
Inert Ingredients	
Total	100.0%
Each 1.12 Ib water soluble packet contains 0.95 Ib acid equivalent 2,4-dichlorophenoxyac **Isomer Specific by AOAC Method No. 978.05 (15th Ed.)	etic acid

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to the label booklet under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

Refer to label booklet for additional precautionary information including Personal Protective Equipment (PPE), Engineering Controls Statements and User Safety Recommendations, and Directions for Use including Storage and Disposal.

Notice: Read the entire label before using. Use only according to label directions. Before buying or using this product, read "Warranty Disclaimer" and "Limitation of Remedies" inside label booklet. In case of emergency endangering life or property involving this product, call collect 517-636-4400. Agricultural Chemical: do not ship or store with food, feeds, drugs, or clothing.


EPA Reg. No. 62719-___

EPA Est. 464-MI-1

UCOOF

DowElanco - Indianapolis, Indiana 46268, USA

Herbicide



Precautionary Statements

Hazards to Humans and Domestic Animals

Keep Out of Reach of Children

DANGER PELIGRO:

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Corrosive - Causes irreversible Eye Damage - Harmful if Absorbed Through Skin Or Inhaled.

Do not get in eyes, on skin, or on clothing.

Personal Protective Equipment (PPE)

- Applicators and other handlers must wear:
- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks
- Protective eyewear

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. After each day of use, clothing or PPE must not be reused until it has been cleaned.

Engineering Controls Statements:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protections Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- · Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As

soon as possible, wash thoroughly and change into clean clothing.

First Ald:

If in eyes: Hold eyelids open and flush with a gentle, steady stream of water for 15 minutes. Get medical attention.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation develops.

If swallowed: Drink promptly a large quantity of milk, egg white, gelatin solution, or if these are not available, large quantities of water. Avoid alcohol.

If Inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-tomouth. Get medical attention.

Environmental Hazards

Drift or run off may adversely effect non-target plants. Do not apply directly to water except as specified on this label. Do not contaminate water when disposing of equipment wash waters.

Mixing and Loading: Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-dichlorophenoxyacetic acid have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-dichlorophenoxyacetic acid pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will



page 6

reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

Directions for Use

• It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read entire label before using. Use only according to use directions.

Handling Precautions for Water Soluble Packets: Do not remove water soluble packet from foil overpack except for immediate use. Do not allow water soluble packet to come into contact with water prior to use. Do not handle water soluble packet with wet hands or wet gloves. Carefully reseal package containing unopened water soluble packets and protect package from moisture.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

Coveralls

}

- Waterproof gloves
- Shoes plus socks

Protective eyewear

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container in secured dry storage area. Prevent cross-contamination with other pesticides and fertilizers. Do not store above 122"F for extended periods of time. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below. Packets may become brittle when stored below 32"F. Handle carefully when frozen to avoid breakage or allow package to warm above 32"F before handling.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA regional office for guicence. Container Disposal: When all packets are used, dispose of empty package in a sanitary landfill'or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of sm/ke. General: Consult federal, state, or local disposal authorities for approved alternative procedures.



General Information

Justice herbicide in water soluble packets may be used for selective control of many broadleaf weeds in apple, pear, stone fruit and nut orchards. Apply Justice during warm weather when weeds are young and growing actively. Apply using ground equipment in sufficient spray volume to obtain adequate coverage, except as otherwise directed on this label. Use a spray volume of 15 or more gallons per acre for ground application. If only bands or rows are treated, leaving middles unsprayed, the dosage per crop acre is reduced proportionately. Generally, the lower dosages given will be satisfactory for young succulent growth of sensitive weed species. For less sensitive species and under conditions where control is more difficult, the higher dosages will be needed.

General Use Precautions

Do not apply this product through any type of irrigation system.

Avoid Contact With Susceptible Crops And Other Desirable Broadleaf Plants: Do not apply in the vicinity of cotton, grapes, tobacco, tomatoes, vegetables, flowers, ornamentals or other desirable broadleaf plants. Do not use in or near a greenhouse.

Avoid Spray Drift: Spray only when the wind velocity is below 10 mph. Applications should be made only when there is no hazard from spray drift since very small quantities of spray, which may not be visible, may severely injure susceptible crops during both growing and dormant periods. Use coarse sprays to minimize drift. Do not apply with hollow cone-type insecticide or other nozzles that produce fine spray droplets. Drift may be reduced by: (1) applying as near to the target as possible in order to obtain coverage; (2) by increasing the volume of spray mix per acre; (3) by decreasing the pounds of pressure at the nozzle tips; (4) by using nozzles which produce a coarse spray pattern; and (5) by not applying when wind is blowing toward susceptible crops or valuable plants.

Do not apply when a temperature inversion exists. Such a condition is characterized by little or no air movement and an increase in air temperature with an increase in height. Under humid conditions, a fog or mist may form. An inversion may be detected by producing a smoke column and checking for a layering effect. If observed local conditions suggest the existence of an inversion, consult with local weather services before making an application.

Do not apply this product using mist blowers.

Ground Equipment: To aid in reducing spray drift Justice should be used in thickened (high viscosity) spray mixtures such as Nalco-Trol drift control additive, high viscosity invert systems, or equivalent as directed by the manufacture. With ground equipment, spray drift can be reduced by keeping the spray boom as low as possible; by applying 20 gallons or more of spray per acre; and by spraying when wind velocity is below 10 mph. Do not apply with nozzles that produce fine droplet spray. Keep operation spray pressures at the lower end of the manufacturer's recommended pressures for the specific nozzle type used. Low pressure nozzles are available from spray equipment manufacturers. Select nozzles and pressures which provide adequate plant coverage, but minimize the production of fine spray particles.

Soil Movement: Excessive amounts of this herbicide in the soil may temporarily inhibit seed germination or plant growth. Violent wind storms may move soil particles and if they are blown onto the susceptible plants, visible symptoms may appear. The hazard of movement of Justice on dust is reduced if treated fields are irrigated or if rain occurs shortly after application.

Do not apply on ditches used to transport irrigation water. Do not apply where rur off or irrigation water may flow onto agricultural land as injury to crops may result.

Tank Mixes: Before using any recommended tank mixtures, read the directions and all use precautions on both labels.



January 21, 1994

page 8

Crop Injury: Injury to crops may occur when this herbicide is used as approved elsewhere on this label. If you are not prepared to accept some degree of crop Injury, do not use this product. Crop varieties vary in response to Justice and some are easily injured. Apply Justice only to varieties known to be tolerant to 2,4-dichlorophenoxyacetic acid. If you are uncertain concerning tolerant varieties or local use situations that may affect crop tolerance, consult your seed company, state Agricultural Extension Service or qualified crop consultant for advice.

Justice Weed List

.-

Annual and Blennial bitter weed lettuce, wild ragweed, giant mallow. Venice¹ broomweed rape, wild burdock marsh elder shepherd's purse carpetweed morningglory, annual sicklepod carrot, wild¹ morningglory, common smartweed cocklebur mustards sowthistle, annual netties¹ coffeweed spanishneedles crotori parsnip, wild sunflower everingprimrose, common pennycress tansymustard¹ thistle, bull¹ flixweed pennywort thistle, musk¹ fleabane, rough pepperweed pigweed¹ thistle, Russian galinsoga gumweed poorjoe tumbleweed hemp, wild velvetleaf poppy, prickly jewelweed¹ pusley, Florida vetch iimsonweed¹ radish, wild witchweed kochia¹ wormwood ragweed, common lambsquarters Perennial bindweed, field¹ Jerusalem-artichoke¹ rocket, yellow bindweed, hedge¹ Knapweed, diffuse sneezeweed, bitter loco, bigbend chicory sweetclover

dandelionlupinesthistle, Canada¹dockonion, wildvervains¹dogbane¹plantainswaterplantainganic, wild¹tt

¹Even under ideal conditions, these species may be only partially controlled and may require repeated applications and/or use of the higher recommended rate. Cultivation 5 to 7 days after application may improve control of these weed species if tillage options permit.

Mixing Directions

To calculate the number of packets for your spray mix:

- 1. Determine the number of acres you wish to spray in the desired application.
- 2. Divide the number of acres by the Packet Factor that falls within the rate range you have chosen.
- 3. The result is the number of packets you are required to add to the spray mix.

If the resulting number of packets is not a whole packet:

- 1. Do not open the water soluble packets.
- Round up or down to the nearest whole number of packets, insuring that the resulting number of acres/packet falls within the packet range for the desired application.

DEST AVAILABLE COP

Sample calculations:

1. Planned application = 17 acres at 1.7 lb/acre

page 9

100H1

- 2. 17 acres divided by the Packet Factor of 0.7 = 24.3 packets
- 1. Planned application = 17 acres postemorgence (stone fruit, etc.) at 1.7 b/acre.
- 2. 17 acres Packet Factor of 0.7 24.3 packets.

3. Use 24 packets. The resulting rate would equal 17 acres divided by 24 packets or 0.7 acres/packet.

Spray Preparation:

- 1. Fill the tank with 1/2 of the total amount of water required for the load. Do not apply with liquid fertilizers.
- 2. Start agitation system.
- 3. Add required number of water soluble packets. Open foil overpack and add the soluble packet (product in transparent film) directly into the spray tank while agitating. Handling packets with hands should be minimized. Do not open water soluble packets.
- Continue apitation and complete filling the tank while the packets dissolve.
- 5. Before spraying, make sure packets have completely disintegrated and product is thoroughly mixed with water. Depending on the water temperature and the degree of agitation, the packets and Justice should be completely dispersed within about 5 minutes from the time they were added to the water.

Note: An emulsifiable oil, wetting agent, or other non-ionic surfactant may be used to improve weed control effectiveness. However, use of these agents may also reduce selectivity to crops resulting in crop injury.

Approved Uses

Apple, Pear, Stone Fruit and Nut Orchard Floors Apply using ground equipment only.

Application Rates and Timing

Refer to Conversion Table below to convert recommended rates in pounds to number of water soluble packets.

Сторе		packet factor (acres/packet)
Apples, pears, stone fruit, and nut orchard floors	1.7	0.7

Apoly Justice at a maximum rate of 1.7 lb/acre for control of annual broadleaf weeds on the orchard floor. Use coarse sprays and low pressure in sufficient volume to obtain thorough wetting of weeds. Apoly when weeds are actively growing. Applications mad under adverse conditions or when weeds are large may require repeat application.

Apple and Pear Orchards: Make up to two (2) applications during the growing season as needed.

Stone Fruit and Nut Orchards: Make up to two (2) applications during the dormant season or growing season as needed.

Apply-Justice at a rate of 1.7 Ib per acre for control of annual broadleaf weeds in the orchard flocr.-Use coarse sprave and low pressure in sufficient volume of water to obtain thorough wetting of weeds. Do not use in light sandy soil. Apply when needs are actively growing. Applications made under advector conditions or to large weeds may require repeat applications, not to exceed 1.7 lb/acro per growing **R03603**

BEST AVAILABLE COPT

. .

. . . .

Precautions:

- Not registered for use in California.
- Do not apply to bare ground as injury may result.
- Do not use on light sand soils.
- Do not apply immediately before irrigation or for 3 days after treatment. Irrigation 24 hours prior to treatment may enhance control.
- Do not allow spray to drift or contact foliage, fruit, stems, trunks of trees, or exposed roots as injury may result.
- Do not apply to newly established or young orchards. Trees must be at least 1 year old and in vigorous condition.
- Do not apply during bloom.
- Do not graze or feed cover crops from treated orchards.
- Do not make more that two applications per year.
- Preharvest Interval: Do not harvest stone fruit within 40 days of application or harvest nuts within 60 days of application.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants that this product conforms to the chemical description on the label; that this product is reasonably fit for the purposes set forth in the directions for use when it is used in accordance with such directions; and that the directions, warnings and other statements on this label are based upon responsible expert's evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants. Tests have not been made on all varieties or in all states or under all conditions. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTIES EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.

BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLERS EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

NOTICE TO BUYER

Purchase of this material does not confer any rights under patents governing this product or the use thereof in countries outside the United States of America.

Copyright© 1993 DowElanco

BEST AVAILABLE COPT