



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

March 25, 2015

Tami Jones-Jefferson; Regulatory Leader  
Dow AgroSciences LLC  
9330 Zionsville Road  
Indianapolis, IN 46268

Subject: Label Amendment – Supplemental Label allowing Rangeland and Permanent Grass Pasture use in the following states: Arizona, New Mexico, Oklahoma, and Texas  
Product Name: Transline  
EPA Registration Number: 62719-259  
Application Date: 3/23/15  
Decision Number: 502536

Dear Ms Jones-Jefferson:

The supplemental label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your supplemental labeling is enclosed for your records.


Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2  
EPA Reg. No. 62719-259  
Decision No. 502536

with FIFRA section 6. If you have any questions, you may contact Dominic Schuler at 703-347-0260 or via email at [schuler.dominic@epa.gov](mailto:schuler.dominic@epa.gov).

Sincerely,

A handwritten signature in black ink that reads "Kathryn V. Montague". The signature is written in a cursive style with a long horizontal flourish extending to the right.

Kathryn Montague, Product Manager 23  
Herbicide Branch  
Registration Division (7505P)  
Office of Pesticide Programs

# Supplemental Labeling

**ACCEPTED**  
03/25/2015  
Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 62719-259



**Dow AgroSciences**

**Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, IN 46268-1054 USA**

## Transline<sup>®</sup>

EPA Reg. No. 62719-259

Rangeland and Permanent Grass Pastures

(For Use or Distribution in Arizona, New Mexico, Oklahoma, and Texas ONLY)

**This supplemental label expires on December 31, 2015, and must not be used or distributed after this date.**

### ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Transline<sup>®</sup> herbicide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Transline according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Transline.

### Directions for Use

Use Transline to control susceptible broadleaf weeds on rangeland areas, shelterbelts, Conservation Reserve Program acres, or established forage grasses in permanent grass pastures. Best results on most weeds are obtained when weeds are small and actively growing (see specific information below) and application is made in 10 gallons or more per acre of water using ground equipment.

There are no grazing or haying restrictions following Transline applications when used at labeled rates.

#### Application Rates

Apply Transline at a rate of 1/3 to 1 1/3 pint per acre when weeds are young and actively growing. Apply Transline as described below for control of spotted and diffuse knapweed, Canada thistle, musk thistle, yellow starthistle and suppression of Russian knapweed. Use the lower labeled application rate for young, actively growing weeds. Use the higher rate under less favorable growing conditions or on dense weed stands and/or larger weeds. Transline may also be tank mixed with 2,4-D at 1/2 to 1 lb ae per acre where weed species present are susceptible to 2,4-D.

| Weed Species                           | Application Rate (pint/acre) | Application Timing                                                                                                                          |
|----------------------------------------|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| thistle, musk                          | 1/3 - 1 <sup>1</sup>         | Apply from rosette to early bolt growth stage.                                                                                              |
| thistle, artichoke<br>thistle, Italian | 1/3 – 2/3                    | Apply at the rosette growth stage.                                                                                                          |
| starthistle, yellow                    | 1/2 - 1                      | Apply from rosette to mid-bolt growth stage                                                                                                 |
| knapweed, diffuse<br>knapweed, spotted | 2/3 - 1                      | Apply any time plants are actively growing, including fall regrowth. Optimum time is from mid bolt to late bud stage of growth.             |
| thistle, artichoke<br>thistle, Italian |                              | Apply during the bolting growth stage.                                                                                                      |
| thistle, Canada                        | 2/3 - 1 1/3                  | Apply after the majority of basal leaves have emerged through the beginning of the bud stage. Application may also be made to fall regrowth |
| knapweed, Russian (suppression)        | 1 - 1 1/3                    | Apply from bud to mid-flower growth stage or treat fall regrowth.                                                                           |

<sup>1</sup>Transline may be applied to musk thistle in the rosette stage at 1/3 pint per acre only when applied in tank mixture with 2,4-D at 1/2 to 1 lb ae per acre. Otherwise, apply Transline to musk thistle at 2/3 to 1 pint per acre.

®Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow  
R113-014  
Accepted: \_\_/\_\_/\_\_  
Initial Printing