R2A / Turf Fertilizer Contains Confront / Amend With Edits / 09-12-00

page 1

(Front Panel of Label)

(logo) Dow AgroSciences LLC

Turf Fertilizer Contains Confront*

- Selectively controls annual and perennial broadleaf weeds
- · Provides a feeding of fertilizer

SEP 2 2 2000

Under the Pederal Insecticide.
Pangleide, and Redemitcide Act.
as amended, for the posticide
registered under
EPA Reg. No. 6229-262

Net Weight 34.21 lb (15.52 kg)

KEEP OUT OF REACH OF CHILDREN WARNING

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING, Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear goggles or face shield. Harmful if swallowed or absorbed through the skin. Avoid contact with skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Causes Substantial But Temporary Eye Injury • Harmful If Absorbed Through The Skin

Do not get in eyes or on clothing. Avoid contact with skin. Wear long-sleeved shirt and long pants, socks and shoes, goggles or face shield and chemical resistant gloves made of rubber or other wateroof material. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

User Safety Recommendations

Users should:

)

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Statement of Practical Treatment First Aid

If in eyes: Hold eyelids open and flush with steady, gentle stream of water for 15-minutes. Get medical attention if irritation persists. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Wash with plenty of soap and water. Get medical attention if irritation persists Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a doctor or get medical attention. Do not induce vemiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Environmental Hazards

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when <u>cleaning equipment or</u> disposing of equipment washwaters.

Clopyralid is a chemical which can travel (seep or leach) through soil and under certain conditions contaminate ground water which may be used for irrigation or drinking purposes. Users are advised not to apply clopyralid where soils have a rapid to very rapid permeability throughout the profile (such as loamy sand to sand) and the water table of an over limestone bedrock, severely fractured surfaces, and substrates which could allow direct introduction into an aquifer. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

Notice: Read the entire label. Use only according to label directions. Before buying or using this product, read "Warranty Disclaimer" and "Limitation of Remedies".

(Front Panel of Label - Continued)

Turf Fertilizer Contains Confront*

Acid Equivalent:

triclopyr - 0.36% clopyralid - 0.12%

Guaranteed Analysis	VV0/
Total nitrogen (N)	
X.X% ammoniacal nitrogen	
XX.X% urea, methylene ureas nitrogen	
X.X% water insoluble nitrogen	
Available phosphoric acid (P2O5)	X%
Soluble potash (K ₂ O)	X%

EPA Reg. No. 62719-262

EPA Est. XXXX-XX-X

Product of USA

*Trademark of Dow AgroSciences LLC

[Editor's note: Registrant: Dow AgroSciences LLC • Indianapolis, IN 46268-1054]

Distributed by:
(Name and address of sub

(Name and address of subregistrant)

Recommended for Use by Professional Turfgrass Managers

(Back Panel of Label)

Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use before applying.

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in original container in a clean, dry area away from extremes of heat and cold

and out of direct sunlight.

Pesticide Disposal: Pesticide wastes are toxic. <u>Improper disposal of excess pesticide, spray mixture, or insate is a violation of Federal Law.</u> If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office of guidance.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

General Information

This turf fertilizer product contains Confront herbicide which is a broad spectrum non-phenoxy weed killer that will control broadleaf weeds in established cool season and warm season turfgrass.

Weeds Controlled by Turf Fertilizer Contains Confront

Apply Turf Fertilizer Contains Confront to moist or dry foliage at the NORMAL RATE (0.65 lb ai/A) to control the following weeds:

black medic

hop clover

bristly hawksbeard

narrow leaf plantain (buckhorn)

broadleaf plantain

red clover

catsear (coast dandelion)

white clover

common dandelion false dandelion

hawkweed

Note: Moist foliage application will provide quicker results. For best herbicide effect when applying to dry foliage, apply when good soil moisture conditions are present.

Apply Turf Fertilizer Contains Confront to moist foliage at the HEAVY RATE (0.75 lb ai/A) to control the following weeds.

creeping beggarweed dwarf beggarweed

roundleaf mallow sheep sorrel shepherdspurse slender speedwell

burdock coffee weed

smartweed spurweed

common chickweed mouseear chickweed common cocklebur

Canada thistle

curly dock dollarweed

old world diamond flower

English lawn daisy goldenrod ground ivy

common vetch Virginia pepperweed wild buckwheat

henbit

common yellow woodsorrel

lambsquarters lespedeza creeping woodsorrel prostrate spurge

matchweed

wild violet

poison ivy

Virginia buttonweed

common ragweed

A repeat application may be needed for harder to control weeds in 4 to 6 weeks.

Turf Fertilizer Contains Confront is recommended for use on the following turf species:

Established Cool Season Turfgrasses

Common Name bluegrass, Kentucky fescue, chewings

Scientific Name Poa pratensis

Festuca rubra var.

commutata

fescue, creeping red

Festuca rubra

fescues, sheeps fescue, tall

Festuca ovina

ryegrass, perennial

Festuca arundinaceae Lolium perenne

Established Warm Season Turfgrasses†

Common Name

Scientific Name

bahiagrass

Paspalum spp.

(Argentine or Pensacola)

common Bermudagrass

Cynodon dactylon (common bermuda

only)

buffalograss centipedegrass Buchloe dactyloides Eremochloa ophiurodies

zoysiagrass zoysiagrass

Zoysia japonica

fescue, tall

Zoysia tenuifolia Festuca arundinaceae

(growing in warm season area)

TDo not treat warm season turfgrasses with Turf Fertilizer Contains Confront when mowing height is less than 1/2 inch.

Do not use Turf Fertilizer Contains Confront on golf course putting greens and tees.

Turf Fertilizer Contains Confront may discolor and/or stunt turf that is not well-established or is stressed or weakened due to unfavorable climatic conditions, temperature extremes, drought, nematodes, or other factors which damage or weaken turf. Apply Turf Fertilizer Contains Confront only to healthy, wellestablished turf that has a well-anchored root system.

Common bermudagrass, centipedegrass, zoysiagrass, and bahiagrass may be temporarily discolored by Turf Fertilizer Contains Confront.

Do not apply Turf Fertilizer Contains Confront to bentgrass; hybrid bermudagrass varieties such as Tifway, Tifdwarf, and Tifgreen; St. Augustinegrass; and ground covers such as lippia.

On bahiagrass and centipedegrass, do not apply before mid-March or until after the second mowing of the year. In the Fall, do not treat centipedegrass after the first of October or bahiagrass after the first November.

Application Directions

Make application using equipment that will ensure uniform coverage. Application should be made when weeds are actively growing. Good soil moisture conditions should be present before application to achieve optimal results. Application under drought conditions may provide less than desirable results.

Broadleaf weed species germinate at different times. Only emerged weeds present at time of application are controlled.

Additional applications should not be made less than 4 weeks apart to minimize grass injury. Newly seeded turf should be mowed 4 times before being treated.

General Use-Application Precautions and Restrictions

Apply this product only as specified on this label.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Application Restrictions: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Entry Restrictions: Do not enter of allow others to enter the treated area until dusts have settled.

Do not contaminate feed or foodstuffs.

Do not contaminate water used for irrigation or domestic purposes.

Do not graze treated areas. Do not feed clippings to livestock.

Do not apply Turf Fertilizer Contains Confront directly to, or otherwise permit it to come into direct contact with vegetables, flowers, fruit or ornamental trees, cotton, grapes, tobacco, or other nontarget broadleaf plants.

Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect nontarget plants.

Do not apply to exposed roots of shallow rooted trees and shrubs and allow to contact exposed suckers or injury may occur.

Do not reseed until 4 weeks after application.

Do not apply at greater than recommended rates, especially under the branch spread (dripline) of trees.

Do not use grass clippings from turf treated with Turf Fertilizer Contains Confront for mulch.

Do not use compost containing grass clippings from turf treated with Turf Fertilizer Contains Confront in the growing season of application.

Do not apply on ditches used to transport irrigation water.

Do not apply where runoff or irrigation water may flow onto susceptible crops as injury may result.

Do not seed, sod, or sprig after application. Delay until no sooner than 4 weeks after application.

Treatment of Turf Species Not Listed on the Confront Fertilizer Label

Users who wish to use Confront on turf species not recommended on this label may determine the suitability for such uses by treating a small area at a recommended rate. Prior to treatment of larger areas, the treated area should be observed for any sign of herbicidal injury during 30 days of normal growing conditions to determine if the treatment is safe to the target species. The user assumes the responsibility for any plant damage or other liability resulting from the use of Confront on species not recommended on this label.

Suggested Spreader Settings

To provide proper distribution, calibrate spreader before application.

34.21 lb treats 11,000 ft at the NORMAL RATE (0.9 lb N/M) 0.65 lb ai/A 34.21 lb treats 9,529 ft at the HEAVY RATE (1.04 lb N/M) 0.75 lb ai/A

SPREADER SETTINGS (lb product/acre) GROUND WIDTH OF NORMAL **HEAVY COVERAGE** RATE **SPEED** RATE SPREADER <u>135.5</u> 156.4 Х Scotts Drop Type 3 mph overlap wheels Х Х Х Gandy 3 mph overlap wheels **Scotts Rotaries** R-7[†], R-7X[†] 3 mph X feet X R-8 (cone X) 3 mph X feet Х Lely models X XX feet (see below) 4.5 mph Х XX feet X Vicon (Model 02) 4.5 mph Х Vicon (Model 03) 4.5 mph XX feet

†For the R-7X model, use with adjustable pattern slide 1/4 closed.

Lely models WTR, WFR, HR, and 1250. PTO at 450 rpm.

IMPORTANT NOTICE: DISCLAIMER AND LIMITATION OF LIABILITY

[Editor's note: Subregistrant may insert appropriate warranty and disclaimer information.]

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. All such risks shall be assumed by Buyer.

Limitation of Remedies

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

- 1. Refund of purchase price paid by buyer or user for product bought, or
- Replacement of amount of product used.

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

R2A / Turf Fertilizer Contains Confront / Amend With Edits / 09-12-00

page 8

The terms of the "Warranty Disclaimer" above and this "Limitation of Remedies" cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller is authorized to vary or exceed the terms of the "Warranty Disclaimer" or this "Limitation of Remedies" in any manner.

*Trademark of Dow AgroSciences LLC EPA-Accepted __/__/__