

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

November 3, 2015

Tami Jones-Jefferson Regulatory Manager Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, IN 46268

Subject: Notification per PRN 98-10 – Addition of Fertilizer Information and Marketing

Claims

Product Name: Turf Fertilizer Contains Confront

EPA Registration Number: 62719-262

Application Date: 10/20/2015 Decision Number: 510764

Dear Ms. Jones-Jefferson:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you have any questions, you may contact Sarah Meadows at 703-347-0505 or via email at meadows.sarah@epa.gov.

Page 2 of 2 EPA Reg. No. 62719-262 Decision No. 510764

Sincerely,

Reuben Baris, Product Manager 25

FOR

Herbicide Branch

Registration Division (7505P) Office of Pesticide Programs

(Base label):

Turf Fertilizer Contains Confront®

Herbicide HERBICIDE

To be applied only under the direct supervision of licensed pesticide applicators responsible for turf weed control programs.

- Selectively controls annual and perennial broadleaf weeds
- Provides a feeding of fertilizer

NOTIFICATION

62719-262

The applicant has certified that no

the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

11/3/2015

Covers up to XX,000 sq ft (XXX' x XX')
and/or

This bag covers XX,000 sq ft

Active Ingredients:

triclopyr: 3,5,6 trichloro-2pyridinyloxyacetic acid,

triethylamine salt0.50%

clopyralid: 3,6-dichloro-2-pyridinyloxyacetic

Acid Equivalent:

triclopyr - 0.36% clopyralid - 0.12%

[Editor's note: Supplemental distributor will add fertilizer analysis and derivation statement for fertilizer carrier used.]

Guaranteed Fertilizer AnalysisTotal Nitrogen (N)X.XX%Available Phosphoric Acid (P_2O_5)X.XX%Soluble Potash (K_2O)X.XX%

Guaranteed Fertilizer Analysis: XX-XX-XX[†] Water-Insoluble Nitrogen*.....XX% Total Nitrogen (N).....XX% Ammoniacal Nitrogen.....XX% Nitrate Nitrogen XX% Urea Nitrogen**XX% Other Water Soluble NitrogenXX% Available Phosphate (P₂O₅) XX% Soluble Potash (K₂O) XX% Calcium (Ca)XX% Magnesium (Mg)XX% <u>Copper (Cu)......XX%</u> Iron (Fe).....XX% Manganese (Mn) XX% Zinc (Zn).....XX% Sulfur/Combined Sulfur (S)***XX% Chlorine (CI) MaxXX%

*[XX]% Water insoluble nitrogen from biosolids.

**[XX]% Slowly available nitrogen from [polymer/sulfur] coated urea

**[XX]% Stabilized urea nitrogen with dicyandiamide and N-(n-butyl) thiophosphoric triamide

**[XX]% Enhanced efficiency urea nitrogen with [partial calcium salt of maleic-itaconic copolymer/partial calcium salt of maleicitaconic copolymer]

***[XX]% Free Sulfur (S)

Derived From: [XX]^T

Primary plant foods derived from: [XX][†] Secondary plant foods derived from [XX][†]

Iron derived from: [XX][†]

[Editor's Note: the following information may be added in the boxes above, this footnote must be deleted from the label after completion of the above Fertilizer Analysis data]

[†] Urea, methylene urea, sulfur coated <u>urea, polymer coated urea, poly coated sulfur coated urea, urea</u> formaldehyde, ammonium sulfate, corn gluten, bio-solids (Milorganite), diammonium phosphate, monoammonium phosphate, magnesium ammonium phosphate hexa-hydrate, triple super phosphate, ammoniated phosphates, sulfate of potash, muriate of potash, sulfate of potash-magnesia, potassium nitrate, copper oxide, copper sulfate, iron oxide, iron sucrate, iron/ferrous sulfate, manganese oxide, molybdic oxide, manganese sulfate, manganese sucrate, zinc

Keep Out Of Reach Of Children WARNING

[Optional Label Claims]

This Bag Treats Up To____ Square Feet

Controlled [Slow] release nitrogen for extended feeding

Contains Iron for deep greening

Iron enriched [formula]

Deep greening [formula]

Slow release nitrogen feeds your turfgrass over [x] months. [Note: The "x" represents the amount of months the fertilizer feeds depending on what we use (i.e. methylene urea, PCSCU)]

Phosphorus [Phosphate] free [formula]

Zero Phosphorus

Rich Green Turfgrass

Long-lasting Feeding

100% Satisfaction Guaranteed or Your Money Back!

Fortified with Milorganite [Note: Milorganite (logo/graphic) Need to move logo outside of label text (above product name, on side of label or below text)]

Contains Non-Burning, Slow-Release Nitrogen and Iron for Deep Greening

Contains Non-Burning Nitrogen

Contains Slow-Release Nitrogen

Controlled Release [Fertilizer] Technology feeds turfgrass] for 2+ months

UFLEXX[™] Stabilized Nitrogen

<u>UFLEXX[™] is a trademark of AGROTAIN International, LLC.</u>

UFLEXX[™] is a trademark of Koch Fertilizer, LLC.

XX.X% Stabilized Nitrogen from UFLEXX[™]

UMAXX® Stabilized Nitrogen

UMAXX[®] is a registered trademark of AGROTAIN International, LLC.

XX.X% Stabilized Nitrogen from UMAXX®

NutriSmart®

NutriSmart is a registered Trademark of CK Life Science

Contains SCU [Sulfur Coated Urea]

NutriSphere-N[®] XXX – [The % Nutrisphere is indicated by the number built into the logo and can range from 25 to 100.]

NutriSphere-N is a registered trademark of Specialty Fertilizer Products

Avail®

Avail is a registered trademark of Specialty Fertilizer Products

N-Sure[®]

N-Sure is a registered trademark of Tessenderlo Kerley

with XCU®

XCU is registered trademark of Agrium

XCU is registered trademark of Koch Fertilizer, LLC

Apex-10[™] Specialty Nutritionals

Crystal Green® slow-release nutrient technology

<u>Crystal Green is a registered trademark of Ostara Nutrient Recovery Technologies</u>

Agrotain® Ultra

Agrotain is a registered trademark of Koch Agronomic Services

RXN XXX – [The % RxN (Agrotain Ultra) is indicated by the number built into the logo and can range from 20 to 100.]

STN XXX – [The % STN is indicated by the number built into the logo and can range from 25 to 100]

STU [Agrotain Ultra]

Growing a Better World [Harrell's Private Labels Only]

Regain [Spring Valley Labels Only]

MESA® Patented [Lebanon Seaboard Private Labels Only]

Meth-Ex [®] [Lebanon Seaboard Private Labels Only]

Expo potassium sulfate [Lebanon Seaboard Private Labels Only]

With LSN – LebanonTurf Stabilized Nitrogen [Lebanon Seaboard Private Labels Only]

Green-Smart Technology [Lebanon Seaboard Private Labels Only]

Enhanced efficiency fertilizer GreenSmart for a Green Turfgrass [Lebanon Seaboard Private Labels Only]

Contains LESCO® Poly Plus® Polymer Coated Urea to provide uniform growth with extended nitrogen feeding. Poly Plus is comprised of Polymer Coated Urea. [John Deere Landscapes/LESCO Private Labels Only]

<u>LESCO and Poly Plus are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC. [John Deere Landscapes/LESCO Private Labels Only]</u>

Nutrilife fertilizer technology

Wolf Trax DDP (Dispersable Dry Powder) Fe (Iron) Mn (Manganese), Zn (Zinc) Micronutrients

<u>Professional Turf Grade/Premium Turf Grade/Mini Fairway Grade: Size Guide Number SGN XXX</u>
[The text box may have any combination of SGNs listed within the box. 80, 100, 145, 150, 195, 200, 210, 220, 230]

<u>Duration XXX – Average nutrient release XXX days [The text box below may have any combination of the % Durations listed within the box. Duration 180 - Duration 120 - Duration 90 - Duration 45]</u>

If this product is being sold in a state requiring the publication of information regarding its metal content, information regarding the contents and levels of metals in this product is available at the following website: http://www.aapfco.org/metals.htm.

<u>Information regarding the contents and levels of metals in this product is available on the Internet</u> at:

- http://www.cdfa.ca.gov/egov/is/fert/
- o http://www.oda.state.or.us/dbs/heavy metal/search.lasso
- http://www.agr.wa.gov/PestFert/Fertilizers/ProductDatabase.aspx
- o http://www.aapfco.org/metals.htm.

It is a violation of law in Maryland, New Hampshire, and New Jersey to apply this product to turf at a rate that results in greater than 0.7 lb per 1,000 sq.ft. of readily available nitrogen or more than 0.9 lb per 1,000 sq.ft. of total nitrogen with a least 20% of which shall consist of slow release nitrogen per application. Additional restrictions apply to total nitrogen applied to turf per season. Other state and local restrictions may apply. [Maryland, New Hampshire, or New Jersey Applications]

No more than 0.7 lb per 1,000 sq.ft. of readily available nitrogen during any given 30 day period. No more than 0.9 lb (cool season grasses) or 1.0 lb (warm season grasses) per 1,000 sq.ft. of total nitrogen with a least 20% of which shall consist of slow release nitrogen during any given 30 day period. [Virginia Applications]

<u>Do not apply near water storm drains or drainage ditches. Do not apply if heavy rain is expected.</u>

<u>Apply this product only to turf and sweep any product that lands on driveways, sidewalks, or streets back onto the turfgrass. [Maryland Applications]</u>

This fertilizer contains phosphorus and may not be used on turf in the state of Maryland except when 1) providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory identified under §8-803.7 of the Agriculture Article, Annotated Code of Maryland, performed no more than 3 years before the application; 2) establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State; or 3) reestablishing or repairing a turf area. [Maryland Applications which contain Phosphorus] Not for use on established lawns or grass in MD. [If phos >5% and is not classified as a "starter" fertilizer]

In Virginia this lawn/turf fertilizer contains phosphorous and is only for nonagricultural use on (i) turf during its first growing season, (ii) on turf areas being repaired or renovated, and (iii) on turf where a soil test performed within the last 3 years indicates a phosphorous deficiency. This fertilizer is not for the routine maintenance of turf. [Virginia Applications which contain Phosphorus]

Note: Supplemental applications of fertilizer are needed to achieve a minimum 1lb Nitrogen per 1,000 sq ft.

Maximize your turfgrass

Stein Policy - 100% Satisfaction Guaranteed - If for any reason you are not satisfied with the results after using this premium product, you are entitled to replacement bags of fertilizer or your money back. Simply bring proof of purchase to any Stein Garden Center. [EC Grow Private Labels Only]

If, after using this product, you are dissatisfied with the results, simply mail the sales receipt, a brief description of the problem and your contact information to the address listed below for a refund of the purchase price of the product. EC Grow • PO Box 837 • Eau Claire, WI 54702 [EC Grow Private Labels Only]

If you have questions or comments regarding the quality of this product, please write to Turf Care Supply Corp. at the address below, or call Customer Service at 877-220-1014 between the hours of 9 A.M. and 5 P.M., Eastern Time, Monday through Friday. Please refer to the item number found on this bag when writing or calling. [Turf Care Supply Private Labels Only]

This product contains polymer-coated Enhanced Efficiency Fertilizer technology. As your lawn/turfgrass demands nutrients, nitrogen is released slowly into the soil for plant root uptake. This controlled-release approach eliminates surge growth and provides predictable feeding for over two months. All Menards Premium fertilizer products contain Enhanced Efficiency Fertilizer which ensures consistent feeding, deep greening, and promotes overall lawn/turfgrass health.

SPREAD IT & FORGET IT and the SPREAD IT & FORGET IT logo are registered trademarks of Koch Agronomic Services, LLC.

<u>DURATION CR and the DURATION CR logo are registered trademarks of Koch Agronomic Services, LLC.</u>

The KOCH logo is a trademark of Koch Industries, Inc. © 2014 Koch Agronomic Services, LLC.

STA-GREEN® is used under license to Central Garden and Pet Company

UFLEXX is a trademark of Koch Fertilizer LLC

CONTROLLED-RELEASE FERTILIZER

ENGINEERED FOR PERFORMANCE

DRIVEN BY DURATION CR

Contains XCU Polymer Coated Sulfur Coated Urea, a trademark of Koch Agronomic Services, LLC

Made in USA

Precautionary Statements

Hazards to Humans and Domestic Animals

Causes Substantial But Temporary Eye Injury • Harmful If Absorbed Through The Skin

Do not get in eyes or on clothing. Avoid contact with skin. Wear long-sleeved shirt and long pants, socks and shoes, goggles or face shield and chemical resistant gloves made of rubber or other waterpoof material. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

User Safety Recommendations

Users should:

- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information.

Environmental Hazards

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

Clopyralid is a chemical which can travel (seep or leach) through soil and under certain conditions contaminate ground water which may be used for irrigation or drinking purposes. Users are advised not to apply clopyralid where soils have a rapid to very rapid permeability throughout the profile (such as loamy sand to sand) and the water table of an over limestone bedrock, severely fractured surfaces, and substrates which could allow direct introduction into an aquifer. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

(Storage and Disposal for rigid containers 5 gal or less)

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container in a clean, dry area away from extremes of heat and cold and out of direct sunlight.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

(Storage and Disposal for nonrigid containers any size)

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container in a clean, dry area away from extremes of heat and cold and out of direct sunlight.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available, or dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

(Storage and Disposal for refillable rigid containers greater than 5 gal)

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container in a clean, dry area away from extremes of heat and cold and out of direct sunlight.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container.

Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, a gitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

(Storage and Disposal for nonrefillable rigid containers larger than 5 gal)

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container in a clean, dry area away from extremes of heat and cold and out of direct sunlight.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Refer to label booklet for Directions for Use.

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies elsewhere on this label. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

EPA Reg. No.	62719-262	

Trademark of Dow AgroSciences LLC

®Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

Produced for Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, IN 46268

Net Weight NET WEIGHT

EPA Est.

(Label booklet cover):

Turf Fertilizer Contains Confront®

Herbicide HERBICIDE

To be applied only under the direct supervision of licensed pesticide applicators responsible for turf weed control programs.

- Selectively controls annual and perennial broadleaf weeds
- Provides a feeding of fertilizer

Covers up to XX,000 sq ft (XXX' x XX') and/or

This bag covers XX,000 sq ft

Active Ingredients:

triclopyr: 3,5,6 trichloro-2pyridinyloxyacetic acid,

triethylamine salt0.50%

clopyralid: 3,6-dichloro-2-pyridinyloxyacetic

Acid Equivalent:

triclopyr - 0.36% clopyralid - 0.12%

[Editor's note: Supplemental distributor will add fertilizer analysis and derivation statement for fertilizer carrier used.]

Guaranteed Fertilizer AnalysisTotal Nitrogen (N)X.XX%Available Phosphoric Acid (P_2O_5)X.XX%Soluble Potash (K_2O)X.XX%

Guaranteed Fertilizer Analysis: XX-XX-XX[†] Water-Insoluble Nitrogen*.....XX% Total Nitrogen (N)......XX% Ammoniacal Nitrogen.....XX% Nitrate Nitrogen XX% Urea Nitrogen**XX% Other Water Soluble NitrogenXX% Available Phosphate (P2O5).....XX% Soluble Potash (K₂O)....XX% Calcium (Ca)XX% Magnesium (Mg)XX% <u>Copper (Cu)......XX%</u> Iron (Fe).....XX% Manganese (Mn) XX% Zinc (Zn).....XX% Sulfur/Combined Sulfur (S)***XX% Chlorine (CI) MaxXX%

*[XX]% Water insoluble nitrogen from biosolids.

**[XX]% Slowly available nitrogen from [polymer/sulfur] coated urea

**[XX]% Stabilized urea nitrogen with dicyandiamide and N-(n-butyl) thiophosphoric triamide

**[XX]% Enhanced efficiency urea nitrogen with [partial calcium salt of maleic-itaconic copolymer/partial calcium salt of maleic-itaconic copolymer]

***[XX]% Free Sulfur (S)

Derived From: [XX][†]

Primary plant foods derived from: [XX][†]
Secondary plant foods derived from [XX][†]

Iron derived from: [XX][†]

[Editor's Note: the following information may be added in the boxes above, this footnote must be deleted from the label after completion of the above Fertilizer Analysis data]

[†] Urea, methylene urea, sulfur coated urea, polymer coated urea, poly coated sulfur coated urea, urea formaldehyde, ammonium sulfate, corn gluten, bio-solids (Milorganite), diammonium phosphate, monoammonium phosphate, magnesium ammonium phosphate hexa-hydrate, triple super phosphate, ammoniated phosphates, sulfate of potash, muriate of potash, sulfate of potash-magnesia, potassium nitrate, copper oxide, copper sulfate, iron oxide, iron sucrate, iron/ferrous sulfate, manganese oxide, molybdic oxide, manganese sulfate, manganese sucrate, zinc

Keep Out Of Reach Of Children

WARNING

Refer to inside of label booklet for additional precautionary information including Directions for Use.

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of Directions for Use. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

EPA Reg. No. 62719-262

EPA Est.

[®]Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

Produced for Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, IN 46268

Net Weight ____NET WEIGHT ____

[®] Trademark of Dow AgroSciences LLC

(Page 1 through end):

Precautionary Statements

Hazards to Humans and Domestic Animals

WARNING

Causes Substantial But Temporary Eye Injury • Harmful If Absorbed Through The Skin

Do not get in eyes or on clothing. Avoid contact with skin. Wear long-sleeved shirt and long pants, socks and shoes, goggles or face shield and chemical resistant gloves made of rubber or other waterpoof material. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

User Safety Recommendations

Users should:

- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information.

Environmental Hazards

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

Clopyralid is a chemical which can travel (seep or leach) through soil and under certain conditions contaminate ground water which may be used for irrigation or drinking purposes. Users are advised not to apply clopyralid where soils have a rapid to very rapid permeability throughout the profile (such as loamy sand to sand) and the water table of an over limestone bedrock, severely fractured surfaces, and substrates which could allow direct introduction into an aquifer. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use before applying.

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in original container in a clean, dry area away from extremes of heat and cold and out of direct sunlight.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Nonrefillable rigid containers 5 gallons or less:

Container Handling: Nonrefillable container. Do not reuse or refill this container.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

Nonrefillable nonrigid containers:

Container Handling: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available, or dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

Refillable rigid containers larger than 5 gal:

Container Handling: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water. and, if possible, spray all sides while adding water. If practical, a gitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

Nonrefillable rigid containers larger than 5 gal:

Container Handling: Nonrefillable container. Do not reuse or refill this container.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

General Information

This turf fertilizer product contains Confront® herbicide which is a broad spectrum weed killer that will control broadleaf weeds in established cool season and warm season turfgrass.

Turf Fertilizer Contains Confront is recommended for use on the following turf species:

Common Name Scientific Name

Established Cool Season Turfgrass

bluegrass, Kentucky Poa pratensis

fescue, chewings Festuca rubra var.commutata

fescue, creeping red Festuca rubra fescues, sheeps Festuca ovina

fescue, tall Festuca arundinaceae

ryegrass, perennial Lolium perenne

Established Warm Season Turfgrass¹

bahiagrass (Argentine or Pensacola)

buffalograss

centipedegrass

bermudagrass²

fescue, tall (growing in warm season

Paspalum spp.

Buchloe dactyloides

Eremochloa ophiurodies

Cynodon dactylon

Festuca arundinaceae

area)

zoysiagrass Zoysia japonica zoysiagrass Zoysia tenuifolia

¹Do not treat warm season turfgrasses with Turf Fertilizer Contains Confront when mowing height is less than 1/2 inch.

Turf Fertilizer Contains Confront may discolor and/or stunt turf that is not well-established or is stressed or weakened due to unfavorable climatic conditions, temperature extremes, drought, nematodes, or other factors which damage or weaken turf. Apply Turf Fertilizer Contains Confront only to healthy, well-established turf that has a well-anchored root system.

Bermudagrass, centipedegrass, zoysiagrass, and bahiagrass may be temporarily discolored by Turf Fertilizer Contains Confront.

Application Precautions and Restrictions

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

In California, Oregon and Washington, turfgrass and lawn uses are restricted to golf courses only.

Do not use on residential turf. Turfgrass and lawn uses are restricted to non-residential sites.

Apply this product only as specified on this label.

Application Restrictions: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Entry Restrictions: Do not enter of allow others to enter the treated area until dusts have settled.

Do not apply to exposed roots of shallow rooted trees and shrubs and allow to contact exposed suckers or injury may occur.

Do not apply Turf Fertilizer Contains Confront directly to, or otherwise permit it to come into direct contact with, cotton, grapes, tobacco, vegetables, flowers, fruit or ornamental trees, or other nontarget broadleaf plants.

Do not reseed until 4 weeks after application.

Do not use Turf Fertilizer Contains Confront on golf course putting greens and tees.

Do not send grass clippings to a compost facility.

Do not collect grass clippings for mulch or compost.

Applicator must give notice to landowners/property managers to not use grass clippings for composting.

Do not apply on ditches used to transport irrigation water.

Do not contaminate water used for irrigation or domestic purposes.

Do not apply where runoff or irrigation water may flow onto susceptible crops as injury may result.

Do not contaminate feed or foodstuffs.

Do not graze treated areas. Do not feed clippings to livestock.

²Do not apply Confront to bermudagrass on sod farms.

Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect nontarget plants.

Do not apply at greater than recommended rates, especially under the branch spread (dripline) of trees.

Do not seed, sod, or sprig after application. Delay until no sooner than 4 weeks after application.

Do not apply Turf Fertilizer Contains Confront to bentgrass; hybrid bermudagrass varieties such as tifway, tifdwarf, and tifgreen; St. Augustinegrass; and ground covers such as lippia.

On bahiagrass and centipedegrass, do not apply before mid-March or until after the second mowing of the year. In the fall, do not treat centipedegrass after the first of October or bahiagrass after the first November.

[Editor's note: Supplemental distributor will add one of the following statements as appropriate if their product is registered in the state of Florida.]

- Florida Applications: Do not exceed [2] [3] applications per year on bahiagrass in the north.
- Florida Applications: Do not exceed [2] [3] [4] applications per year on bahiagrass in [central Florida] [the south].
- Florida Applications: Do not exceed [3] [4] [5] applications per year on bermudagrass in the north.
- Florida Applications: Do not exceed [4] [5] [6] applications per year on bermudagrass in central Florida.
- Florida Applications: Do not exceed [5] [6] [7] applications per year on bermudagrass in the south.
- Florida Applications: Do not exceed [1] [2] applications per year on centipedegrass in the north.
- Florida Applications: Do not exceed [2] [3] applications per year on centipedegrass in [central Florida] [the south].
- Florida Applications: Do not exceed [3] [4] [5] applications per year on zoysiagrass in the north.
- Florida Applications: Do not exceed [3] [4] [5] [6] applications per year on zoysiagrass in central Florida.
- Florida Applications: Do not exceed [4] [5] [6] applications per year on zoysiagrass in the south.
- Florida Applications: For application to sports turf (non-agricultural land planted exclusively for golf courses, parks and athletic fields), follow "SL191, 'Recommendations for N, P, K and Mg for Golf Course & Athletic Field Fertilization Base on Mehlich I Extractant'" available at http://edis.ifas.ufl.edu/SS404, or "BMP's for Enhancement of Environmental Quality on Florida's Golf Courses" available at http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.
- Florida Applications: For application to urban turf (non-agricultural land planted in closely mowed, managed grasses except golf courses, parks and athletic fields), follow "Best Management Practices for Protection of Water Resources in Florida, June 2002, Florida Green Industries" available at http://www.dep.state.fl.us/central/Home/MeetingsTraining/FLGreen/BMP_Book_final.pdf.

Treatment of Turfgrass Species Not Listed on the Confront Fertilizer Label

Users who wish to use Turf Fertilizer Contains Confront on turfgrass species not recommended on this label may determine the suitability for such uses by treating a small area at a recommended rate. Prior to treatment of larger areas, the treated area should be observed for any sign of herbicidal injury during 30 days of normal growing conditions to determine if the treatment is safe to the target species. The user assumes the responsibility for any plant damage or other liability resulting from the use of Turf Fertilizer Contains Confront on species not recommended on this label.

Application Directions

Make application using equipment that will ensure uniform coverage. Application should be made when weeds are actively growing. Good soil moisture conditions should be present before application to achieve optimal results. Application under drought conditions may provide less than desirable results. Broadleaf weed species germinate at different times. Only emerged weeds present at time of application are controlled.

Additional applications should not be made less than 4 weeks apart to minimize grass injury. Newly seeded turf should be mowed 4 times before being treated.

To provide proper distribution, calibrate spreader before application.

34.21 lb treats 11,000 ft at the normal rate (0.9 lb N/M) 0.65 lb ai/A 34.21 lb treats 9,529 ft at the heavy rate (1.04 lb N/M) 0.75 lb ai/A

			Spreader Settings (Ib product/acre)	
<u>Spreader</u>	Ground <u>Speed</u>	Width of <u>Coverage</u>	Normal Rate <u>135.5</u>	Heavy Rate <u>156.4</u>
Scotts Drop Type	3 mph	overlap wheels	Χ	Χ
Gandy	3 mph	overlap wheels	Χ	X
Scotts Rotaries	·	·		
R-7 ¹ , R-7X ¹	3 mph	X feet	Χ	X
R-8 (cone X)	3 mph	X feet	Χ	X
Lely models	·			
(see below)	4.5 mph	XX feet	Χ	X
Vicon (Model 02)	4.5 mph	XX feet	Χ	X
Vicon (Model 03)	4.5 mph	XX feet	Χ	X
1 For the P 7V model us	a with adjustable	nattorn clide 1/4 clas	rod.	

¹For the R-7X model, use with adjustable pattern slide 1/4 closed.

Lely models WTR, WFR, HR, and 1250. PTO at 450 rpm.

Weeds Controlled

Apply Turf Fertilizer Contains Confront to moist or dry foliage at the normal rate (0.65 lb ai/A) to control the following weeds:

black medic hawkweed bristly hawksbeard hop clover

broadleaf plantain narrow leaf plantain (buckhorn)

catsear (coast dandelion) red clover common dandelion white clover

false dandelion

Note: Moist foliage application will provide quicker results. For best herbicide effect when applying to dry foliage, apply when good soil moisture conditions are present.

Apply Turf Fertilizer Contains Confront to moist foliage at the heavy rate (0.75 lb ai/A) to control the following weeds.

burdock lespedeza Canada thistle matchweed

coffee weed mouseear chickweed

common chickweed musk thistle

common cocklebur old world diamond flower

common ragweed poison ivy common vetch prostrate spurge common yellow woodsorrel roundleaf mallow creeping beggarweed sheep sorrel creeping woodsorrel shepherdspurse curly dock slender speedwell dollarweed smartweed dwarf beggarweed spurweed

English lawn daisy Virginia buttonweed goldenrod Virginia pepperweed

ground ivy wild buckwheat henbit wild violet

lambsquarters

A repeat application may be needed for harder to control weeds in 4 to 6 weeks.

Terms and Conditions of Use

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. <u>To the extent permitted by law, Oo</u>therwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies.

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. To the extent permitted by law, SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. To the extent permitted by law, Aall I such risks shall be assumed by Buyer.

Limitation of Remedies

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

- 1. Refund of purchase price paid by buyer or user for product bought, or
- 2. Replacement of amount of product used.

To the extent permitted by law, Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. To the extent permitted by law, In no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or Limitation of Remedies in any manner.

[®]Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow EPA accepted 11/23/01

[®]Trademark of Dow AgroSciences LLC