### PLEASE NOTE

This image contains more than one label approved for this product on this date.

62719-272

11/15/2005
Form Approved, OMB No. 2070-0060, Approved expires 2-2

Please read instructions on reverse before completing form.

Registration
Amendmen

<b>≎EPA</b>	Environmental	nited States  I Protectio ngton, DC 2046		ncy		<b>✓</b>	Registrat Amendm Other		OPP Identifier Number
		Application	n for F	Pestici	de - Sect	ion	<u> </u>		
Company/Product Number     Dow AgroSciences/627					Product Mana d Gebken	ger			posed Classification None Restricted
4. Company/Product (Name) Dow AgroSciences/Red	cruit™ II (ABN: Sha	atter)		PM# 10					
5. Name and Address of App Dow AgroSciences LI 9330 Zionsville Road Indianapolis, IN 4626 Check if this	LC	16)		(b)(i), m to: EPA R	ny product is	s simi	ilar or identica	al in com	FIFRA Section 3(c)(3) nposition and labeling
			Sect	tion - I					
Amendment - Explain  Resubmission in responsion in responsion - Explain  Notification - Explain  Explanation: Use addition  Notification action of is supple installed at new structures. Trinstallation. This supplements	onse to Agency letter of below. nel page(s) if necessary emental labeling for Reci his supplemental label of	/. (For section cruit** If termite contains more si	bait (aitem	nate bran	Agency lette "Me Too" Ag Other - Expla d name Shatte	er date pplica ain bel	ition.	for baited	NOTIFICATION  NOV 1 5 2005  d Hex-Pro® stations during the year following
Material This Product Will				ion - II					
Child-Resistent Packaging Yes No * Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgit.	No. per container			No. per container			entainer Metal Plastic Glass Paper Other (Sp	ecify)
3. Location of Net Contents I	Information 4	4. Size(s) Retai	il Contain	ier	Ę	5. Loc	eation of Label	Direction	<b>S</b>
6. Manner in Which Label is /	Affixed to Product	Lithogra Paper gl Stencile	lued ed		Other				
		<u> </u>	Section	on - IV	<u> </u>				
Contact Point (Complete in Name     A. Sterett Robertson	tems directly below for	т	of individ Title Regulator	<del> </del>		nece.	Те	<del>`</del>	No. (Include Area Code)
I certify that the statem I acknowledge that any both under applicable Is	y knowling!ly false or m	Certificati	ion all attachm	nents the	reto are true,			ex.	B. Date Application Received (Stamped)
2. Signature			3. Title Regulatory Manager				3 7 7 7		
A. Sterett Robertson  ®™Trademark of Dow AgroSciences			October 26, 2005			• • • • • • • • • • • • • • • • • • •			

J1A / Recruit II / Sec 3 Monitoring Req FL / FPL / 10-24-05 File: R026-001 Recruit II Sec 3 Monitoring Req FL 24Oct05d.doc

### Recruit<sup>™</sup> II

EPA Reg. No. 62719-272

### **Registration Notes:**

Section 3 Final Printed Supplemental Labeling based on Notification dated October 24, 2005.

<sup>&</sup>lt;sup>™</sup>Trademark of Dow AgroSciences LLC

NOV 1 5 2005

## Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

### Recruit<sup>™</sup> II

EPA Reg. No. 62719-272

### Requirements for Baited Hex-Pro® Stations Installed at New Structures

(For Distribution and Use Only in the State of Florida)

#### **ATTENTION**

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- This supplemental labeling provides monitoring requirements for baited Hex-Pro™ Stations during the year following installation of the Hex-Pro System in the state of Florida.
- Before using Recruit™ II according to this supplemental labeling, read and understand the entire label.
   Carefully follow all precautionary statements and applicable use directions.

In Florida, the Hex-Pro System may be installed for protection of new structures in lieu of a preconstruction termiticide treatment. During the year following installation of the Hex-Pro System, Hex-Pro stations baited with Recruit II must be inspected monthly. Thereafter, baited Hex-Pro stations may be inspected as specified in the "Monitoring" section of the label booklet for Recruit II.

**Note:** These preconstruction treatment instructions supercede prior instructions restricting the use of Recruit II in lieu of a pre-construction termiticide (chemical barrier) treatment in the state of Florida.

<sup>™®</sup>Trademark of Dow AgroSciences LLC

R026-001

EPA Notification: 10/24/05

Initial Printing



308/2E October 26, 2005



Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U. S. Environmental Protection Agency
Room 266A, Crystal Mail 2
1801 South Bell Street
Arlington, VA 22202

**NOTIFICATION** 

NOV 1 5 2005

RECRUIT II (AI: HEXAFLUMURON) ALTERNATE BRAND NAME: SHATTER EPA REGISTRATION NUMBER: 62719-272

NOTIFICATION OF MINOR LABEL CHANGE PER PR NOTICE 98-10

Enclosed is supplemental labeling for Recruit<sup>TM</sup> II termite bait (alternate brand name Shatter<sup>TM</sup>) for requirements for baited Hex-Pro<sup>®</sup> stations installed at new structures. This supplemental label contains more stringent monitoring requirements required by the state of Florida during the year following installation. This supplemental label is for distribution and use only in the state of Florida.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

#### Contents of Submission

- Transmittal document (this letter)
- Application for Pesticide, EPA Form 8570-1
- Label entitled Recruit II (J1A / Recruit II / Sec 3 Monitoring Req FL / FPL / 10-24-05) (1 Page plus Registration Notes) (5 Copies)

If you require further information, please contact Amy Hudson, Regulatory Specialist at 317-337-3967 or Alice Watters, Registration Assistant for this product, at 317-337-5364.

Sincerely,

A. Sterett Robertson Regulatory Leader

Regulatory Success - Americas

317-337-4384

317-337-4649 (FAX)

ASR/aw Enclosures

# NEXT

# LABEL

PHFB	-2	<del>3</del> 3

11/14/9002

	1	/10
-		I

Please read instructions	on reverse before complet	ing form.	,,,	Form A	pproved	. OMB No.	2070-006	O. Approval expires 2-29
United States Environmental Protecti Washington, DC 20			tion Agency			Registra Amenda Other		OPP Identifier Number
		Application	for Pest	cide - Se	ction	1		
Company/Product Nu Dow AgroSciences			I .	A Product Monard Gebke	•		3. Pr	posed Classification
4. Company/Product (N Dow AgroSciences	<sub>ame)</sub> /Recruit™ II (ABN: Sha	atter)	PM# 10					
Dow AgroScience 9330 Zionsville Ro Indianapolis, IN 4	oad	10)	(b)(i) to: EP/	•	t is sim	ilar or ident	ical in co	FIFRA Section 3(c)(3) mposition and labeling
			Section	- 11				
Amendment - Ex Resubmission in  Notification - Exp	response to Agency letter (	dated		Final print Agency le "Me Too" Other - Ex	tter date Applica	tion,	to .	NOTIFICATION NOV 1 5 2005
The following changes h  1. Added paragraph refe	itional page(s) if necessary ave been made by notificatio rring to Florida-specific suppl riction: Recruit II cannot be u	n: lemental tabeling	entitled "Requ	irements for B				
			Section -	- [[]				
1. Material This Product	Will Be Packaged In:	· · · · · · · · · · · · · · · · · · ·						
Child-Resistant Peckagir Yes No * Certification must	Yes No	No. per	Yes No  If "Yes" Package wgt	Packaging No. per		2. Type of	Container  Metal Plastic Glass Paper Other (S	pecify)
be submitted  3. Location of Net Conte	1.	4. Size(s) Retail	Container		5. Loc	ation of Lab	el Directio	ns
6. Manner in Which Labo	<del></del>	Lithograp Paper glu Stenciled	h ed	Oth	er			
	· · · · · · · · · · · · · · · · · · ·	•	Section -	IV	<del></del>			
1. Contact Point /Comp	lete items directly below for	r identification o	f individual to	be contacted	, if nece	ssary, to pro	cess this	aprlication.)
Name A. Sterett Robertson			•			Telephone (317) 337	No. (Include Area Code)	
	atements I have made on t t any knowlinglly false or m ble law.		attachments					6. Date Application 'Received (Stamped)
2. Signature	VI	Re	Title egulatory Man	ager		•	3. 3	*****
A. Sterett Robertson  ®™Trademark of Dow AgroSciences			5. Date October 26, 2005				* * * *	

## Recruit<sup>™</sup> II


EPA Reg. No. 62719-272 Alternate Brand Name: Shatter™

### **Registration Notes:**

Source Section 3 supplemental label based on EPA-accepted copy dated September 15, 2005.

### Changes by Notification:

- 1. Added paragraph referring to Florida-specific supplemental labeling entitled "Requirements for Baited Hex-Pro Stations Installed at New Structures"
- 2. Removed Florida restriction: Recruit II cannot be use in lieu of a pre-construction termiticide (chemical barrier) treatment in the state of Florida.



<sup>™</sup>Trademark of Dow AgroSciences LLC

(Base Label):

NOV 1 5 2005

For professional use only by individuals licensed by the state to apply termiticides

(Logo) Dow AgroSciences

### Recruit<sup>™</sup> II

A termite bait for use in an integrated management system for protection of structures from subterranean termites

Active Ingredient:

hexaflumuron:

Inert Ingredients

Total Ingredients

100.0%

U.S. Patent No. 4,468,405

### Keep Out of Reach of Children

### **CAUTION**

### **Precautionary Statements**

### Hazards to Humans and Domestic Animals

Do not tamper with bait material.

### **Environmental Hazards**

This product is highly toxic to aquatic invertebrates and possibly to fish. Do not use Baitube<sup>™</sup> devices in depressions, low areas, near ponds, streams, springs, other water sources, or near downspout openings when the bait or its hexaflumuron contents could be washed out of the Baitube into water at or near the surface of the ground.

Refer to label booklet for additional precautionary information and Directions for Use.

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of label booklet.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994. If you wish to obtain additional product information, visit our web site at www.dowagro.com.

<sup>™</sup> Trademark of Dow AgroSciences LLC  Dow AgroSciences LLC • Indianapolis, IN 46268 t	U.S.A.
EPA Reg. No. 62719- 272	

### **Termite Bait**

	•
	•
••••	
••••	• • • •
Net Weight	• •
	••••

EPA Est. \_\_\_\_

4/10

(Data	pack	cover)
-------	------	--------

For professional use only by individuals licensed by the state to apply termiticides

(Logo) Dow AgroSciences

### Recruit<sup>™</sup> II

A termite bait for use in an integrated management system for protection of structures from subterranean termites

Active Ingredient:	
hexaflumuron:	0.59
Inert Ingredients	99.59
Total Ingredients	

U.S. Patent No. 4,468,405

### Keep Out of Reach of Children

### **CAUTION**

Refer to label booklet for additional precautionary information and Directions for Use.

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of label booklet.


In case of emergency endangering health or the environment involving this product, call 1-800-992-5994. If you wish to obtain additional product information, visit our web site at www.dowagro.com.

EPA Reg. No. 62719- 272

EPA Est.

### **Termite Bait**

١	let	We	ight	



Trademark of Dow AgroSciences LLC

Dow AgroSciences LLC • Indianapolis, IN 46268 U.S.A.

(Page 1 through end):

### **Precautionary Statements**

### **Hazards to Humans and Domestic Animals**

### CAUTION

Do not tamper with bait material.

#### **Environmental Hazards**

This product is highly toxic to aquatic invertebrates and possibly to fish. Do not use Baitube<sup>™</sup> devices in depressions, low areas, near ponds, streams, springs, other water sources, or near downspout openings when the bait or its hexaflumuron contents could be washed out of the Baitube into water at or near the surface of the ground.

### **Directions for Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container in a dry storage area.

**Disposal:** Store used Baitube devices that are damaged or no longer needed until they can be sent to an approved facility as instructed by Dow AgroSciences for disposal or recycling.

### **Handling Procedures**

Do not break open, cut into or remove protective wrapper from the Baitube until ready for use.

### General Information

Recruit It termite bait contains an insect growth regulator (IGR), hexaflumuron, that prevents successful molting and development of subterranean termites. This disruption of development ultimately results in the decline of the termite colony to the point where the colony can no longer sustain itself and is eliminated.

Recruit II was developed to be used in the Hex-Pro® System which represents an integrated pest management approach for the elimination of subterranean termite colonies, including *Coptotermes*, *Reticulitermes*, and *Heterotermes spp.* and is intended to form the basis of an on-going program providing structural protection from subterranean termites. Use of this management system involves three basic steps: (1) monitoring for the presence of termite activity in and around the target site; (2) delivery of a slow acting insect growth regulator, Recruit II, when the presence of subterranean termites is observed or activity has been detected; and (3) continued inspection and monitoring of the site for the presence of termite activity after elimination of the colony has been achieved. Although the third phase of the management system is an optional service offered to the owner of the structure, it provides an on-going preventive service in order to detect and eliminate any new termite activity.

When termite activity is detected and feeding of Recruit II termite bait is established, Baitube Mevices must remain in the station as long as the bait material is being consumed and termites remain active. When evidence of termite activity in the Baitube ceases, resume monitoring to detect the presence of renewed termite activity by substituting a monitoring device for the Baitube if the termite control program is on-going.

Do not re-use Baitube devices or Recruit II termite bait. Subterranean termites excrete colony specific pheromones that become incorporated into the balt while feeding and foraging. The pheromones left in the bait by one colony will cause feeding deterrence or repellency to other colonies, causing it to be ineffective.

It is important for operators to understand the biology and behavior of subterranean termite species, and construction and landscape features conducive to infestation by subterranean termites.

Target sites for this system can include buildings, fences, utility poles, decking, landscape plantings and trees or other features that could be damaged by termite feeding and foraging activity. Recruit II can be used on the inside or outside of foundation walls of crawl space areas or through concrete and asphalt if adequate soil is not accessible and such action is warranted. Recruit II may be used in lieu of a preconstruction termiticide (chemical barrier) treatment as a means of preventing termite infestation of new structures.

In Florida, when the Hex-Pro System is installed for protection of new structures in lieu of a preconstruction termiticide treatment, the requirements for monitoring during the first year following installation of the Hex-Pro System specified in supplemental labeling entitled "Requirements for Baited Hex-Pro Stations Installed at New Structures" must be followed. This supplemental label must be in the possession of individuals installing or inspecting the Hex-Pro System at new structures. This label is available at the Dow AgroSciences' website at www.dowagro.com.

### Monitoring

The purpose of the monitoring phase is to detect the presence of subterranean termites. This procedure does not attract termites from other locations. When present, termites can be collected from monitoring devices placed in the Hex-Pro stations. Although not mandatory, it has been shown that this procedure results in increased bait consumption as termites feed their way through the bait matrix as they seek to return to the colony and thereby "recruit" the active feeding of other colony members. This Self-Recruitment procedure further encourages the subterranean termite population to forage into and feed on Recruit II termite bait.

Identify critical areas suitable for placing Hex-Pro stations. Critical areas include locations within or adjacent to visible termite activity such as indicated by: foraging tubes, termite infested plants, wood, and other materials; and areas conducive to termite foraging (bath traps, moist soil in shaded areas, near irrigation sprinkler heads, roof down spouts and other moist areas, and near planting beds or other areas with plant root systems). Hex-Pro stations should be placed within 4 feet of critical areas unless placement is obstructed. Hex-Pro stations should not be placed in soil within 18 inches of structural foundations previously treated with a liquid termiticide. In addition to select critical areas, install Hex-Pro stations around the target site at intervals not to exceed 20 feet where soil access is not restricted.

Monitoring devices may be inspected monthly, bi-monthly or quarterly when termite activity is observed at the site and environmental conditions are favorable for termite feeding (see note below). If no termite activity is observed at the site, then inspection of the monitoring devices can be done on a monthly, bimonthly or quarterly basis. The shorter monitoring interval is appropriate when observed termite activity is high and the longer intervals are appropriate if there is no evidence of termite activity or observed termite activity is low.

When termite activity is observed in a monitoring device, install Baitube devices containing Recruit thand auxiliary Hex-Pro station(s) per directions in section 2 of this label. Baited Hex-Pro stations may be inspected monthly, bimonthly or quarterly. If, upon reinspection, more than 75% of the Baitube device contents have been consumed in one or more stations, subsequent reinspection should occur more frequently. If, upon inspection, no active termites or evidence of new termite feeding on Recruit II ballsis. observed , replace the Baitube with a monitoring device and resume monitoring on a monthly, bi-monthly or quarterly basis, provided the control program is continuing. If auxiliary Hex-Pro stations have been

installed and there are no termites in them, they may be removed leaving the original Hex-Pro station with monitoring device in place.

**Note:** Unfavorable conditions including, but not limited to, frozen or water saturated soil or normal seasonal decline in subterranean termite foraging activity may temporarily disrupt feeding on Recruit II. Seasonal effects on termite activity vary geographically, but feeding activity typically dedines during periods when the historical average daily temperature falls below 50°F. Monitoring may be suspended during these periods. (Refer to National Weather Service data or contact Dow AgroSciences for information regarding local mean temperatures). However, do not allow more than four months to elapse between monitoring visits.

### Installation of the Baitube Device Containing Recruit II

Upon inspection, install Baitube™ devices as indicated below if live termites are observed in the monitoring station or there is evidence of termite feeding activity as indicated by consumption of the monitoring device.

In areas where termites, evidence of termite activity or conditions conducive to termite activity are observed, Baitube devices containing Recruit II termite bait may be installed in auxiliary stations without the termites first having been found in monitoring devices. Under these conditions, auxiliary stations containing a Baitube device may be installed, provided the auxiliary stations are located within 12 inches of a Hex-Pro station containing monitoring devices.

**Self-Recruitment Procedure**: If the self-recruitment procedure is utilized, remove termites present in the monitoring device and introduce them into the Self-Recruitment chamber in the top of the Baitube as follows (refer to Figure 1):

- 1. Prepare the Baitube for introduction of termites as follows:
  - (1) Remove the cap.
  - (2) Add a minimum of 0.7 fluid ounces (approx. 20 mL) of water or a sugar-containing solution such as a sports performance drink to the Self-Recruitment chamber. In arid areas and in dry soils, add up to up to 2.7 fluid ounces (approx. 80 mL) of water or sugar-containing solution before introducing termites to the chamber. This moisture is necessary for termites to survive the Self-Recruitment procedure. Allow the water or sugar-containing solution to be completely absorbed by the bait before transferring termites to the chamber.
- 2. Transfer termites from the infested monitoring device to the Self-Recruitment chamber of the Baitube as follows:
  - (1) Remove monitoring device from the Hex-Pro station and place in a container suitable for collecting termites and associated debris that will be introduced into the Self-Recruitment chamber. A shallow pan works well for this purpose, or, with experience, users may fashion other devices more suitable for this purpose.
  - (2) Carefully remove termites, debris, soil and mud tube material from the surface of the monitoring device. Save this material to add to the Self-Recruitment chamber along with termites.
  - (3) Separate the halves of the monitoring device and gently tap them to dislodge as many termites as possible into the collecting pan.
  - (4) Introduce the termites and debris collected into the Self-Recruitment chamber of the Baitube.


    Excess debris and termites may be discarded or used to initiate the Self-Recruitment process in an auxiliary Hex-Pro station placed adjacent to the primary baited station (see Installation of Auxiliary Stations).
  - (5) Replace the cap of the Baitube. Avoid harming termites placed in the chamber when replacing the cap. If the chamber is overfilled, wait for excess termites to move out of the way to avoid injuring them since dead termites may repel nestmates from feeding at the bait station.
- 3. Remove the plastic covering of the Baitube at the perforations to expose the termite access holes before inserting into the Hex-Pro station.

8/10


4. Complete the Self-Recruitment procedure by inserting the capped Baitube into the Hex-Pro station and replacing the outer cap of the station.

Figure 1: (Refer to Self-Recruitment Procedure section)

1a. When termite feeding activity is observed in a monitoring device, remove the monitoring device, and replace it with a Baitube containing Recruit II. Use worker termites, if present, for Self-Recruitment procedure.



**1b.** Remove termites from the monitoring device into the collecting pan and introduce them into the top of the Baitube.



- 2. Installation of Auxiliary Stations: A Hex-Pro station is considered to be free-standing if it is more than 12 inches from another Hex-Pro station. When a free-standing station is baited with Recruit II, install one or more auxiliary Hex-Pro stations containing monitoring devices within 12 inches of the baited station, if suitable ground access exists. Auxiliary Hex-Pro stations may be baited immediately. The self-recruitment process may be utilized in baited auxiliary stations if adequate numbers of termites are available. When auxiliary stations are baited at a subsequent inspection, continue to install auxiliary Hex-Pro stations as necessary. Installation of auxiliary Hex-Pro stations creates a cluster of two or more Hex-Pro stations in which each station is located 12 inches or less from adjacent station(s). Assure that one or more Hex-Pro stations per cluster contain monitoring devices. See conditions for placement of baited auxiliary stations under "Installation of the Baitube Device Containing Recruit II."
- 3. Inspection of the Baitube: Baitube devices are inspected by visually examining the device for termites. If termites are active in the Baitube and the material is nearly or totally consumed (or if the material appears to be degraded or moldy), replace it with a new Baitube containing Recruit II. If possible, gently tap the termites from the used Baitube device into the replacement device using the Self-Recruitment procedure described above. It is not desirable to have the entire contents of the Baitube consumed before replacing it, as termites may forage elsewhere in search of food. Inspect, adjacent monitoring device locations and initiate placement of Baitube devices in Hex-Pro stations...\*

### **Warranty Disclaimer**

Dow AgroSciences warrants that this product conforms to the chemical description on the label anti-is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. Dow AgroSciences MAKES NO OTHER EXPRESS OR...

9/10

IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

### Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Lack of performance or other unintended consequences may result because of such factors as use of the product contrary to the label instructions (including adverse conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, etc.), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Dow AgroSciences and its agents. All such risks shall be assumed by the user.

### Limitation of Remedies

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Dow AgroSciences' election, one of the following:

- 1. Refund of purchase price paid by buyer or user for product bought, or
- 2. Replacement of amount of product used

Dow AgroSciences shall not be liable for losses or damages resulting from handling or use of this product unless Dow AgroSciences is promptly notified of such loss or damage in writing. In no case shall Dow AgroSciences be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer and Inherent Risks of Use above and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Dow AgroSciences or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

Trademark of Dow AgroSciences LLC EPA-Accepted: 09/15/2005

308/2E October 26, 2005



Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U. S. Environmental Protection Agency
Room 266A, Crystal Mall 2
1801 South Bell Street
Arlington, VA 22202

RECRUIT II (AI: HEXAFLUMURON)
ALTERNATE BRAND NAME: SHATTER
EPA REGISTRATION NUMBER: 62719-272
NOTIFICATION OF MINOR LABEL CHANGE PER PR NOTICE 98-10

Enclosed please find labeling for the notification action of Recruit<sup>TM</sup> II termite bait (alternate brand name Shatter<sup>TM</sup>). The following changes have been made by notification:

- Added paragraph referring to Florida-specific supplemental labeling entitled "Requirements for Baited Hex-Pro

  Stations Installed at New Structures"
- 2. Removed Florida restriction: Recruit II cannot be use in lieu of a pre-construction termiticide (chemical barrier) treatment in the state of Florida.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

### Contents of Submission

Sincerely,

- Transmittal document (this letter)
- Application for Pesticide, EPA Form 8570-1
- Label entitled Recruit II (J1A / Recruit II / Notif / 10-24-05) (7 Pages plus Registration Notes) (5 Copies)

If you require further information, please contact Amy Hudson, Regulatory Specialist at 317-337-3967 or Alice Watters, Registration Assistant for this product, at 317-337-5364.

A. Sterett Robertson
Regulatory Leader
Regulatory Success – Americas
317-337-4384
317-337-4649 (FAX)

ASR/aw
Enclosures

<sup>®</sup>TM Trademark of Dow AgroSciences LLC