

PLEASE NOTE

This image contains more than one label approved for this product on this date.

62719-294

2-25-2002

1/3

Please read instructions on reverse before completing form. Form Approved OMB No. 2070-0060. Approval expires 05-31-98



United States Environmental Protection Agency Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number 286874

Application for Pesticide - Section I

1. Company/Product Number Dow AgroSciences/62719-294	2. EPA Product Manager George T. LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Dow AgroSciences/SpinTor* 2SC	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, IN 46268 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in Composition and labeling to: EPA Reg. No. Product Name	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated	NOTIFICATION FEB 25 2002
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other- Explain below.	

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)
 Label changes to the supplemental label via notification:
 1. Changed the "Note" text as follows: "This product is toxic to bees exposed to treatment for 3 hours following treatment and toxic to aquatic invertebrates. Refer to the Environmental Hazards section of the product label attached to the product container for required protective measures." This text was agreed upon in a February 12, 2002 meeting between Sterett Robertson (Dow AgroSciences) and George LaRocca and Bill Sproat (EPA).

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No *Certification must be submitted	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Unit Packaging wgt. No. per container	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Package wgt. No. per container	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point /Complete items directly below for identification of individual to be contacted, if necessary, to process this application)		
Name A. Sterett Robertson	Title Regulatory Manager	Telephone No. (Include Area Code) (317) 337-4384
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowing false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		8. Date Application Received (Stamp)
2. Signature <i>A. Sterett Robertson</i>	3. Title Regulatory Manager	
4. Typed Name A. Sterett Robertson	5. Date February 18, 2002	

Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

SpinTor* 2SC

EPA Reg. No. 62719-294

For Foliar Insect Control in Pecan, Walnut, Chestnut and Pistachio

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for SpinTor* 2SC Naturalyte* insect control before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of SpinTor 2SC according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for SpinTor 2SC.

Directions for Use

Tree Nuts, Including but not Limited to: Pecan, Walnut, Chestnut, and Pistachio

Pests and Application Rates:[†]

Pests	Rate of SpinTor 2SC [†]		
	Active Ingredient (lb/acre)	(fl oz/acre)	Dilute Spray ^{††} (fl oz/100 gal)
redhumped caterpillar pecan nut casebearer fall webworm hickory shuck worm walnut caterpillar	0.062 - 0.156	4 - 10	1 - 2.5

[†] Crop oils labeled for agricultural use may be added to the dormant spray solution for suppression of overwintering mites and scale insects. Consult specific oil labels and University recommendations for precautions and restrictions regarding the use of oils in nut and fruit trees.

^{††} The amount of SpinTor 2SC per acre will depend on tree size and volume of foliage present and pest pressure. Choose a lower rate for light infestations and/or small trees and the higher rate for heavy infestations and/or larger trees.

^{†††} Dilute sprays are sprayed to runoff. The rate per 100 gallons is based on 400 gallons providing coverage to runoff. Gallonage of dilute sprays will vary depending on tree size, density of canopy and stage of growth of the trees.

Specific Use Directions:

Application Timing: Mix the required dosage in sufficient water to ensure thorough and complete coverage of the foliage and tree and apply as a concentrate or dilute spray using conventional, power-operated spray equipment. For dilute sprays, mix the required dosage in sufficient water to allow for spray to runoff. For concentrate sprays, apply an equivalent amount of SpinTor 2SC. Treat when pests appear or in accordance with local conditions. Consult your Dow AgroSciences representative, extension service specialist, certified crop advisor or your state agricultural experiment station for any additional local use recommendations for your area.

2/3

NOTIFICATION

FEB 25 2002

Restrictions:

- Do not apply more than a total of 29 ounces of SpinTor 2SC (0.45 lb of spinosad) per acre per crop.
- **Treatment Interval:** Do not apply treatments less than 14 days apart.
- **Preharvest Interval:** Do not apply within 14 days of harvest.

Note: This product is toxic to bees exposed to treatment for 3 hours following treatment and toxic to aquatic invertebrates. Refer to the Environmental Hazards section of the product label attached to the product container for required protective measures.

<p>*Trademark of Dow AgroSciences LLC</p> <p>T6P / SpinTor 2SC / Notif Suppl IR-4 Pecan / 02-14-02 D06-064-038 EPA-accepted 01/22/02 Replaces D06-064-036</p>	
---	--

NEXT

LABEL

62719-294

2-25-2002

1/2

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060. Approval expires 05-31-98



United States Environmental Protection Agency Washington, DC 20460

Registration Amendment Other

OPP Identifier Number 286875

Application for Pesticide - Section I

1. Company/Product Number: Dow AgroSciences/62719-294
2. EPA Product Manager: George T. LaRocca
3. Proposed Classification: None/Restricted
4. Company/Product (Name): Dow AgroSciences/SpinTor* 2SC
5. Name and Address of Applicant: Dow AgroSciences LLC, 9330 Zionsville Road, Indianapolis, IN 46268
6. Expedited Review: In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in Composition and labeling to: EPA Reg. No., Product Name

Section - II

Amendment - Explain below. Resubmission in response to Agency letter dated. Notification - Explain below. Final printed labels in response to Agency letter dated. 'Me Too' Application. Other- Explain below.

NOTIFICATION

FEB 25 2002

Explanation: Use additional page(s) if necessary. (For Section I and Section II.) Label changes to the supplemental label via notification: 1. Changed the "Note" text as follows: "This product is toxic to bees exposed to treatment for 3 hours following treatment and toxic to aquatic invertebrates. Refer to the Environmental Hazards section of the product label attached to the product container for required protective measures." This text was agreed upon in a February 12, 2002 meeting between Sterett Robertson (Dow AgroSciences) and George LaRocca and Bill Sproat (EPA).

Section - III

1. Material This Product Will Be Packaged In: Child-Resistant Packaging, Unit Packaging, Water Soluble Packaging, 2. Type of Container: Metal, Plastic, Glass, Paper, Other (Specify)
3. Location of Net Contents Information: Label, Container
4. Size(s) Retail Container
5. Location of Label Directions: On Label, On Labeling accompanying product
6. Manner in Which Label is Affixed to Product: Lithograph, Paper glued, Stenciled, Other

Section - IV

1. Contact Point /Complete items directly below for identification of individual to be contacted, if necessary, to process this application) Name: A. Sterett Robertson, Title: Regulatory Manager, Telephone No. (317) 337-4384
Certification: I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.
2. Signature: [Handwritten Signature], 3. Title: Regulatory Manager, 4. Typed Name: A. Sterett Robertson, 5. Date: February 18, 2002, 8. Date Application Received (Stamped)

Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

SpinTor* 2SC

EPA Reg. No. 62719-294

For Foliar Insect Control in Asparagus (Post Harvest Protection of Ferns Only)

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for SpinTor* 2SC Naturalyte* insect control before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of SpinTor 2SC according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for SpinTor 2SC.

Directions for Use

Refer to product label for SpinTor 2SC for General Use Precautions, Mixing and Application instructions.

Pests and Application Rates:

Pests	Application Rate †	
	Active Ingredient (lb/acre)	Product (fl oz/acre)
Asparagus beetle	0.062 - 0.094	4 - 6

† Use a higher rate in the rate range for heavy infestations or advanced growth stages of the beetle.

Specific Use Directions:

Application Timing: For determining when to treat, scout with enough regularity to monitor the population size of the labeled pest. Make applications only to asparagus ferns. Treat when pests appear, targeting eggs at hatch or small larvae. Consult your Dow AgroSciences representative, extension specialist, certified crop advisor or your state agricultural experiment station for any additional local use recommendations for your area.

Application Rate: Apply SpinTor 2SC as a foliar spray at the rate indicated to control asparagus beetle in asparagus fern. Heavy infestations may require repeat applications, but follow resistance management guidelines.

Resistance Management: For resistance management purposes, do not apply more than 3 times in any 30-day period. Rotate to a different class of insect control products or use no treatment for the next 30 days. Do not make more than 3 applications per crop.

Restrictions:

- Do not apply more than a total of 18 ounces (0.28 lb ai of spinosad) of SpinTor 2SC per acre per crop.
- **Pre-harvest Interval:** This use is only for asparagus ferns; do not apply within 60 days of spear harvest.
- Do not feed treated ferns to meat or dairy animals.

Note: This product is toxic to bees exposed to treatment for 3 hours following treatment and toxic to aquatic invertebrates. Refer to the Environmental Hazards section of the product label attached to the product container for required protective measures.

NOTIFICATION

FEB 25 2002

*Trademark of Dow AgroSciences LLC

T6P / SpinTor 2SC / Notif Suppl IR-4 Asparagus / 02-14-02
D06-064-041
EPA-accepted 01/22/02
Replaces D06-064-034

NEXT

LABEL



United States
 Environmental Protection Agency
 Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number
 286872

Application for Pesticide - Section I

1. Company/Product Number Dow AgroSciences/62719-294	2. EPA Product Manager George T. LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Dow AgroSciences/SpinTor* 2SC	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, IN 46268 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in Composition and labeling to: EPA Reg. No. Product Name	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated	NOTIFICATION FEB 25 2002
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other- Explain below.	

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)
 Label changes to the supplemental label via notification:
 1. Changed the "Note" text as follows: "This product is toxic to bees exposed to treatment for 3 hours following treatment and toxic to aquatic invertebrates. Refer to the Environmental Hazards section of the product label attached to the product container for required protective measures." This text was agreed upon in a February 12, 2002 meeting between Sterett Robertson (Dow AgroSciences) and George LaRocca and Bill Sproat (EPA).

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No <i>*Certification must be submitted</i>	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Unit Packaging wgt. No. per container	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Package wgt. No. per container		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container	5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product			
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point /Complete items directly below for identification of individual to be contacted, if necessary, to process this application)

Name A. Sterett Robertson	Title Regulatory Manager	Telephone No. (Include Area Code) (317) 337-4384
------------------------------	-----------------------------	---

Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowing false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		8. Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Manager	
4. Typed Name A. Sterett Robertson <small>*Trademark of Dow AgroSciences LLC</small>	5. Date February 18, 2002	

Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

SpinTor* 2SC

EPA Reg. No. 62719-294

For Foliar Insect Control in Artichoke

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for SpinTor* 2SC Naturalyte* insect control before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of SpinTor 2SC according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for SpinTor 2SC.

Directions for Use

Refer to product label for SpinTor 2SC for General Use Precautions, Mixing and Application instructions.

Pests and Application Rates:

Pests	Application Rate [†]	
	Active Ingredient (lb/acre)	Product (fl oz/acre)
artichoke plume moth	0.062 – 0.094	4 - 6
armyworm		
cutworm		

NOTIFICATION

FEB 25 2002

[†] Use the higher end of the rate range for larger larvae or high infestations.

Specific Use Directions:

Application Timing: For determining when to treat, scout with enough regularity to monitor the population size of each of the labeled pests. Treat when pests appear, targeting eggs at hatch or small larvae. Consult your Dow AgroSciences representative, extension specialist, certified crop advisor or your state agricultural experiment station for any additional local use recommendations for your area.

Application Rate: Apply SpinTor 2SC as a foliar spray at the rate indicated to control plume moth larvae, armyworms, and cutworms in artichokes. Heavy infestations may require repeat applications, but follow resistance management guidelines.

Resistance Management: For resistance management purposes, do not apply more than 3 times in any 30-day period. Rotate to a different class of insect control products or use no treatment for the next 30 days. Do not make more than 4 applications per crop.

Restrictions:

- Do not apply more than a total of 22.5 ounces (0.35 lb ai of spinosad) of SpinTor 2SC per acre per crop.
- **Pre-harvest Interval:** Do not apply within 2 days of harvest.

Note: This product is toxic to bees exposed to treatment for 3 hours following treatment and toxic to aquatic invertebrates. Refer to the Environmental Hazards section of the product label attached to the product container for required protective measures.

*Trademark of Dow AgroSciences LLC

T6P / SpinTor 2SC / Notif Suppl IR-4 Artichoke / 02-14-02
D06-064-040
EPA-accepted 01/22/02
Replaces D06-064-037

NEXT

LABEL

Supplemental Labeling

2/3



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

SpinTor* 2SC

EPA Reg. No. 62719-294

For Foliar Insect Suppression In Bushberries, Juneberry, Salal, and Lingonberry

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for SpinTor* 2SC Naturalyte* insect control before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of SpinTor 2SC according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for SpinTor 2SC.

Directions for Use

SpinTor 2SC may be used to suppress the listed pests infesting bushberries (including but not limited to blueberry, currant, gooseberry, huckleberry, and elderberry), juneberry, salal, and lingonberry.

Refer to product label for SpinTor 2SC for General Use Precautions, Mixing and Application instructions.

Pests and Application Rates:

Pests	Application Rate [†]	
	Active Ingrid. (lb/acre)	Product (fl oz/acre)
armyworms blueberry maggot cherry fruitworm cranberry fruitworm currant fruitfly fireworms leafrollers loopers sparganothis fruitworm thrips	0.062 – 0.094	4 - 6

NOTIFICATION

FEB 25 2002

[†] The amount of SpinTor 2SC per acre will depend on plant size and volume of foliage present and pest pressure. Choose a lower rate for light infestations and/or small plants and a higher rate for heavy infestations and/or larger plants.

Specific Use Directions:

Application Timing: Treat when pests appear, targeting eggs at hatch or small larvae. Heavy infestations may require repeat applications but follow resistance management guidelines. Consult your Dow AgroSciences representative, extension service specialist, certified crop advisor or your state agricultural experiment station for any additional local use recommendations for your area.

Resistance Management: Do not apply SpinTor 2SC more than 3 times in any 30 day period. Whenever SpinTor 2SC is applied three times in succession, this should be followed by no use of SpinTor 2SC for a 30 day period or rotation to another insecticide class.

Restrictions:

- Do not apply more than a total of 29 ounces of SpinTor 2SC (0.45 lb ai of spinosad) per acre per crop or make more than 6 applications per calendar year.
- **Minimum Treatment Interval:** Do not make applications less than 6 days apart.
- **Pre-harvest Interval:** Do not apply within 3 days of harvest.

Note: This product is toxic to bees exposed to treatment for 3 hours following treatment and toxic to aquatic invertebrates. Refer to the Environmental Hazards section of the product label attached to the product container for required protective measures.

<p>*Trademark of Dow AgroSciences LLC</p> <p>T6P / SpinTor 2SC / Notif Suppl IR-4 Bushberries / 02-14-02 D06-064-042 EPA-accepted 01/22/02 Replaces D06-064-033</p>	
---	--

NEXT

LABEL



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number
286873

Application for Pesticide - Section I

1. Company/Product Number Dow AgroSciences/62719-294	2. EPA Product Manager George T. LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Dow AgroSciences/SpinTor* 2SC	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, IN 46268 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in Composition and labeling to: EPA Reg. No. Product Name	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION FEB 25 2002
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other- Explain below.	

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)
Label changes to the supplemental label via notification:
1. Changed the "Note" text as follows: "This product is toxic to bees exposed to treatment for 3 hours following treatment and toxic to aquatic invertebrates. Refer to the Environmental Hazards section of the product label attached to the product container for required protective measures." This text was agreed upon in a February 12, 2002 meeting between Sterett Robertson (Dow AgroSciences) and George LaRocca and Bill Sproat (EPA).

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No *Certification must be submitted	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Unit Packaging wgt. container	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Package wgt	No. per container	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point /Complete items directly below for identification of individual to be contacted, if necessary, to process this application)		
Name A. Sterett Robertson	Title Regulatory Manager	Telephone No. (Include Area Code) (317) 337-4384
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowing false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		8. Date Application Received (Stamped)
2. Signature <i>A. Sterett Robertson</i>	3. Title Regulatory Manager	
4. Typed Name A. Sterett Robertson	5. Date February 18, 2002	

Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

SpinTor* 2SC

EPA Reg. No. 62719-294

Foliar Insect Control in Sugar Beet and Garden Beet

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for SpinTor* 2SC Naturalyte* insect control before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of SpinTor 2SC according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for SpinTor 2SC.

Directions for Use

Refer to product label for SpinTor 2SC for General Use Precautions, Mixing and Application instructions.

Pests and Application Rates:

Pests	Broadcast Application Rate		
	Active Ingrid. (lb/acre)	Product (fl oz/acre)	Acres/Gallon of Product
European corn borer	0.047 - 0.094	3 - 6	43 - 21
dipteran leafminers (<i>Liriomyza</i>)	0.070 - 0.094	4.5 - 6	28 - 21
thrips			
armyworms			
loopers			

NOTIFICATION

FEB 25 2002

Specific Use Directions:

Application Timing: For determining when to treat, scout with enough regularity to monitor the population size of each of the labeled pests. Treat when pests appear, targeting eggs at hatch or small larvae. Consult your Dow AgroSciences representative, extension specialist, certified crop advisor or your state agricultural experiment station for any additional local use recommendations for your area.

Application Rate: Use a higher rate in specified rate range for larger larvae or moderate to severe infestations.

Restrictions:

- Do not apply more than a total of 29 ounces of SpinTor 2SC (0.55 lb ai of spinosad) per acre per crop or make more than 6 applications per calendar year.
- **Minimum Treatment Interval:** Do not make applications less than 7 days apart.
- **Pre-harvest Interval:** Do not apply within 3 days of harvest.

Note: This product is toxic to bees exposed to treatment for 3 hours following treatment and toxic to aquatic invertebrates. Refer to the Environmental Hazards section of the product label attached to the product container for required protective measures.

*Trademark of Dow AgroSciences LLC

T6P / SpinTor 2SC / Notif Suppl IR-4 Sugar & Garden Beet / 02-14-02

D06-064-039

EPA-accepted 01/22/02

Replaces D06-064-035

NEXT

LABEL

62719-294

2-25-2002

1/2

Please read instructions on reverse before completing form. Form Approved OMB No. 2070-0060. Approval expires 05-31-98



United States Environmental Protection Agency Washington, DC 20460

<input type="checkbox"/>	Registration
<input checked="" type="checkbox"/>	Amendment
<input type="checkbox"/>	Other

OPP Identifier Number 286870

Application for Pesticide - Section I

1. Company/Product Number Dow AgroSciences/62719-294	2. EPA Product Manager George T. LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Dow AgroSciences/SpinTor* 2SC	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, IN 46268 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in Composition and labeling to: EPA Reg. No. Product Name	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated	NOTIFICATION FEB 25 2002
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other- Explain below.	

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)
 Label changes to the supplemental label via notification:
 1. Added the "Note" text as follows: "This product is toxic to bees exposed to treatment for 3 hours following treatment and toxic to aquatic invertebrates. Refer to the Environmental Hazards section of the product label attached to the product container for required protective measures." This text was agreed upon in a February 12, 2002 meeting between Sterett Robertson (Dow AgroSciences) and George LaRocca and Bill Sproat (EPA).

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No *Certification must be submitted	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Unit Packaging wgt. No. per container	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Package wgt. No. per container		<input checked="" type="checkbox"/> Metal	Plastic
				<input type="checkbox"/> Glass	Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point /Complete items directly below for identification of individual to be contacted, if necessary, to process this application)		
Name A. Sterett Robertson	Title Regulatory Manager	Telephone No. (Include Area Code) (317) 337-4384
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowing false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		8. Date Application Received (Stamped)
2. Signature <i>A. Sterett Robertson</i>	3. Title Regulatory Manager	
4. Typed Name A. Sterett Robertson	5. Date February 18, 2002	

*Trademark of Dow AgroSciences LLC

2/2

Supplemental Labeling



Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, IN 46268-1054 USA

SpinTor* 2SC

EPA Reg. No. 62719-294

Foliar Insect Suppression in Cranberry

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for SpinTor* 2SC Naturalyte* insect control before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of SpinTor 2SC according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for SpinTor 2SC.

Directions for Use

Refer to product label for SpinTor 2SC for General Use Precautions, Mixing and Application instructions.

Pests and Application Rates:

Pests	Broadcast Application Rate			Dilute Spray
	Active Ingrid. (lb/acre)	Product (fl oz/acre)	Acres/Gallon of Product	Product (fl oz/100 gal)
thrips armyworms leafrollers loopers fireworms sparganothis fruitworm currant fruitfly	0.062 - 0.156	4 - 10	32 - 13	1 - 2.5

NOTIFICATION

FEB 25 2002

Specific Use Directions:

Application Timing: For determining when to treat, scout with enough regularity to monitor the population size of each of the labeled pests. Treat when pests appear, targeting eggs at hatch or small larvae. Consult your Dow AgroSciences representative, extension specialist, certified crop advisor or your state agricultural experiment station for any additional local use recommendations for your area.

Application Rate: Application rate within the rate range will depend on plant size and volume of foliage present and pest pressure. Use a higher rate in the rate range for larger larvae or moderate to severe infestations and and/or larger plant volume.

Coverage of Dilute Sprays: Dilute sprays should be uniformly applied to point of runoff. The rate per 100 gallons of spray is based on a spray volume of 400 gallons per acre. Gallonage of dilute sprays will vary depending on plant size and density.

Restrictions:

- Do not apply more than a total of 29 ounces of SpinTor 2SC (0.55 lb ai of spinosad) per acre per crop or make more than 6 applications per calendar year.
- **Minimum Treatment Interval:** Do not make applications less than 7 days apart.
- **Pre-harvest Interval:** Do not apply within 3 days of harvest.

Note: This product is toxic to bees exposed to treatment for 3 hours following treatment and toxic to aquatic invertebrates. Refer to the Environmental Hazards section of the product label attached to the product container for required protective measures.

*Trademark of Dow AgroSciences LLC

T6P / SpinTor 2SC / Notif Suppl IR-4 Cranberry / 02-14-02
D06-064-043
EPA-accepted 11/08/2001
Replaces D06-064-032