Dursban* Plus Fertilizer 2

This product controls larvae of European chafer, Japanese beetle larvae, Hyperodes (turfgrass) weevils, chinch bugs, sod webworms, and other lawn pests, plus fertilizes your lawn.

[Editor's note: The supplemental distributor may insert one or more of the following optional marketing claims.]

Fertilizes your lawn in one easy application

and/or

Iron added for greener lawn

and/or

Contains Dursban

and/or

Contains Dursban - the solution to insect problems

and/or

Treats up to 10,000 sq ft

and/or

Treats from 5,000 to 10,000 sq ft

and/or

Ready-to-use granules

and/or

Do-it-yourself insect control

and/or

Can be applied spring, summer, and fall

and/or

Kills home invading pests

and/or

Effective outdoor ant control

and/or

Controls fire ants

and/or

For mound treatment control of imported fire ants

and/or

Kills lawn insects

and/or

Controls all major lawn insect problems

and/or

Effective insect control in lawns and gardens

and/or

Controls surface insects that live in thatch

and/or

Controls ants, fleas, and ticks in one easy application

and/or

Controls ants, fleas, grubs, and ticks

and/or

For chinch bugs, ants, fleas and other insects

and/or

Control chinch bugs for up to five weeks

and/or

For flea and tick control

and/or

ACCEPTED

JAN 2 7 2000

Under the Federal Insecticies

Fungicide, and Rodentickie as amended, for the pestic

Registered under

EPA Reg. No. 62719-3/6

page 2

Stops fleas and other surface insects
and/or
Effective grub control
and/or
Kills grubs and other sub-surface and surface insects

Active Ingredients:	
chlorpyrifos: O,O-diethyl O-(3,5,6-trichloro-2-pyridinyl) phosphorothioate	0.7%
Inert Ingredients	99.3%
Total	100.0%
Guaranteed Fertilizer Analysis † Total Nitrogen (N) Available Phosphoric Acid (P ₂ O ₅) Soluble Potash (K ₂ O)	XX%
Primary plant foods derived from [Supplemental distributor should list sources diammonium phosphate, and muriate of potash].	of NPK, e.g., urea,

[† Editor's note: Supplemental distributor may vary fertilizer analysis to meet requirements for local conditions of use.]

Keep Out of Reach of Children CAUTION

See back or container/side panel for additional precautionary statements.

Notice: Read the entire label. Use only according to label directions. Before buying this product, read Limited Warranty and Disclaimer Section elsewhere on this label.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Do Not Ship or Store with Food, Feeds, Drugs, or Clothing.

EPA Reg. No. 62719-316

EPA Est. No.

Insecticide

Net Weight - __ lb



^{*}Trademark of Dow AgroSciences LLC
Dow AgroSciences LLC • Indianapolis, Indiana 46268 U.S.A.

3/5

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed, or absorbed through the skin. Avoid breathing dust and contact with eyes, skin or clothing. Keep children and pets off treated areas until this product is washed into the soil and grass is dry. Wash thoroughly after handling and before smoking or eating. Keep away from food, feedstuffs, and domestic water supplies.

First Aid

If swallowed: Call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If on skin: In case of contact, remove contaminated clothing and immediately wash skin with plenty of soap and water.

If in eyes: Flush eyes with plenty of water.

Note to physician: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

Environmental Hazards

This product is extremely toxic to fish, birds and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters. Do not feed treated grass clippings to livestock.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all directions carefully before applying this product.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Storage and Disposal

[Editor's note: Use the following Storage and Disposal statements for homeowner package.] Storage: Store in original container and keep any bags containing unused product in an area inaccessible to children and domestic animals. Do not store near food or foodstuffs. To prevent cross-contamination, do not store near other fertilizers, or near herbicides, insecticides, fungicides or seeds. Pesticide Disposal: To dispose of bags that contain unused product, securely wrap bag in several layers of newspaper and discard in trash.

Container Disposal: Do not reuse empty bag. Fold empty bag and discard in trash.

[Editor's note: Use the following Storage and Disposal statements for commercial applicator package.]

Do not contaminate other pesticides, fertilizers, seeds, water, food or feed by storage or disposal.

Storage: Always store product in original container and in locked storage area.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.



4/5

Controls these insects

Children of the child

Ants, including fire ants	Cutworms	Hyperodes weevils
Brown dog ticks	Earwigs	Japanese beetle
Chinch bugs	European chafer	Sod webworms
Crickets	Fleas	Sowbugs (pillbugs)

Note: Mosquitoes coming to rest on areas treated for control of turf pests will be controlled for varying periods of time after treatment, depending on exposure of treated areas to weather conditions.

Treat when insects are active or as recommended by state agricultural experiment stations or state extension service specialists.

Apply this product uniformly to home lawns and other ornamental and recreational turfgrass areas using any land or power operated gravity or rotary type spreader designed for application of granular materials. This product is not for pasture use. To obtain uniform distribution, apply one-half the required amount of product in one direction; then apply the balance at a right angle.

Immediately after application, lightly water using 30 gallons per 1000 sq ft of area.

After 2 to 3 days, water again applying about an inch of water. Rainfall during this period may be counted, but should be measured.

Rates to Use

To control ants, brown ticks, chinch bugs, crickets, cutworms, earwigs, sod webworms and sow bugs, use the product at a rate of 3.3 lb per 1,000 sq ft. This package will treat 10,000 sq ft (100 X 100 area) at the above rate.

To control certain white grubs (larvae of European chafer and Japanese beetle), use this product at a rate of 6.6 lb per 1,000 sq ft. For best results, treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local agricultural extension service specialist for proper time to treat in your area. Apply the granules uniformly over the area to be treated, followed immediately by thorough watering to wash the insecticide into the turf.

To control Hyperodes (turfgrass) weevils, use this product at a rate of 6.6 lb per 1,000 sq ft. Treat suspected problems areas in mid-April and again in mid-May. Consult your local agricultural extension service specialist for best time to treat in your area.

Spreader Settings/Helpful Advice for Application

[Editor's note: Supplemental distributor may include recommended spreader equipment and spreader settings and/or helpful advice for application.]

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes),

5/5

presence of other materials, the manner of application, or other factors, all of which are beyond the control of Dow AgroSciences or the seller. All such risks shall be assumed by buyer.

Limitation of Remedies

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used.

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer above and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

*Trademark of Dow AgroSciences LL	.C
EPA-Accepted:/_/_	