/ 62719-324 Please read instructions on reverse before completing form.		Approval expires 05-31-98			
United State Environmental Protect Washington, DC	ction Agency	Registration Amendment X Other	OPP Identifier Number		
Applica	tion for Pesticide - Se	ction I	······································		
1. Company/Product Number	2. EPA Product M		roposed Classification		
Dow AgroSciences/62719-324	Jame	es A. Tompkins	· —		
Company/Product (Name) Dow AgroSciences/ Accord Concentrate	PM#	PM/25	None Restricted		
5. Name and Address of Applicant (Include ZIP Code) Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, IN 46268 Check if this is a new add NOTIFICATION	(b)(i), my produc to: EPA Reg. No.	eview. In accordance with t is similar or identical in Co			
FEB 1 6 200					
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.	Final prin Agency le	ted labels in response to etter dated Application. splain below.			
Explanation: Use additional page(s) if necessary. (For Section Notification action of Accord® Concentrate herbicide based on EPA accepted In Aquatic & Other Noncrop Sites 2. Release of Bermudagrass or Bahiagrass on Noncrop Sites 3. Bahiagrass Seedhead and Vegetative and Suppression 4. Annual Grass Growth Suppression		19-324) dated November 10, 2003: 			
	Section - III				
Material This Product Will Be Packaged In:					
Child-Resistant Packaging Yes* No No *Certification must be submitted Unit Packaging Yes No No If "Yes" Unit Packaging wgt. container	Water Soluble Packaging Yes No If "Yes" Package wgt No. per	Yes Metal Plastic Glass es" No. per Paper			
3. Location of Net Contents Information 4. Size(s) Retail Container 5 Location of Label Directions On Label On Label On Labeling accompanying product					
S. Mainter III Winds Laber is Allixed to Product	thograph aper glued enciled	er			
	Section - IV				
Contact Point /Complete items directly below for identification.	tion of individual to be contacted		1.0.1.0		
Name Diego Fonseca	Title Regulatory Manager		nclude Area Code) 17) 337-4693		
Certific I certify that the statements I have made on this form an I acknowledge that any knowing false or misleading stated both under applicable law.	id all attachments thereto are tru		8. Date Application Received (Stamped)		
2. Signature Surgani Jan	3. Title Regulatory Manager	****	••••		
4. Typed Name	5. Date		1		
Diego Fonseca	03 Feb	ruary 2005	CTC		
* Trademark of Dow AgroSciences LLC		· · · · · · · · · · · · · · · · · · ·	STG		

Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA WUIIFICATION

Accord® Concentrate herbicide

EPA Reg. No. 62719-324

FEB 1 6 2005

Uses listed in this supplemental labeling have been added to the label for Accord Concentrate. Users may apply Accord Concentrate according to this supplemental labeling until such time as labeling which includes these additional uses is fully available on product in channels of trade.

Additional Uses:

- Aquatic & Other Noncrop Sites
- Release of Bermudagrass or Bahiagrass on Noncrop Sites
- Bahiagrass Seedhead and Vegetative Suppression
- Annual Grass Growth Suppression

(Not for Distribution or Use in California and New York)

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Accord[®] Concentrate herbicide before applying. Follow all
 applicable directions, restrictions, and precautions on the EPA registered label.
- Except as described in this supplemental labeling, use of Accord Concentrate is subject to all use
 precautions and limitations imposed by the label affixed to the product container.

Directions for Use

Aquatic and other Noncrop Sites

Apply Accord Concentrate as directed and under conditions described to control or partially control weeds and woody plants listed in the "Weeds Controlled" section in industrial, recreational and public areas or other similar aquatic or terrestrial sites on this label.

Noncrop Sites

Accord Concentrate may be used to control the listed weeds in the following terrestrial noncrop sites and/or in aquatic sites within these areas:

- Airports
- Golf Courses
- Habitat Restoration & Management Areas
- Highways & Roadsides
- Industrial Plant Sites
- Lumberyards
- Parking Areas
- Parks

- Petroleum Tank Farms
- Pipeline, Power, Telephone & Utility Rights-of-Way
- Pumping installations
- Railroads
- Schools
- Storage Areas
- Similar Sites

Aquatic Sites

Accord Concentrate may be applied to emerged weeds in seeps, irrigation and drainage ditches, wildlife habitat restoration and management areas and similar sites.

If aquatic sites are present in the noncrop area and are part of the intended treatment, read and observe the following directions:

- Accord Concentrate does not control plants which are completely submerged or have a majority of their foliage under water.
- There is no restriction on the use of treated water for irrigation, recreation or domestic purposes.
- Consult local state fish and game agency and water control authorities before applying this product to public water. Permits may be required to treat such water.
- NOTE: Do not apply this product directly to water within ½ mile up-stream of an active potable water intake in flowing water (i.e., river, stream, etc.) or within ½ mile of an active potable water intake in a standing body of water such as lake, pond or reservoir. To make aquatic applications around and within 1/2 mile of active potable water intakes, the water intake must be turned off for a minimum period of 48 hours after the application. The water intake may be turned on prior to 48 hours if the glyphosate level in the intake water is below 0.7 parts per million as determined by laboratory analysis. These aquatic applications may be made only in those cases where there are alternative water sources or holding ponds which would permit the turning off of an active potable water intake for a minimum period of 48 hours after the applications. This restriction does not apply to intermittent inadvertent overspray of water in terrestrial use sites.
- For treatments after drawdown of water or in dry ditches, allow 7 or more days after treatment before reintroduction of water to achieve maximum weed control. Apply this product within 1 day after drawdown to ensure application to actively growing weeds.
- Floating mats of vegetation may require retreatment. Avoid wash-off of sprayed foliage by spray boat or recreational boat backwash or by rainfall within 6 hours of application. Do not re-treat within 24 hours following the initial treatment.
- Applications made to moving bodies of water must be made while traveling upstream to prevent
 concentration of this herbicide in water. When making any bankside applications, do not overlap more
 than 1 foot into open water. Do not spray in bodies of water where weeds do not exist. The maximum
 application rate of 7 1/2 pints per acre must not be exceeded in any single broadcast application that is
 being made over water.
- When emerged infestations require treatment of the total surface area of impounded water, treating the
 area in strips may avoid oxygen depletion due to decaying vegetation. Oxygen depletion may result in
 fish kill.

Release of Bermudagrass or Bahiagrass on Noncrop Sites

Release of Dormant Bermudagrass And Bahiagrass

When applied as directed, this product will provide control or suppression of many winter annual weeds and tall fescue for effective release of dormant bermudagrass or bahiagrass. Make applications to dormant bermudagrass or bahiagrass.

For best results on winter annuals, treat when weeds are in an early growth stage (below 6 inches in height) after most have germinated. For best results on tall fescue, treat when fescue is in or beyond the 4 to 6-leaf stage.

Weeds Controlled

Rate recommendations for control or suppression of winter annuals and tall fescue are listed below.

Apply the recommended rates of this product in 10 to 25 gallons of water per acre plus 2 quarts nonionic surfactant per 100 gallons of total spray volume.

Weeds Controlled or Suppressed †

Note: C = Controlled; S = Suppressed

	Rate of Accord Concentrate (Fluid Ounces Per Acre)					
Weed Species	6	9	12	18	24	48
Barley, little Hordeum pusillum	S	С	С	С	С	С
Bedstraw, catchweed Galium aparine	S	С	С	С	С	O
Bluegrass, annual Poa annua	S	С	С	С	С	С
Chervil Chaerophyllum tainturieri	S	С	С	Ç	С	С
Chickweed, common Stellaria media	S	С	С	С	C	
Clover, crimson Trifolium incarnatum	•	S	S	С	С	С
Clover, large hop Trifolium campestre	•	S	S	С	С	С
Speedwell, corn Veronica arvensis	S	С	С	С	С	С
Fescue, tall Festuca arundinacea	•	•	•	•	S	S
Geranium, Carolina Geranium carolinianum	•	•	S	S	С	С
Henbit Lamium amplexicaule	•	S	С	ပ	C	С
Ryegrass, Italian Lolium multiflorum	•	•	S	С	C	С
Vetch, common Vicia sativa	•	•	S	C	С	С

[†] These rates apply only to sites where an established competitive turf is present.

Release of Actively Growing Bermudagrass

NOTE: Use only on sites where bahiagrass or bermudagrass are desired for ground cover and some temporary injury or yellowing of the grasses can be tolerated.

When applied as directed, this product will aid in the release of bermudagrass by providing control of annual species listed in the "Weeds Controlled" section in this label, and suppression or partial control of certain perennial weeds.

For control or suppression of those annual species listed in this label, use 3/4 to 2 1/4 pints of this product as a broadcast spray in 10 to 25 gallons of spray solution per acre, plus 2 quarts of a nonionic surfactant per 100 gallons of total spray volume. Use the lower rate when treating annual weeds below 6 inches in height (or length of runner in annual vines). Use the higher rate as size of plants increases or as they approach flower or seedhead formation.

Use the higher rate for partial control or longer-term suppression of the following perennial species. Use lower rates for shorter-term suppression of growth.

Bahiagrass

Johnsongrass 1

Dallisgrass

Trumpetcreeper 11

Fescue (tall)

Vaseygrass

Use only on well-established bermudagrass. Bermudagrass injury may result from the treatment but regrowth will occur under moist conditions. Repeat applications in the same season are not recommended, since severe injury may result.

Bahiagrass Seedhead and Vegetative Suppression

When applied as directed in the "Noncrop Sites" section in this label, this product will provide significant inhibition of seedhead emergence and will suppress vegetative growth for a period of approximately 45 days with single applications and approximately 120 days with sequential applications.

Apply this product 1 to 2 weeks after full green-up of bahiagrass or after the bahiagrass has been mowed to a uniform height of 3 to 4 inches. Applications must be made prior to seedhead emergence. Apply 5 fluid ounces per acre of this product, plus 2 quarts of an approved nonionic surfactant per 100 gallons of total spray volume in 10 to 25 gallons of water per acre.

Sequential applications of this product plus nonionic surfactant may be made at approximately 45-day intervals to extend the period of seedhead and vegetative growth suppression. For continued vegetative growth suppression, sequential applications must be made prior to seedhead emergence.

Apply no more than 2 sequential applications per year. As a first sequential application, apply 3 fluid ounces of this product per acre plus nonionic surfactant. A second sequential application of 2 to 3 fluid ounces per acre plus nonionic surfactant may be made approximately 45 days after the last application.

Annual Grass Growth Suppression

For growth suppression of some annual grasses, such as annual ryegrass, wild barley and wild oats growing in coarse turf on roadsides or other industrial areas, apply 3 to 4 ounces of this product in 10 to 40 gallons of spray solution per acre. Mix 2 quarts of a nonionic surfactant per 100 gallons of spray solution. Applications should be made when annual grasses are actively growing and before the seedheads are in the boot stage of development. Treatments made after seedhead emergence may cause injury to the desired grasses.

٠,

*Trademark of Dow AgroSciences LLC

R-145-001 EPA –Accepted 11-10-2003 Initial printing.

[†] Johnsongrass is controlled at the higher rate.

TSuppression at the higher rate only.

EBA / Accord Concentrate / Sec 3 Supplemental Labeling (FPL) / 02-02-05 File: R-145-001 Accord Concentrate Sec 3 Aquatic and Non-crop Turf Uses 02Feb05d.doc



Accord® Concentrate herbicide

EPA Reg. No. 62719-324

NOTIFICATION FEB 1 6 2005

Registration Notes:

Accord Concentrate is a sub-label based on the Glypro Master Label. A commercial decision has been made to add the uses listed in this supplemental labeling to the label for Accord Concentrate. Dow AgroSciences intends to distribute this supplemental labeling in all states except CA and NY until such time as labeling for Accord Concentrate bearing these additional uses is approved in CA and NY and is fully available in channels of trade.

Additional Uses from the Master Label for Glypro (62719-324, EPA-accepted November 10, 2003):

- Aquatic & Other Noncrop Sites
- Release of Bermudagrass or Bahiagrass on Noncrop Sites
- Bahiagrass Seedhead and Vegetative Suppression
- Annual Grass Growth Suppression



308/2E February 3, 2005



Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U. S. Environmental Protection Agency
Room 266A, Crystal Mall 2
1801 South Bell Street
Arlington, VA 22202

NOTIFICATION FEB 1 6 2005

ACCORD CONCENTRATE (AI: GLYPHOSATE)
EPA REGISTRATION NUMBER: 62719-324
NOTIFICATION OF MINOR LABEL CHANGE PER PR NOTICE 98-10
ADDITION OF SUPPLEMENTAL LABEL TO ALTERNATE BRAND

Enclosed please find supplemental labeling for the notification action of Accord® Concentrate herbicide based on EPA accepted labeling for the master label, Glypro® (62719-324) dated November 10, 2003. Accord Concentrate is an alternate brand label based on the Glypro master label. A commercial decision has been made to add the uses listed in this supplemental labeling to the label for Accord Concentrate. Dow AgroSciences intends to distribute this supplemental labeling in all states except California and New York until such time as labeling for Accord Concentrate bearing these additional uses is approved in those two states (CA and NY), and is fully available in channels of trade.

The following changes have been made to the supplemental label by notification:

- 1. Aquatic & Other Noncrop Sites
- 2. Release of Bermudagrass or Bahiagrass on Noncrop Sites
- 3. Bahiagrass Seedhead and Vegetative and Suppression
- 4. Annual Grass Growth Suppression

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Contents of Submission

/ Accord Concentrate / S	ec 🗓 🔭
*155*2	•
: : :	
*****	****
****	•
	•
	\$1551

ACCORD CONCENTRATE (A. I.: GLYPHOSATE)
EPA REGISTRATION NUMBER: 62719-324
NOTIFICATION OF MINOR LABEL CHANGE PER PR NOTICE 98-10
ADDITION OF SUPPLEMENTAL LABEL TO ALTERNATE BRAND
February 3, 2005

Page 2

If you require further information, please contact Richard Bjerregaard, Regulatory Specialist at 317-337-4674 or Paula McKinnies, Registration Assistant for this product, at 317-337-4679 (pmckinnies@dow.com).

Sincerely,

Diego Fonseca

Regulatory Leader

Regulatory Success - Americas

317-337-4693

317-337-4649 (FAX)

dfonseca@dow.com

Enclosures

/pkm