14-527

02/19/2010

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms Kimberly S. Gilbert Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, IN 46268-1054

FEB 1 9 2010

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated December 3, 2009 for:

EPA Registration 62719-327

Super Team 1.25%

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by nonnotification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

• •		(-	2/12
Please read instructions on reverse before completing form.	Form Ap	000 000 000 000 000 000 000 000 000 00	60. Approvel expires 2-28-95
United States Environmental Protect Washington, DC 20	ion Agency	RegistrationAmendment✓Other	OPP Identifier Number
Applicat	ion for Pesticide - Sec	tion I	
1. Company/Product Number Dow AgroSciences LLC/62719-327	2. EPA Product Man Kathryn Montagu	•	Proposed Classification
4. Company/Product (Name) Dow AgroSciences LLC/Super Team 1.25%	РМ# 23		
5. Name and Address of Applicant (Include ZIP Code) Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, IN 46268	(b)(i), my product to: EPA Reg. No	veiw. In accordance wit is similar or identical in c	
	Product Name Section - II		
Amendment - Explain below. Resubmission in response to Agency letter dated ✓ Notification - Explain below. Explanation: Use additional page(s) if necessary. (For sections at 40 CFR 156.10, 156.140, 156.144, 156.146, and 11 formula for this product. I understand that it is a violation of 18 U, amended label is not consistent with the requirements of 40 CFR and I may be subject to enforcement action and penalties under section and secontand section and section and section and se	Final printe Agency lat "Me Too" / Other - Exp ion I and Section II.) on is consistent with the guidance ir 56.156. No other changes have be S.C. Sec. 1001 to willfully make an 156.10, 156.140, 156.144, 156.146 sections 12 and 14 of FIFRA. Section - III Water Soluble Packaging Yes No If "Yes" No. per	PR Notice 2007-4 and the ren made to the labeling or the y false statement to EPA. I fit 5, and 156.156, this product not be a statement to EPA. I fit 5, and 156.156, this product not be	e confidential statement of urther understand that if the nay be in violation of FIFRA
be submitted 50 lb 1	Package wgt containe	5. Location of Label Direct	(Specify)
6. Manner in Which Label is Affixed to Product	ograph Othe		
	Section - IV		
1. Contact Point <i>(Complete items directly below for identificat</i>	tion of individual to be contacted,	if necessary, to process th	is application.)
Name Kimberly S. Gilbert	Title Regulatory Manager		one No. (Include Area Code) 37-468ูธ (เสร์: 317-337-4649)
Certific I certify that the statements I have made on this form ar I acknowledge that any knowlinglly false or misleading s both under applicable law.	nd all attachments thereto are tru	e, accurate and complete. ine or imprisonment of ີ ເ ເເເເເ	6. bets Application Keceived (Stamped)
2. Signature and Soypi	3. Title Regulatory Manager	رینی: ر ن ن ر ز ر ز ر ر ز ر ر ر ز ر ر ر ب ر ر	
4. Typed Name Kimberly S. Gilbert (ksgibert@dow.com)	5. Date December 3	8, 2009	ιιι ι ι ι ι ι ι ι ι ι ι ι ι

Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, IN 46268-1054



308/2E December 3, 2009

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U. S. Environmental Protection Agency One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202

SUPER TEAM 1.25% (A.I. BENEFIN, TRIFLURALIN) EPA REGISTRATION NUMBER: 62719-327 NOTIFICATION OF MINOR LABEL CHANGE PER PR NOTICE 2007-4

Enclosed please find labeling for the notification action of Super Team[®] 1.25% herbicide. The following change has been made by notification:

1. Storage and Disposal: Revised section per PR Notice 2007-4.

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Contents of Submission

- Transmittal document (this letter)
- Application for Pesticide, EPA Form 8570-1
- Label entitled Super Team 1.25% (P4A/Super Team 1.25% / Notif/12-03-09) (9 Pages plus Registration Notes) (1 Copy)

If you require further information, please contact Cindy Loy, Regulatory Specialist at (317) 337-4655.

Sincerely,

indy Soypi

Kimberly S. Gilbert Regulatory Leader (317) 337-4685 (317) 337-4649 (FAX)

Enclosures



10

[®]Trademark of Dow AgroSciences LLC

(Base label):

Super Team[®] 1.25%

Herbicide

A fertilizer containing Team, a preemergence herbicide for control of crabgrass, foxtail, goosegrass, *Poa annua* and other annual weed grasses in established home lawns

In the state of Florida, do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street, back onto your lawn/garden.

Covers up to 15,000 sq ft (100' X 150') and/or	NOTIFICATION
Covers up to 5,000 sq ft (100' X 50')	
Prevents crabgrass & other unsightly [annual] weeds and/or Encourages quick spring greenup and/or Greens your lawn with extended feeding nitrogen and/or Prevents crabgrass before it starts and/or Made in the USA and/or	FEB 1 9 2010
For home use only	
Active Ingredients: benefin: <i>N</i> -butyl-N-ethyl-α,α,α-trifluoro-2,6-dinitro- <i>p</i> -tolui trifluralin: α,α,α -trifluoro-2,6-dinitro- <i>N,N</i> -dipropyl-p-toluic Other Ingredients Total.	dine0.43%
Contains 0.5 lb active ingredient per 40 lb bag.	
[Editor's note: Supplemental distributor will add fertiliz fertilizer carrier used.]	zer analysis and derivation statement for
Guaranteed Fertilizer Analysis	
Total Nitrogen (N) Available Phosphoric Acid (P ₂ O ₅) Soluble Potash (K ₂ O)	XX.X%
Keep Out of Reach of Children	ς ε τουςίς τ
WARNING	τος τος
Precautionary Statements	
Hazards to Humans and Domestic Animals	

Causes Substantial But Temporary Eye Injury • Harmful If Absorbed Through Skin • Prolonged Or Frequently Repeated Skin Contact May Cause Allergic Reactions In Some Individuals

Do not get in eyes or on clothing. Avoid contact with skin. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information.

Environmental Hazards

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates, including shrimp and oyster. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent runoff to water bodies or drainage systems.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in a cool dry place out of the reach of children and domestic animals. Store in original container only.

Container Handling: Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-992-5994 for disposal instructions. Never place unused product down any indoor or outdoor drain.

Refer to label booklet for Directions for Use.

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies elsewhere on this label. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

EPA Eșt. No. -

ι ι ι (

ιιιι ι ι ιιι

Agricultural Chemical: Do not ship or store with food, feeds, drugs, or clothing.

EPA Reg. No. 62719-327

[®]Trademark of Dow AgroSciences LLC

Produced for Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, Indiana 46268

٠

'n

Net Weight _____

 $\left(\right)$

6/12

. ι**ιιι** ι ι ι ι ι ι ι ι ίζιι**ι** ί Γ. ί Γ. ί Γ. ίιί ι ι ί ιί, εςτις τ τ τ, τ τ, τ, τ ι ι**ι** ι ι ι ι ιιιι

ιι

φ

c

(Label booklet cover):

Super Team[®] 1.25%

Herbicide

A fertilizer containing Team, a preemergence herbicide for control of crabgrass, foxtail, goosegrass, *Poa annua* and other annual weed grasses in established home lawns

In the state of Florida, do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street, back onto your lawn/garden.

Covers up to 15,000 sq ft (100' X 150') and/or	
Covers up to 5,000 sq ft (100' X 50')	
Prevents crabgrass & other unsightly [annual] weeds and/or	
Encourages quick spring greenup and/or	
Greens your lawn with extended feeding nitrogen and/or	
Prevents crabgrass before it starts and/or	
Made in the USA and/or	
For home use only	
Active Ingredients:	0.000/
benefin: <i>N</i> -butyl-N-ethyl-a,a,a-trifluoro-2,6-dinitro- <i>p</i> -toluidine trifluralin: a,a,a -trifluoro-2,6-dinitro- <i>N,N</i> -dipropyl-p-toluidine	0.43%
Other Ingredients	
Total	

Contains 0.5 lb active ingredient per 40 lb bag.

[Editor's note: Supplemental distributor will add fertilizer analysis and derivation statement for fertilizer carrier used.]

Guaranteed Fertilizer Analysis	
Total Nitrogen (N)	XX.X%
Available Phosphoric Acid (P ₂ O ₅)	XX.X%
Soluble Potash (K ₂ O)	XX.X%

Keep Out of Reach of Children **WARNING**

Refer to inside of label booklet for additional precautionary information including Directions for Use.

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies at end of label booklet. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Agricultural Chemical: Do not ship or store with food, feeds, drugs, or clothing.

EPA Reg. No. 62719-327

EPA Est. No.

[®]Trademark of Dow AgroSciences LLC Produced for Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, Indiana 46268

Net Weight _____

81

LULL

(Page 1 through end):

Precautionary Statements

Hazards to Humans and Domestic Animals

WARNING

Causes Substantial But Temporary Eye Injury • Harmful If Absorbed Through Skin • Prolonged Or Frequently Repeated Skin Contact May Cause Allergic Reactions In Some Individuals

Do not get in eyes or on clothing. Avoid contact with skin. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information.

Environmental Hazards

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates, including shrimp and oyster. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent runoff to water bodies or drainage systems.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all directions carefully before applying this product.

Application Restrictions: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Entry Restrictions: Do not allow people or pets to enter the treated area until dusts have settled c d f c c c watering in is required after the application, do not enter or allow others to enter the treated areas (except those involved in watering) until the watering in is complete and surface is dry.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

ιι ιεειι ι ιεει

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in a cool dry place out of the reach of children and domestic animals. Store in original container only.

Container Handling: Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-992-5994 for disposal instructions. Never place unused product down any indoor or outdoor drain.

How This Product Works

This product is a granular fertilizer containing Team[®], a preemergence herbicide for application to established home lawns and other turfgrass areas for control of annual bluegrass (*Poa annua*), smooth and hairy crabgrass, goosegrass (silver crabgrass or crowfoot), barnyardgrass (watergrass), and green and yellow foxtail. This product also provides partial control of prostrate spurge, spotted spurge, creeping spurge, creeping woodsorrel, and yellow woodsorrel. This product will not harm most nearby ornamental trees and shrubs.

General Use Precautions and Restrictions

- Do not apply this product to dichondra.
- Do not apply to newly sprigged areas of bermudagrass, St. Augustinegrass, centipedegrass, or zoysiagrass until turf is well established.
- Any cultural practices that disturb the soil, such as aerification or verticutting, should be done prior to application of this product.
- Do not make more than 2 applications of this product per year.
- Maximum Single Application Rate: 5.5 lb of Super Team 1.25% per 1000 sq ft.
- Maxmum Yearly Rate: 11 lb of Super Team 1.25% per 1000 sq ft.

• Minimum Re-Treatment Interval: Cool season turf – 56 to 70 days; warm season turf – 70 to 84 days. [Editor's note: Supplemental distributor will add one of the following statements as appropriate if their product is registered in the state of Florida.]

- Florida Applications: Do not exceed [2] [3] applications per year on bahiagrass in the north.
- Florida Applications: Do not exceed [2] [3] [4] applications per year on bahiagrass in [central Florida] [the south].
- Florida Applications: Do not exceed [3] [4] [5] applications per year on bermudagrass in the north.
- Florida Applications: Do not exceed [4] [5] [6] applications per year on bermudagrass in central Florida.
- Florida Applications: Do not exceed [5] [6] [7] applications per year on bermudagrass in the south.
- Florida Applications: Do not exceed [1] [2] applications per year on centipedegrass in the north.
- Florida Applications: Do not exceed [2] [3] applications per year on centipedegrass in [central Florida] [the south].
- Florida Applications: Do not exceed [2] [3] [4] applications per year on St. Augustinegrass in the north.
- Florida Applications: Do not exceed [2] [3] [4] [5] applications per year on St. Augustinegrass in central Florida.
- Florida Applications: Do not exceed [4] [5] [6] applications per year on St. Augustinegrass in the south.
- Florida Applications: Do not exceed [3] [4] [5] applications per year on zoysiagrass in the north.
- Florida Applications: Do not exceed [3] [4] [5] [6] applications per year on zoysiagrass in central Florida.
- Florida Applications: Do not exceed [4] [5] [6] applications per year on zoysiagrass in the south

Reseeding: Do not reseed treated areas for at least 8 weeks after a single application of 3.6 lb of product per 1000 sq ft, or 12 to 16 weeks after a single application of 5.5 lb of product per 1000 Sq ft unless injury can be tolerated. For split applications, do not reseed treated areas for 8 to 10 weeks after the last 2.75 lb of product per 1000 sq ft rate is applied, or 10 to 12 weeks after the last 3.6 lb of product per 1000 sq ft rate is applied.

Page 7

This product is recommended for use on the following established turfgrass species:

Established	Cool	Season	Turfgrass	
-------------	------	--------	-----------	--

bentgrass fescues Kentucky bluegrass perennial ryegrass Established Warm Season Turfgrass bahiagrass bermudagrass centipededgrass St. Augustinegrass tall fescue zoysiagrass

How to Apply

Apply this product using a drop or rotary-type spreader designed to apply granular fertilizer. Calibrate application equipment prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or turfgrass injury may occur. More uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at right angles to the first. A splashboard mounted below the release point of drop-type spreaders can improve the uniformity of product distribution. Optimum weed control performance will be obtained when an application is followed by sprinkler irrigation or rainfall within a few hours.

Spreader Settings as a Guide for Calibration

	Calibration Settings at Specified Rate (lb/1000 sq ft)				
Brand and Model of Spreader	XX	XX	XX	XX	XX
XXXXXXXX	XX	XX	XX	XX	XX

When to Apply

Apply this product 1 to 2 weeks prior to germination of annual weeds since it does not control established weeds.

How Much to Apply

	Cool Season Turfgrass	Warm Season Turfgrass
summer annual grass weeds (spring application)	2.75 to 5.5 lb/1000 sq ft	5.5 lb/1000 sq ft
winter annual grass weeds (fall application)	2.75 to 3.6 lb/1000 sq ft	5.5 lb/1000 sq ft

This product may also be applied in split applications. This program is desirable when the initial application is made well in advance of weed germination and where weed control is desired for a longer period of time. For a split application, apply this product at 2.75 lb plus 2.75 lb per 1000 sq ft for cool season turfgrass and in the northern half of the warm season turfgrass area, or 3.6 lb plus 3.6 lb per 1000 sq ft in the southern half of the warm season turfgrass area. Make the second application 8 to 10 weeks following the 2.75 lb per 1000 sq ft rate and 10 to 12 weeks following the 3.6 lb per 1000 sq ft rate.

Terms and Conditions of Use		COLLO
If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Li acceptable, return unopened package at once to the seller for a full refund Otherwise, use by the buyer or any other user constitutes acceptance of the Disclaimer, Inherent Risks of Use and Limitations of Remedies.	of purchase price pa	aid. ^{ڏ ٽ} دٽ
Warranty Disclaimer	(C	
	ζ (· , ζ , ζ , ζ	ل د دردد د درد د
		(, (,; (() ((()

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. TO THE EXTENT PERMITTED BY LAW, SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. To the extent permitted by law, all such risks shall be assumed by buyer.

Limitation of Remedies

To the extent permitted by law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories) shall be limited to, at Seller's election, one of the following:

- 1. Refund of purchase price paid by buyer or user for product bought, or
- 2. Replacement of amount of product used.

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use, and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

[®]™Trademark of Dow AgroSciences LLC EPA accepted 12/28/07