

PM 23

62719-331

1-12-2000

1 of 8



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

62719-331

JAN 12 2000

NOTICE OF PESTICIDE:

 x Registration
 Reregistration

Term of Issuance:

Conditional

Name of Pesticide Product:

Super Team* 1.15%

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Dow AgroSciences LLC
9330 Zionsville Road
Indianapolis, IN 46268-1054

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c) (7) (A) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA section 3(c) (5) or 4 or 3(g) when the Agency requires all registrants of similar products to submit such data.
2. Make the following label changes before you release the product for shipment:
 - a. Revise the EPA Registration Number to read "EPA Reg. No. 62719-331".
 - b. Add the following Note To Physician below the First Aid statements:

"Note To Physician: Probable mucosal damage may contraindicate the use of gastric lavage."
 - c. Correct the spelling of the word "off" in the first sentence of the "If on skin" first aid statement.

Signature of Approving Official:

Date:

JAN 12 2000

2 of 8

page 2
 EPA Reg. No. 62719-331

3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Joanne I. Miller
 Product Manager (23)
 Herbicide Branch
 Registration Division (7505C)

Enclosure

RD:STANTON:PM Team 23:Rm. 239:CM-2:305-5218:Disk #11:62719-GGR.REG

CONCURRENCES

SYMBOL ▶	7505C							
SURNAME ▶	S. Stanton							
DATE ▶	Jan 12, 2000							

3078

Super Team* 1.15%

A granular fertilizer containing Team* herbicide for the preemergence control of crabgrass, foxtail, goosegrass, *poa annua* and other annual weed grasses in home lawns.

- and/or
- Prevents crabgrass & other unsightly weeds
- and/or
- Encourages quick spring greenup
- and/or
- Greens your lawn with extended feeding nitrogen
- and/or
- Covers up to XX, 000 sq ft (XXX' X XX')
- and/or
- Covers up to X,000 sq ft (XXX' X XX')
- and/or
- Prevents crabgrass before it starts
- and/or
- Made in the USA
- and/or
- [Supplemental Distributor's name] Satisfaction Guaranteed, see back for details.

ACCEPTED
with COMMENTS
In EPA Letter Dated
JAN 12 2000

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
62719-331

Active Ingredients:

benefin: <i>N</i> -butyl- <i>N</i> -ethyl- α,α,α -trifluoro-2,6-dinitro- <i>p</i> -toluidine.....	0.76%
trifluralin: α,α,α -trifluoro-2,6-dinitro- <i>N,N</i> -dipropyl- <i>p</i> -toluidine	0.39%
Inert Ingredients.....	98.85%
Total.....	100.00%

Guaranteed Fertilizer Analysis†

Total Nitrogen (N)	XX.X%
Available Phosphoric Acid (P ₂ O ₅)	XX.X%
Soluble Potash (K ₂ O)	XX.X%

[†Editor's note: See subregistrant label for specific fertilizer analysis of the fertilizer blend used.]
Contains 0.46 pounds active ingredient per 40-pound bag.

Keep Out of Reach of Children

WARNING

See back or container/side panel for additional precautionary statements.

Notice: Read the entire label. Use only according to label directions. Before buying this product, read Limited Warranty and Disclaimer Section elsewhere on this label.

Do Not Ship or Store with Food, Feeds, Drugs, or Clothing.

EPA Reg. No. 62719-XXX


EPA Est. No. _____

40/8

*Trademark of Dow AgroSciences LLC
Dow AgroSciences LLC • Indianapolis, Indiana 46268 U.S.A.

Herbicide

Net Weight - 40 Pounds



Precautionary Statements

Hazards to Humans and Domestic Animals

Keep Out of Reach of Children

WARNING

Causes substantial but temporary eye injury. Harmful if absorbed through skin.

Do not get in eyes or on clothing. Avoid contact with skin. Wear goggles face shield or safety glasses when handling. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse."

User Safety Recommendations:

- Users should wash hands after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Environmental Hazards

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates, including shrimp and oyster. Do not apply directly to water. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters.

6 of 8

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all directions carefully before applying this product.

Storage and Disposal

Storage: Store in a cool dry place out of the reach of children and domestic animals. Store in original container only.

Disposal: Do not reuse empty container. Wrap container in several layers of newspaper and discard in trash.

General Information

This turf fertilizer product contains Team*, a preemergence herbicide for application to established turfgrasses for the control of the winter annual grass: annual bluegrass (*Poa annua*); and summer annual grasses: smooth and hairy crabgrass, goosegrass (silver crabgrass or crowfootgrass), barnyardgrass (watergrass) and green and yellow foxtail. This product also provides partial control of prostrate spurge (*Euphorbia humistrata*), spotted spurge (*Euphorbia maculata*), creeping spurge (*Euphorbia serpens*), creeping woodsorrel (*Oxalis corniculata*) and yellow woodsorrel (*Oxalis stricta*).

General Use Precautions and Restrictions

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Application Restrictions: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Entry Restrictions: Do not allow people or pets to enter the treated area until dusts have settled. If watering-in is required after the application, do not enter or allow others to enter the treated areas (except those involved in watering) until the watering-in is complete and surface is dry.

Reseeding: Do not reseed treated areas for minimum of 8 weeks after a single application of 4 lb per 1000 sq ft or 12 to 16 weeks after a single application of 6 lb per 1000 sq ft. For split applications, do not reseed treated areas for 8 to 10 weeks after the last 3 lb per 1000 sq ft rate or 10 to 12 weeks after the last 4 lb per 1000 sq ft rate.

Do not apply this product to dichondra, or newly sprigged areas of bermudagrass, St. Augustinegrass, centipedegrass, or zoysiagrass. Any cultural practices that disturb the soil, such as aerification or verticutting, should be done prior to application.


This Product is Recommended for Use on the Following Established Warm and Cool Season Perennial Turfgrass Species in Home Lawns:

Established Cool Season Turfgrasses

- Bentgrass
- Kentucky bluegrass
- Perennial ryegrass
- Fescues

Established Warm Season Turfgrasses

- Bahiagrass
- Bermudagrass
- Centipedegrass
- Tall fescue
- St. Augustinegrass
- Zoysiagrass



Application

This product should be applied one to two weeks prior to the anticipated germination of the target annual weeds. Apply using a properly calibrated granular fertilizer spreader which will uniformly distribute the product over the target area. Avoid skips and excessive overlaps as poor weed control or turfgrass injury may occur. Optimum weed control performance will be obtained if treated areas are irrigated soon after application. This product will not harm most nearby ornamentals.

In areas with extended growing seasons or where desired, a second application at the recommended rate can be made 8 to 10 weeks following the initial application on cool season turfgrasses and 10 to 12 weeks following the initial application on warm season turfgrasses.

Broadcast Application Rates:

	Cool Season Turfgrasses	Warm Season Turfgrasses
Summer Annual Grass Weeds (Spring Application)	3 - 6 lb/1000 sq ft	6 lb/1000 sq ft
Winter Annual Grass Weeds (Fall application)	3 - 4 lb/1000 sq ft	6 lb/1000 sq ft

Split Applications for Extended Control

As an alternative to single application programs, this product may also be applied in split applications. This program is desirable when the initial application is made well in advance of weed germination and where weed control is desired for a longer period of time.

Apply this product at 3 plus 3 lb per 1000 sq ft for Cool Season Turfgrasses and in the northern half of the Warm Season Turfgrass area of the U.S. or 4 plus 4 lb per 1000 sq ft in the southern half of the Warm Season Turfgrasses area of the U.S. The second application should be made 8 to 10 weeks following the 3 lb per 1000 sq ft rate and 10 to 12 weeks following the 4 lb per 1000 sq ft rate.

Spreader Settings

[Editor's note: Subregistrant label may include a table of recommended spreader equipment and spreader settings for the fertilizer blend used.]

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used, in strict accordance with the directions, subject to the inherent risks set forth below. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Dow AgroSciences or the seller. All such risks shall be assumed by buyer.

Limitation of Remedies

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used.

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer above and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

*Trademark of Dow AgroSciences LLC
EPA-Accepted: __/__/__

