



United States Environmental Protection Agency Washington, DC 20460

Registration Amendment Other (with X in Other)

OPP Identifier Number 295324

Application for Pesticide - Section I

1. Company/Product Number: Dow AgroSciences/62719-331
2. EPA Product Manager: Joanne I. Miller
3. Proposed Classification: None/Restricted
4. Company/Product (Name): Dow AgroSciences/Super Team* 1.15%
5. Name and Address of Applicant: Dow AgroSciences LLC, 9330 Zionsville Road, Indianapolis, IN 46268
6. Expedited Review: In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in Composition and labeling to: EPA Reg. No. Product Name

Section - II

Amendment - Explain below. Resubmission in response to Agency letter dated. Notification - Explain below. Final printed labels in response to Agency letter dated. 'Me Too' Application. Other- Explain below. NOTIFICATION DEC 27 2002

Explanation: Use additional page(s) if necessary. (For Section I and Section II.) Notification action in accordance with PR Notice 2001-6 with the following change:

* Storage and Disposal: Modified disposal statement

Section - III

1. Material This Product Will Be Packaged In: Child-Resistant Packaging, Unit Packaging, Water Soluble Packaging, 2. Type of Container: Metal, Plastic, Glass, Paper, Other (Specify). 3. Location of Net Contents Information: Label, Container. 4. Size(s) Retail Container. 5. Location of Label Directions: On Label, On Labeling accompanying product. 6. Manner in Which Label is Affixed to Product: Lithograph, Paper glued, Stenciled, Other.

Section - IV

1. Contact Point /Complete items directly below for identification of individual to be contacted, if necessary, to process this application. Name: Steve A. McMaster, Title: Regulatory Manager, Telephone No.: 317/337-4670. Certification: I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. 8. Date Application Received (Stamped). Signature: Steve A. McMaster, Title: Regulatory Manager, Date: December 13, 2002.

December 13, 2002



Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U. S. Environmental Protection Agency
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

SUPER TEAM* 1.15% (AI: BENEFIN, TRIFLURALIN)
EPA REGISTRATION NUMBER: 62719-331
NOTIFICATION OF STORAGE AND DISPOSAL MODIFICATION PER PR NOTICE 2001-6

Enclosed please find labeling for this notification action for Super Team 1.15% herbicide, EPA Reg. No. 62719-331 with the following change:

- **Storage and Disposal: Modified disposal statement in accordance with PR Notice 2001-6**

Notification of label change relative to PR Notice 2001-6. This notification is consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Contents of Submission

- Transmittal document (this letter)
- Application for Pesticide, EPA Form 8570-1 (OPP No. 295324)
- Label titled Super Team 1.15% (P4A / Super Team 1.15% / Notif / 12-12-02) (4 Pages plus Registration Notes) (5 Copies)

Please contact Cindy Loy (caloy@dow.com), Label/Registration Specialist at 317/337-4655, or Paula McKinnies (pmckinnies@dow.com), Registration Assistant at 317/337-4679 if you require further information for this product.

Sincerely,

Steve A. McMaster
Regulatory Manager
Regulatory Success - Americas
PH: 317/337-4670 / FX: 317/337-4649
samcmaster@dow.com

Enclosures
/pkm

* Trademark of Dow AgroSciences LLC

Super Team* 1.15%

EPA Reg. No. 62719-331

Registration Notes:

Source label text based on EPA accepted copy dated January 12, 2000.

Change via notification:

1. Storage and Disposal: Modified disposal statement in accordance with PR Notice 2001-6 (edits shown).

*Trademark of Dow AgroSciences LLC

4/7

Super Team* 1.15%

A granular fertilizer containing Team* herbicide for the preemergence control of crabgrass, foxtail, goosegrass, *poa annua* and other annual weed grasses in home lawns.

- and/or
- Prevents crabgrass & other unsightly weeds
- and/or
- Encourages quick spring greenup
- and/or
- Greens your lawn with extended feeding nitrogen
- and/or
- Covers up to XX, 000 sq ft (XXX' X XX')
- and/or
- Covers up to X,000 sq ft (XXX' X XX')
- and/or
- Prevents crabgrass before it starts
- and/or
- Made in the USA
- and/or
- [Supplemental Distributor's name] Satisfaction Guaranteed, see back for details.

NOTIFICATION
DEC 27 2002

Active Ingredients:	
benefin: <i>N</i> -butyl- <i>N</i> -ethyl- α,α,α -trifluoro-2,6-dinitro- <i>p</i> -toluidine	0.76%
trifluralin: α,α,α -trifluoro-2,6-dinitro- <i>N,N</i> -dipropyl- <i>p</i> -toluidine	0.39%
Inert Ingredients	98.85%
Total	100.00%

Guaranteed Fertilizer Analysis†	
Total Nitrogen (N)	XX.X%
Available Phosphoric Acid (P ₂ O ₅)	XX.X%
Soluble Potash (K ₂ O)	XX.X%

[†Editor's note: See subregistrant label for specific fertilizer analysis of the fertilizer blend used.]
Contains 0.46 pounds active ingredient per 40-pound bag.

Keep Out of Reach of Children

WARNING

See back or container/side panel for additional precautionary statements.

Notice: Read the entire label. Use only according to label directions. **Before buying this product, read Limited Warranty and Disclaimer Section elsewhere on this label.**

Do Not Ship or Store with Food, Feeds, Drugs, or Clothing.

EPA Reg. No. 62719-331

EPA Est. No. _____

*Trademark of Dow AgroSciences LLC
Dow AgroSciences LLC Indianapolis, Indiana 46268 U.S.A.

Herbicide

Net Weight - 40 Pounds

Precautionary Statements

Hazards to Humans and Domestic Animals

Keep Out of Reach of Children

WARNING

Causes substantial but temporary eye injury. Harmful if absorbed through skin.

Do not get in eyes or on clothing. Avoid contact with skin. Wear goggles face shield or safety glasses when handling. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse."

User Safety Recommendations:

- Users should wash hands after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Environmental Hazards

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates, including shrimp and oyster. Do not apply directly to water. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read all directions carefully before applying this product.

Storage and Disposal

Storage: Store in a cool dry place out of the reach of children and domestic animals. Store in original container only.

Disposal: If empty: Do not reuse empty this container. Wrap container in several layers of news paper and discard in trash. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-992-5994 for disposal instructions. Never place unused product down any indoor or outdoor drain. [Editor's Note: Supplemental distributor will insert own toll free number.]

4/7

General Information

This turf fertilizer product contains Team*, a preemergence herbicide for application to established turfgrasses for the control of the winter annual grass: annual bluegrass (*Poa annua*); and summer annual grasses: smooth and hairy crabgrass, goosegrass (silver crabgrass or crowfootgrass), barnyardgrass (watergrass) and green and yellow foxtail. This product also provides partial control of prostrate spurge (*Euphorbia humistrata*), spotted spurge (*Euphorbia maculata*), creeping spurge (*Euphorbia serpens*), creeping woodsorrel (*Oxalis corniculata*) and yellow woodsorrel (*Oxalis stricta*).

General Use Precautions and Restrictions

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Application Restrictions: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Entry Restrictions: Do not allow people or pets to enter the treated area until dusts have settled. If watering-in is required after the application, do not enter or allow others to enter the treated areas (except those involved in watering) until the watering-in is complete and surface is dry.

Reseeding: Do not reseed treated areas for minimum of 8 weeks after a single application of 4 lb per 1000 sq ft or 12 to 16 weeks after a single application of 6 lb per 1000 sq ft. For split applications, do not reseed treated areas for 8 to 10 weeks after the last 3 lb per 1000 sq ft rate or 10 to 12 weeks after the last 4 lb per 1000 sq ft rate.

Do not apply this product to dichondra, or newly sprigged areas of bermudagrass, St. Augustinegrass, centipedegrass, or zoysiagrass. Any cultural practices that disturb the soil, such as aerification or verticutting, should be done prior to application.

This Product is Recommended for Use on the Following Established Warm and Cool Season Perennial Turfgrass Species in Home Lawns:

Established Cool Season Turfgrasses

- Bentgrass
- Kentucky bluegrass
- Perennial ryegrass
- Fescues

Established Warm Season Turfgrasses

- Bahiagrass
- Bermudagrass
- Centipedegrass
- Tall fescue
- St. Augustinegrass
- Zoysiagrass

Application

This product should be applied one to two weeks prior to the anticipated germination of the target annual weeds. Apply using a properly calibrated granular fertilizer spreader which will uniformly distribute the product over the target area. Avoid skips and excessive overlaps as poor weed control or turfgrass injury may occur. Optimum weed control performance will be obtained if treated areas are irrigated soon after application. This product will not harm most nearby ornamentals.

In areas with extended growing seasons or where desired, a second application at the recommended rate can be made 8 to 10 weeks following the initial application on cool season turfgrasses and 10 to 12 weeks following the initial application on warm season turfgrasses.

7/7

Broadcast Application Rates:

	Cool Season Turfgrasses	Warm Season Turfgrasses
Summer Annual Grass Weeds (Spring Application)	3 - 6 lb/1000 sq ft	6 lb/1000 sq ft
Winter Annual Grass Weeds (Fall application)	3 - 4 lb/1000 sq ft	6 lb/1000 sq ft

Split Applications for Extended Control

As an alternative to single application programs, this product may also be applied in split applications. This program is desirable when the initial application is made well in advance of weed germination and where weed control is desired for a longer period of time.

Apply this product at 3 plus 3 lb per 1000 sq ft for Cool Season Turfgrasses and in the northern half of the Warm Season Turfgrass area of the U.S. or 4 plus 4 lb per 1000 sq ft in the southern half of the Warm Season Turfgrasses area of the U.S. The second application should be made 8 to 10 weeks following the 3 lb per 1000 sq ft rate and 10 to 12 weeks following the 4 lb per 1000 sq ft rate.

Spreader Settings

[Editor's note: Subregistrant label may include a table of recommended spreader equipment and spreader settings for the fertilizer blend used.]

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Dow AgroSciences or the seller. All such risks shall be assumed by buyer.

Limitation of Remedies

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used.

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer above and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

*Trademark of Dow AgroSciences LLC

EPA-Accepted: 01/12/00