SED STAL	U.S. LINVIRONMENTAL PROTECTION AGENCY	EPA Reg.	Date of Issuance:	
Shinnon He Har L PROTECTION	Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460	Number: 62719-331	29 APR 200	
<u></u>	NOTICE OF PESTICIDE:	Term of Issuance:		
	Registration Reregistration (under FIFRA, as amended)		Name of Pesticide Product: Super Team TM 1.15%	
Dow AgroScience 9330 Zionsville R Indianapolis, IN Note: Changes in labe	oad			
giving the registrant a This produc	Act. The acceptance of any name in connection with the registration or right to exclusive use of the name or to its use if it has been covered by of is reregistered in accordance with FIFRA 4(g			
giving the registrant a This product writing: 1. Under the " add the word " substantial" i	right to exclusive use of the name or to its use if it has been covered by et is reregistered in accordance with FIFRA 4(g Precautionary Statements", in the Hazards to F WARNING " as the first word so that it reads: f all of the precautionary statements do not app	g)(2)(c) provided Humans and Dor : "WARNING (l you agree in nestic Animals" Causes	
 giving the registrant a This product writing: 1. Under the "add the word "substantial i printed labelin 2 Under the "a. Revise the surface water is b. Add the 	right to exclusive use of the name or to its use if it has been covered by et is reregistered in accordance with FIFRA 4(g Precautionary Statements", in the Hazards to F WARNING " as the first word so that it reads: f all of the precautionary statements do not app	g)(2)(c) provided Humans and Dor WARNING (bear on the front irectly to water, high water mark	l you agree in nestic Animals" Causes panel of the fins or to areas when	

•

·

H.

Page Number 2 EPA Reg. No. 62719-331

Enclosed is a copy of your label stamped "Accepted with Comments". This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain registration of your product. Submit 1 copy of your final printed label before shipment of the product. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). For further information please contact Dianne Morgan by telephone: 703-305-6217 or e-mail: morgan.dianne@epa.gov.

(Base label):

Super Team[™] 1.15%

Herbicide

A fertilizer containing Team, a preemergence herbicide for control of crabgrass, foxtail, goosegrass, Poa annua and other annual weed grasses in established home lawns.

and/or	ACCEPTED
Prevents crabgrass & other unsightly [annual] weeds and/or	with COMMENT
Encourages quick spring greenup and/or	In EPA Letter Date 29 APR 202
Greens your lawn with extended feeding nitrogen and/or	Under the Federal Insecticit Fungicide, and Rodenticids
Covers up to XX,000 sq ft (XXX' X XX') and/or	as amended, for the pesticit registered under EPA Reg.
Covers up to X,000 sq ft (XXX' X XX') and/or	62719-33
Prevents crabgrass before it starts and/or	
Made in the USA	· · · · ·
Active Ingredients:	

ACCEPTED	
with COMMENTS	
In EPA Letter Dated:	
29 APR 2008	

ecticide. ticide Act esticida Reg. No.

331

Active ingredients.	
benefin: N-butyl-N-ethyl- α , α , α -trifluoro-2,6-dinitro-p-toluidine	0.76%
trifluralin: α,α,α-trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine	
Other Ingredients	
Total	

Contains 0.46 lb active ingredient per 40 lb bag.

[Editor's note: Supplemental distributor will add fertilizer analysis and derivation statement for fertilizer carrier used.)

Guaranteed Fertilizer Analysis	
Total Nitrogen (N)	XX.X%
Available Phosphoric Acid (P2O5)	
Soluble Potash (K ₂ O)	XX.X%

Keep Out of Reach of Children WARNING

Precautionary Statements

Hazards to Humans and Domestic Animals

Causes Substantial But Temporary Eye Injury • Harmful If Absorbed Through Skin • Prolonged Or Frequently Repeated Skin Contact May Cause Allergic Reactions In Some Individuals

Do not get in eyes or on clothing. Avoid contact with skin. Wear long-sleeved shirt, long pants, shoes plus socks, chemical-resistant gloves made of any waterproof material, and goggles or

safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information.

Environmental Hazards

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates, including shrimp and oyster. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater or rinsate.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in a cool dry place out of the reach of children and domestic animals. Store in original container only.

Container Reuse: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available.

Refer to label booklet for Directions for Use.

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies elsewhere on this label. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Agricultural Chemical: Do not ship or store with food, feeds, drugs, or clothing.

EPA Reg. No. 62719-331

EPA Est. No.

Produced for Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, Indiana 46268

Net Weight

(Label booklet cover):

Super Team[™] 1.15%

Herbicide

A fertilizer containing Team, a preemergence herbicide for control of crabgrass, foxtail, goosegrass, *Poa annua* and other annual weed grasses in established home lawns.

de in the USA	
events crabgrass before it starts and/or	
and/or	
vers up to X,000 sq ft (XXX' X XX')	
and/or	
vers up to XX,000 sq ft (XXX' X XX')	
and/or	
eens your lawn with extended feeding nitrogen	
and/or	
courages quick spring greenup	
and/or	
vents crabgrass & other unsightly [annual] weeds	
and/or.	
-	

benefin: N-butyl-N-ethyl- α, α, α -trifluoro-2,6-dinitro-p-toluidine	0.76%
trifluralin: a,a,a-trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine	0.39%
Other Ingredients	
Total	

Contains 0.46 lb active ingredient per 40 lb bag.

[Editor's note: Supplemental distributor will add fertilizer analysis and derivation statement for fertilizer carrier used.]

Guaranteed Fertilizer Analysis	
Total Nitrogen (N)	XX.X%
Available Phosphoric Acid (P2O5)	XX.X%
Soluble Potash (K ₂ O)	XX.X%

Keep Out of Reach of Children **WARNING**

Refer to inside of label booklet for additional precautionary information including Directions for Use.

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies elsewhere on this label. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

(

Page 4

Agricultural Chemical: Do not ship or store with food, feeds, drugs, or clothing.

EPA Reg. No. 62719-331

EPA Est. No.

(

Produced for Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, Indiana 46268

Net Weight _____

ł

(Page 1 through end):

Precautionary Statements

Hazards to Humans and Domestic Animals

WARNING

Causes Substantial But Temporary Eye Injury • Harmful If Absorbed Through Skin • Prolonged Or Frequently Repeated Skin Contact May Cause Allergic Reactions In Some Individuals

Do not get in eyes or on clothing. Avoid contact with skin. Wear long-sleeved shirt, long pants, shoes plus socks, chemical-resistant gloves made of any waterproof material, and goggles or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information.

Environmental Hazards

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates, including shrimp and oyster. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater or rinsate.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all directions carefully before applying this product.

Application Restrictions: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Entry Restrictions: Do not allow people or pets to enter the treated area until dusts have settled. If watering in is required after the application, do not enter or allow others to enter the treated areas (except those involved in watering) until the watering in is complete and surface is dry.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in a cool dry place out of the reach of children and domestic animals. Store in original container only.

Container Reuse: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available.

How This Product Works

This product is a granular fertilizer containing Team[™], a preemergence herbicide for application to established home lawns and other turfgrass areas for control of annual bluegrass (*Poa annua*), smooth and hairy crabgrass, goosegrass (silver crabgrass or crowfoot), barnyardgrass (watergrass), and green and yellow foxtail. This product also provides partial control of prostrate spurge, spotted spurge, creeping spurge, creeping woodsorrel, and yellow woodsorrel. This product will not harm most nearby ornamental trees and shrubs.

General Use Precautions and Restrictions

- Do not apply this product to dichondra.
- Do not apply to newly sprigged areas of Bermudagrass, St. Augustinegrass, centipedegrass, or zoysiagrass until turf is well established.
- Any cultural practices that disturb the soil, such as aerification or verticutting, should be done prior to application of this product.
- Do not make more than 2 applications of this product per year.
- Maximum Single Application Rate: 6 lb of Super Team 1.15% per 1000 sq ft.
- Maxmum Yearly Rate: 12 lb of Super Team 1.15% per 1000 sq ft.
- Minimum Re-Treatment Interval: Cool season turf 56 to 70 days; warm season turf 70 to 84 days.

Reseeding: Do not reseed treated areas for at least 8 weeks after a single application of 4 lb of product per 1000 sq ft, or 12 to 16 weeks after a single application of 6 lb of product per 1000 sq ft unless injury can be tolerated. For split applications, do not reseed treated areas for 8 to 10 weeks after the last 3 lb of product per 1000 sq ft rate is applied, or 10 to 12 weeks after the last 4 lb of product per 1000 sq ft rate is applied unless injury can be tolerated.

This product is recommended for use on the following established turfgrass species:

Established Cool Season Turfgrass

bentgrass fescues Kentucky bluegrass perennial ryegrass

Established Warm Season Turfgrass

bahiagrass Bermudagrass centipededgrass St. Augustinegrass tall fescue zoysiagrass

How to Apply

Apply this product using a drop or rotary-type spreader designed to apply granular fertilizer. Calibrate application equipment prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or turfgrass injury may occur. More uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at right angles to the first. A splashboard mounted below the release point of drop-type spreaders can improve the uniformity of product distribution. Optimum weed control performance will be obtained when an application is followed by sprinkler irrigation or rainfall within a few hours.

Spreader Settings as a Guide for Calibration

	Calibration Settings at Specified Rate (lb/1000 sq ft)				
Brand and Model of Spreader	XX	XX	XX	XX	XX
XXXXXXX	XX	XX	XX	XX	XX

When to Apply

Apply this product 1 to 2 weeks prior to germination of annual weeds since it does not control established weeds.

How Much to Apply

	Cool Season Turfgrass	Warm Season Turfgrass
summer annual grass weeds (spring application)	3 to 6 lb/1000 sq ft	6 lb/1000 sq ft
winter annual grass weeds (fall application)	3 to 4 lb/1000 sq ft	6 lb/1000 sq ft

This product may also be applied in split applications. This program is desirable when the initial application is made well in advance of weed germination and where weed control is desired for a longer period of time. For a split application, apply this product at 3 lb plus 3 lb per 1000 sq ft for cool season turfgrass and in the northern half of the warm season turfgrass area, or 4 lb plus 4 lb per 1000 sq ft in the southern half of the warm season turfgrass area. Make the second application 8 to 10 weeks following the 3 lb per 1000 sq ft rate and 10 to 12 weeks following the 4 lb per 1000 sq ft rate.

Terms and Conditions of Use

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitations of Remedies.

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. All such risks shall be assumed by buyer.

Limitation of Remedies

To the extent permitted by law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories) shall be limited to, at Seller's election, one of the following:

- 1. Refund of purchase price paid by buyer or user for product bought, or
- 2. Replacement of amount of product used.

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use, and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

[™]Trademark of Dow AgroSciences LLC EPA accepted __/__/__

Page 8