1719-332

2003



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Steve A. McMaster Dow AgroSciences 9330 Zionsville Road Indianapolis, IN 46268-1054

SEP - 4 2003

Dear Mr. McMaster:

Subject: Revised Label Super Team 0.92% EPA Registration No 62719-332 Your Submission Dated March 11, 2003

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- Delete the heading "General Use....". This term is an implied safety claim which is prohibited by 40 CFR Part 156.10(a)(5). Delete the heading "Approved Uses". This heading implies an endorsement by this Agency which is prohibited 40 CFR Part 156.10(a)(5).

2. Submit one (1) copy of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Mr. James Stone at 703-305-7391.

Sincerely yours,

inne J. Miller

Joanne I. Miller Product Manager (23) Herbicide Branch Registration Division (7505C)

Enclosure

Super Team* 0.92%

A granular fertilizer containing Team* herbicide for the preemergence control of crabgrass, foxtall, goosegrass, poa annua and other annual weed grasses in home lawns.

and/or Prevents crabgrass & other unsightly weeds and/or Encourages quick spring greenup and/or Greens your lawn with extended feeding nitrogen and/or Covers up to XX, 000 sq ft (XXX' X XX') and/or Covers up to X,000 sq ft (XXX' X XX') and/or Prevents crabgrass before it starts and/or Made in the USA and/or [Supplemental Distributor's name] Satisfaction Guaranteed, see back for details.

ACCEL COMMEN

deid-No.

Active Ingredients:

)

benefin: N-butyl-N-ethyl-α,α,α-trifluoro-2,6-dinitro-p-toluidine	0.61%
trifluralin: α,α,α-trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine	0.31%
Inert Ingredients	
Total	

Contains 0.37 pounds active ingredient per 40-pound bag.

Guaranteed Fertilizer Analysis [†]						
Total Nitrogen (N)	***************************************	 	************	************	XX.X	%
Available Phosphoric Acid (P2O5) .	************	 			XX.X	%
Soluble Potash (K ₂ O)		 	***	*************	XX.X	%

[TEditor's note: See subregistrant label for specific fertilizer analysis of the fertilizer blend used.]

Keep Out of Reach of Children WARNING **AVISO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See back or container/side panel for additional precautionary statements.

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Discialmer, Inherent Risks of Use, and Limitation of Remedies elsewhere on this label. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Agricultural Chemical: Do not ship or store with food, feeds, drugs, or clothing.

Page 1

P4A / Super Team 0.92% / Amend / 03-10-03		376 Page 2
EPA Reg. No. 62719-332	•••	EPA Est. No.
*Trademark of Dow AgroSciences LLC Dow AgroSciences LLC Indianapolis, Indiana 46268 U.S.A.	•.•	

Herbicide

ç

Net Weight - 40 Pounds

•				•
	٠	•		
	•			٠
		<u>ا (</u>		F 🖤 🗄
	٠		٠	۰
•	÷.			

476

Precautionary Statements		
Hazards to Humans and Domestic Animals	•	 • • • •
WARNING	•••	 •••••

Causes Substantial But Temporary Eye Injury. Harmful if Absorbed Through Skin Prolonged Or Frequently Repeated Skin Contact May Cause Allergic Reactions In Some Individuals

Do not get in eyes or on clothing. Avoid contact with skin. Wear protective eyewear (goggles, or safety glasses) when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse."

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information.

Environmental Hazards

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates, including shrimp and oyster. Do not apply directly to water. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all directions carefully before applying this product.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.


Pesticide Storage: Store in a cool dry place out of the reach of children and domestic animals. Store in original container only.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-992-5994 for disposal instructions. Never place unused product down any indoor or outdoor drain. [Editor's Note: Supplemental distributor will insert own toll free number.]

General Information

This turf fertilizer product contains Team*, a preemergence herbicide for application to established turfgrasses for the control of the winter annual grass annual bluegrass (*Poa annua*) and summer annual grasses smooth and hairy crabgrass, goosegrass (silver crabgrass or crowfootgrass), barnyardgrass (watergrass), and green and yellow foxtail. This product also provides partial control of prostrate spurge (*Euphorbia humistrata*), spotted spurge (*Euphorbia maculata*), creeping spurge (*Euphorbia serpens*), creeping woodsorrel (*Oxalis corniculata*), and yellow woodsorrel (*Oxalis stricta*).

General Use Precautions and Restrictions



- Do not apply this product to dichondra, or newly sprigged areas of bermudagrass. St. Augustinegrass, centipedegrass, or zoysiagrass.
- Any cultural practices that disturb the soil, such as aerification or verticutting, should be done prior to application.

Application Restrictions: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Entry Restrictions: Do not allow people or pets to enter the treated area until dusts have settled. If watering in is required after the application, do not enter or allow others to enter the treated areas (except those involved in watering) until the watering in is complete and surface is dry.

Reseeding: Do not reseed treated areas for a minimum of 8 weeks after a single application of 5 lb per 1000 sq ft or 12 to 16 weeks after a single application of 7.5 lb per 1000 sq ft. For split applications, do not reseed treated areas for 8 to 10 weeks after the last 3.75 lb per 1000 sq ft rate is applied or 10 to 12 weeks after the last 5 lb per 1000 sq ft rate is applied.

This product is recommended for use on the following established warm and cool season perennial turfgrass species in home lawns:

Established Cool Season Turfgrasses

- Bentgrass
- Kentucky bluegrass
- Perennial ryegrass
- Fescues

Established Warm Season Turfgrasses • Bahiagrass

- Bermudagrass
- Centipedegrass
- Tall fescue
- St. Augustinegrass
- Zoysiagrass

Application instructions

This product should be applied 1 to 2 weeks prior to the anticipated germination of the target annual weeds. Apply this product using a property calibrated granular fertilizer spreader that will uniformly distribute the product over the target area. Avoid skips and excessive overlaps as poor weed control or turfgrass injury may occur. Optimum weed control performance will be obtained if treated areas are irrigated soon after application. This product will not harm most nearby ornamentals.

In areas with extended growing seasons, or where desired, a second application at the recommended rate can be made 8 to 10 weeks following the initial application on cool season turfgrasses and 10 to 12 weeks following the initial application on warm season turfgrasses.

Broadcast Application Rates

	Cool Season Turfgrasses	Warm Season Turfgrasses
summer annual grass weeds (spring application)	3.75 – 7.5 lb/1000 sq ft	7.5 lb/1000 sq ft
winter annual grass weeds (fail application)	3.75 - 5 lb/1000 sq ft	7.5 lb/1000 sq ft

Split Applications for Extended Control

Page 4

86

As an alternative to single application programs, this product may also be applied in split applications. This program is desirable when the initial application is made well in advance of weed germination and where weed control is desired for a longer period of time.

Apply this product at 3.75 plus 3.75 lb per 1000 sq ft for Cool Season Turfgrasses and in the northern half of the warm aeason turfgrass area of the U.S., or 5 plus 5 lb per 1000 sq ft in the southern half of the warm season turfgrasses area of the U.S. The second application should be made 8 to 10 weeks following the 3.75 lb per 1000 sq ft rate and 10 to 12 weeks following the 5 lb per 1000 sq ft rate.

Spreader Settings

[Editor's note: Subregistrant label may include a table of recommended spreader equipment and spreader settings for the fertilizer blend used.]

Terms and Conditions of Use

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitations of Remedies.

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. S ELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. All such risks shall be assumed by buyer.

Limitation of Remedies

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

- 1. Refund of purchase price paid by buyer or user for product bought, or
- 2. Replacement of amount of product used.

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use, and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

*Trademark of Dow AgroSciences LLC EPA-Accepted: __/__/__ Page 5