62719-332



Office of Pesticide Programs Registration Division (7505P) **Ariel Rios Building** 1200 Pennsylvania Ave., NW Washington, D.C. 20460

Ei.	кеg.
Nun	nber:

62719-332

Date of Issuance:

1-15-08

NOTICE OF PESTICIDE:

Registration Reregistration (under FIFRA, as amended) Term of Issuance:

Name of Pesticide Product:

Super Team 0.92%

Name and Address of Registrant (include ZIP Code):

Dow AgroSciences

9330 Zionsville Road

Indianapolis, IN 46268-1054

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is reregistered in accordance with FIFRA 4(g)(2)(c) provided you agree in writing:

- 1. The acute toxicity review has determined that the signal word is "WARNING".
- 2. Per the acute toxicity review, the following "IF ON SKIN OR CLOTHING" text must be added to the First Aid Statements and should be placed directly below the "IF IN EYES" statements: "Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center of doctor for treatment advice."
- 3. Revise the "Hazards to Humans and Domestic Animals" to read: "Warning. Causes substantial but temporary eye injury. Harmful if absorbed through skin. Do not get in eyes or on clothing. Wear protective eyewear. Avoid contact with skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long sleeved shirt and long pants, shoes plus socks, chemical resistant gloves (such as made out of any waterproof material) and goggles, face shield, or safety glasses."

Signature of Approving Official:

Erik Kraft

Acting Product Manager 23

Herbicide Branch

Registration Division (7505P)

1-15-08

EPA Form 8570-6

Page Number 2 EPA Reg. No. 62719-332

- 4. Remove "recommended" from page 3.
- 5. Under the "Warranty Disclaimer" add the phrase "To the extent consistent with applicable law" before "Seller makes no other express...".
- 6. Under the "Limitations of Remedies" make the following changes:
- a. Replace "To the extent permitted by law", with "To the extent consistent with applicable law."
- b. Add the phrase "To the extent consistent with applicable law" in front of "Seller shall not be liable..."
- c. Add the phrase "To the extent consistent with applicable law" in front of "In no case shall..."

Enclosed is a copy of your label stamped "Accepted with Comments". This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain registration of your product. Submit 1 copy of your final printed label before shipment of the product. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). For further information please contact Dianne Morgan by telephone: 703-305-6217 or e-mail: morgan.dianne@epa.gov.

Cijlo 1-15-08

Super Team<u>™</u>* 0.92%

<u>Herbicide</u>

A granular fertilizer containing Team.* a preemergence herbicide for the preemergence control of crabgrass, foxtail, goosegrass, *Poa annua* and other annual weed grasses in <u>established</u> home lawns.

[Editor's note: One or more of the following statements may be included on the label.]

Prevents crabgrass & other unsightly [annual] weeds

Encourages quick spring greenup and/or

Greens your lawn with extended feeding nitrogen

Covers up to XX,000 sq ft (XXX' X XX') and/or

Covers up to X,000 sq ft (XXX' X XX') and/or

Prevents crabgrass before it starts and/or

Made in the USA

ACCEPTED with COMMENTS in EPA Letter Dated

1-15-03

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

62719-332

Active Ingredients:

benefin: N-butyl-N-ethyl-α,α,α-trifluoro-2,6-dinitro-p-toluidine	0.61%	_
trifluralin: α,α,α-trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine		
Inert Other Ingredients		
Total	100.00%	

Contains 0.37 lb pounds active ingredient per 40 lb pound bag. ___

[Editor's note: Supplemental distributor will add fertilizer analysis and derivation statement for fertilizer carrier used.]

Guaranteed Fertilizer Analysis	
Total Nitrogen (N)	XX.X%
Available Phosphoric Acid (P2O5)	XX.X%
Soluble Potash (K ₂ O)	XX.X%

Keep Out of Reach of Children

WARNING AVISO CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you de not understand the label, find someone to explain it to you in detail.)

Precautionary Statements

Hazards to Humans and Domestic Animals

Causes Moderate Eye IrritationSubstantial But Temporary Eye Injury • Harmful If SwallowedAbsorbed Through Skin • Prolonged Or Frequently Repeated Skin Contact May Cause Allergic Reactions In Some Individuals

Avoid contact with eyes or clothing. Wear protective eyewear. Do not get in eyes or on clothing. Avoid contact with skin. Wear protective evewear (goggles, or safety glasses) when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash clothing before reuse.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothina.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information.

Environmental Hazards

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates, including shrimp and oyster. Do not apply directly to water. Do not apply in a manner which will directly expose canals, lakes, streams, pends, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters or rinsate.

See Refer to back or container/side-panel for additional precautionary statements Directions for Use including Storage and Disposal.

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies elsewhere on this label. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Agricultural Chemical: Do not ship or store with food, feeds, drugs, or clothing.

™*Trademark of Dow AgroSciences LLC Dow AgroSciences LLC • Indianapolis, Indiana 46268 U.S.A.

J_	ما	rb	iz	٠i.	d	Δ
1	Т		т	3	C.	J

EPA Reg. No. 62719-332

Net Weight

EPA Est. No.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all directions carefully before applying this product.

Application Restrictions: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Entry Restrictions: Do not allow people or pets to enter the treated area until dusts have settled. If watering in is required after the application, do not enter or allow others to enter the treated areas (except those involved in watering) until the watering in is complete and surface is dry.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in a cool dry place out of the reach of children and domestic animals. Store in original container only.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-992-5994 for disposal instructions. Never place unused product down any indoor or outdoor drain.

General Information How This Product Works

This <u>product is a granular turf</u> fertilizer <u>containing product contains</u> Team™*, a preemergence herbicide for application to established <u>home lawns and other turfgrass areas turfgrasses</u> for the control of the <u>winter annual grasses</u> annual bluegrass (*Poa annua*), <u>and summer annual grasses</u> smooth and hairy crabgrass, goosegrass (silver crabgrass or crowfootgrass), barnyardgrass (watergrass), and green and yellow foxtail. This product also provides partial control of prostrate spurge (*Euphorbia humistrata*), spotted spurge (*Euphorbia maculata*), creeping spurge (*Euphorbia sorpens*), creeping woodsorrel (*Oxalis stricta*). This product will not harm most nearby ornamentals trees and shrubs.

General Use Precautions and Restrictions

- Do not apply this product to dichondra.
- Do not apply to newly sprigged areas of Bermudagrass, St. Augustinegrass, centipedegrass, or zoysiagrass until turf is well established.
- Any cultural practices that disturb the soil, such as aerification or verticutting, should be done prior to application of this product.
- Do not make more than 2 applications of this product per year.
- Maximum Single Application Rate: 7.5 lb of Super Team 0.92% per 1000 sq ft.
- Maxmum Yearly Rate: 15 lb of Super Team 0.92% per 1000 sq ft.
- Minimum Re-Treatment Interval: Cool season turf 56 to 70 days; warm season turf 70 to 84 days.

Reseeding: Do not reseed treated areas for <u>at least minimum of 8</u> weeks after a single application of 5 lb <u>of product</u> per 1000 sq ft, or 12 to 16 weeks after a single application of 7.5 lb <u>of product</u> per 1000 sq ft <u>unless injury can be tolerated</u>. For split applications, do not reseed treated areas for 8 to 10 weeks after the last 3.75 lb <u>of product</u> per 1000 sq ft rate is applied, or 10 to 12 weeks after the last 5 lb <u>of product</u> per 1000 sq ft rate is applied <u>unless injury can be tolerated</u>.

This product is recommended for use on the following established warm and cool season perennial turfgrass species in home lawns:

Established Cool Season Turfgrasses

Established Warm Season

bentarass fescues

Kentucky bluegrass perennial ryegrass

Turfgrasses bahiagrass

Bermudagrass centipededgrass St. Augustinegrass tall fescue zoysiagrass

Application Instructions How to Apply

Apply this product using a drop or rotary-type properly calibrated granular fertilizer spreader designed to apply granular fertilizer. Calibrate application equipment prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. that will uniformly distribute the product over the target area. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or and excessive overlaps as poor weed control or turfgrass injury may occur. More uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at right angles to the first. A splashboard mounted below the release point of drop-type spreaders can improve the uniformity of product distribution. Optimum weed control performance will be obtained when an application is followed by sprinkler irrigation or rainfall within a few hours if treated areas are irrigated soon after application.

Spreader Settings as a Guide for Calibration

	Calibration Settings at Specified Rate (lb/1000 sq ft)				
Brand and Model of Spreader	XX	XX	XX	XX	XX
XXXXXXX	XX.	XX	XX	XX	XX
					L

When to Apply

Apply tThis product should be applied 1 to 2 weeks prior to the anticipated germination of the target annual weeds since it does not control established weeds.

How Much to Apply

Broadcast Application Rates:

	Cool Season Turfgrasses	Warm Season Turfgrasses
summer annual grass weeds (spring application)	3.75 to 7.5 lb/1000 sq ft	7.5 lb/1000 sq ft
winter annual grass weeds (fall application)	3.75 to 5 lb/1000 sq ft	7.5 lb/1000 sq ft

As an alternative to single application programs, this product may also be applied in split applications. This program is desirable when the initial application is made well in advance of weed germination and where weed control is desired for a longer period of time. For a split application, aApply this product at 3.75 lb plus 3.75 lb per 1000 sq ft for cool season turfgrasses and in the northern half of the warm season turfgrass area of the U.S., or 5 lb plus 5 lb per 1000 sq ft in the southern half of the warm season turfgrasses area-of the U.S. Make tThe second application should be made 8 to 10 weeks following the 3.75 lb per 1000 sq ft rate and 10 to 12 weeks following the 5 lb per 1000 sq ft rate.

Terms and Conditions of Use

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid.

Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitations of Remedies.

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below, SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. All such risks shall be assumed by buyer.

Limitation of Remedies

To the extent permitted by law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

- 1. Refund of purchase price paid by buyer or user for product bought, or
- 2. Replacement of amount of product used.

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use, and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

*™Trademark of Dow AgroSciences LLC EPA accepted / /

X