

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms. Kimberly S. Gilbert Product Registration Dow AgroScience LLC 9330 Zionsville Road Indianapolis, IN 46268

AUG 15 2008

SUBJECT:

Application for Pesticide Notification (PRN 98-10 and PRN 2008-1)

Request General Label Change (Comply with FL Regulations)

EPA Reg. No. 62719-332

Application Dated July 14, 2008

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 07/14/08 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 & 2008-1 and finds that the action(s) requested fall within the scope of PRN 98-10 and PRN 2008-1. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

2/13

Please read instructions on r	everse before complet	iing form.		Form App	OBVOIC	1. OMB No. 20	<u> 70-0080</u>	O. Approval expires 2-28-9
	U	Inited States				Registration	on	OPP Identifier Number
\$EPA	Environmental	Protection A	gency			Amendme		
		ngton, DC 20460			1	Other	P	
		Application for	or Pestici	de - Seci	tion			
1. Company/Product Number				Product Man			3. Pro	posed Classification
Dow AgroSciences LLC				e I. Miller			1	None Restricted
4. Company/Product (Name)			PM#	-			7 1	Mone
Dow AgroSciences LLC			23					
5. Name and Address of App	olicant <i>(Include ZIP Cod</i>	de)						FIFRA Section 3(c)(3)
Dow AgroSciences LL			(b)(i), m	ny product i	s sim	illar or identica	ıl in cor	mposition and labeling
9330 Zionsville Road				Reg. No		NOTI	FICAT	TION
Indianapolis, IN 4626								
Check if this	is a new address			ct Name _		מטה	1.5 20	008
		S	ection - I	1				
Amendment - Explain	below.					els in repsonse to	٥	
Resubmission in resp	onse to Agency letter	deted		Agency lette "Me Too" A				
				Other - Expl	•			
Notification - Explain	below.			Other - Exp	8 n	эюw.		
Explanation: Use addition	ial page(s) if necessary	y. (For section I and	Section II.)		_			
This notification is consistent	with the provisions of P	R Notice 98-10 and F	PR Notice 200	8-1 and EPA	regula	ations at 40 CFR	152.46,	40 CFR 156.10, and 156.80
and no other changes have b Sec. 1001 to willfully make ar	been made to the labelin	ng or the confidential s	statement of fo	ormula of this	produ	uct. I understand	that it is	a violation of 18 U.S.C.
Notice 2008-1and 40 CFR 15	52.46, 40 CFR 156.10, a	and 156.80 this produ	ct may be in v	iolation of FIF	FRA ar	nd I may be subje	ect to enf	forcement action and
penalties under sections 12 a						•		
		S	ection - II	11				
1. Material This Product Will	Be Packaged In:							
Child-Resistant Packaging	Unit Packaging	. Wa	iter Soluble P	ackaging		2. Type of Co	ntainer	
Yes	Yes		Yes				Metal	
No	No		No			·	Plastic` Glass	
* Certification must	If "Yes"		Yes"	No. per		7 [Paper	-
be submitted	Unit Packaging wgt.	container Pac	ckage wgt	container	•	۱ انا ۱	Other (Sp	pecify)
3. Location of Net Contents I	Information	4. Size(s) Retail Cor	ntainer		5. Lo	cation of Label I	Direction	าร
Label Co	ontainer			.]	. [_	<u> </u>		
6. Manner in Which Label is		Lithograph		Other	,			
<u> </u>		Paper glued Stenciled						·
· .			ection - IN					
1. Contact Point (Complete)	items directly below fo		dividual to be	contacted, i	if nec			5.11
Name Kimborly S. Gilbort		Title	• •					No. (Include Area Code)
Kimberly S. Gilbert		Hegu	ulatory Mana	ger			317):337-4	4685 (fax: 317-337-4649)
		Certification			•	1.	; ; ; (6. Date Application
I certify that the staten I acknowledge that any both under applicable I	y knowlinglly false or n							(Stamped)
2. Signature	. 1	3. Title	0 .					er er er General der General der
Circles	Souper	1	ilatory Manage	er .				
4. Typed Name	~ / ///	5. Date	•					
Kimberly S. Gilbert (ksgilbe	ert@dow.com)		July	14, 2008	R			
,	•			,				,

308/2E July 14, 2008



Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

SUPER TEAM 0.92% (A.I. BENEFIN, TRIFLURALIN) EPA REGISTRATION NUMBER: 62719-332 NOTIFICATION OF MINOR LABEL CHANGE PER PR NOTICES 98-10 AND 2008-1

Enclosed please find labeling for the notification action of Super Team® 0.92% herbicide. The following changes have been made by notification:

- 1. Corrected trademark symbol throughout.
- 2. To comply with Florida fertilizer law 5E-1.003, added "In the state of Florida, do not apply near water. . .onto your lawn/garden."
- 3. Environmental Hazards: Per PR Notice 2008-1, revised statement.
- 4. General Use Precautions and Restrictions: To comply with Florida fertilizer law 5E-1.003, added new bullet point to be included for those products registered in the state of Florida.

This notification is consistent with the provisions of PR Notice 98-10 and PR Notice 2008-1 and EPA regulations at 40 CFR 152.46, 40 CFR 156.10, and 156.80 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and PR Notice 2008-1 and 40 CFR 152.46, 40 CFR 156.10, and 156.80 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Contents of Submission

- Transmittal document (this letter)
- Application for Pesticide, EPA Form 8570-1
- Label entitled Super Team 0.92% (P4A/Super Team 0.92%/Notif/07-14-08) (9 Pages plus Registration Notes) (5 Copies)

If you require further information, please contact Cindy Loy, Regulatory Specialist at (317) 337-4655 or Paula McKinnies, Registration Assistant for this product, at (317) 337-4679.

Sincerely,

Kimberly S. Gilbert Regulatory Leader (317) 337-4685 (317) 337-4649 (FAX)

Enclosures

[®]Trademark of Dow AgroSciences LLC

P4A / Super Team 0.92% / Notif / 07-14-08 file: Super Team 0.92%-332 14Jul08N.doc

Super Team® 0.92%

EPA Reg. No. 62719-332

Registration Notes:

Source label text based on EPA accepted copy dated January 15, 2008 and notification coded "P4A / Super Team 0.92% / Notif / 01-24-08."

Changes by notification:

- 1. Corrected trademark symbol throughout.
- 2. To comply with Florida fertilizer law 5E-1.003, added "In the state of Florida, do not apply near water. . . onto your lawn/garden."
- 3. Environmental Hazards: Per PR Notice 2008-1, revised statement.
- 4. General Use Precautions and Restrictions: To comply with Florida fertilizer law 5E-1.003, added new bullet point to be included for those products registered in the state of Florida.

®Trademark of Dow AgroSciences LLC





NOTIFICATION

(Base label):

AUG 1 5 2008

Super Team® 0.92%

Herbicide

A fertilizer containing Team, a preemergence herbicide for control of crabgrass, foxtail, goosegrass, *Poa annua* and other annual weed grasses in established home lawns.

In the state of Florida, do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street, back onto your lawn/garden.

Covers up to XX,000 sq ft (XXX' X XX')

and/or

Covers up to X,000 sq ft (XXX' X XX')

Prevents crabgrass & other unsightly [annual] weeds

and/or

Encourages quick spring greenup

and/or

Greens your lawn with extended feeding nitrogen

and/or

Prevents crabgrass before it starts

and/or

Made in the USA

	Ac	tive	Inar	edier	its:
--	----	------	------	-------	------

benefin: <i>N</i> -butyl-N-ethyl- α , α , α -trifluoro-2,6-dinitro- p -toluidine	0.61%
trifluralin: α,α,α -trifluoro-2,6-dinitro- <i>N,N</i> -dipropyl-p-toluidine	
Other Ingredients	99.08%
Total	

Contains 0.37 lb active ingredient per 40 lb bag.

[Editor's note: Supplemental distributor will add fertilizer analysis and derivation statement for fertilizer carrier used.]

Guaranteed Fertilizer Analysis	•
Total Nitrogen (N)	XX.X%
Available Phosphoric Acid (P ₂ O ₅)	XX.X%
Soluble Potash (K ₂ O)	XX.X%

Keep Out of Reach of Children

WARNING

Precautionary Statements

Hazards to Humans and Domestic Animals

Causes Substantial But Temporary Eye Injury • Harmful If Absorbed Through Skin • Prolonged Or Frequently Repeated Skin Contact May Cause Allergic Reactions In Some Individuals

Page 2

Do not get in eyes or on clothing. Avoid contact with skin. Wear long-sleeved shirt, long pants. shoes plus socks, chemical-resistant gloves made of any waterproof material, and goggles or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking. chewing gum, or using tobacco.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothina.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information.

Environmental Hazards

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates, including shrimp and oyster. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent runoff to water bodies or drainage systems.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in a cool dry place out of the reach of children and domestic animals. Store in original container only.

Container Reuse: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available.

Refer to label booklet for Directions for Use.

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies elsewhere on this label. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Agricultural Chemical: Do not ship or store with food, feeds, drugs, or clothing.

EPA Reg. No. 62719-332

EPA Est. No. _ _ ...

[®]Trademark of Dow AgroSciences LLC Produced for **Dow AgroSciences LLC** 9330 Zionsville Road Indianapolis, Indiana 46268

Net Weight ____

(Label booklet cover):

Super Team® 0.92%

Herbicide

A fertilizer containing Team, a preemergence herbicide for control of crabgrass, foxtail, goosegrass, *Poa annua* and other annual weed grasses in established home lawns.

In the state of Florida, do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street, back onto your lawn/garden.

Covers up to XX,000 sq ft (XXX' X XX')

and/or

Covers up to X,000 sq ft (XXX' X XX')

Prevents crabgrass & other unsightly [annual] weeds

and/o

Encourages quick spring greenup

and/or

Greens your lawn with extended feeding nitrogen

and/or

Prevents crabgrass before it starts

and/or

Made in the USA

Active	Ingredients:
/ 101110	migicalcitio.

benefin: <i>N</i> -butyl-N-ethyl- α , α , α -trifluoro-2,6-dinitro- p -toluidine	0.61%
trifluralin: α,α,α -trifluoro-2,6-dinitro- <i>N</i> , <i>N</i> -dipropyl-p-toluidine	0.31%
Other Ingredients	99.08%
Total	

Contains 0.37 lb active ingredient per 40 lb bag.

[Editor's note: Supplemental distributor will add fertilizer analysis and derivation statement for fertilizer carrier used.]

Guaranteed Fertilizer Analysis	• •
Total Nitrogen (N)	XX.X%
Available Phosphoric Acid (P ₂ O ₅)	XX.X%
Soluble Potash (K ₂ O)	XX.X%

Keep Out of Reach of Children

WARNING

Refer to inside of label booklet for additional precautionary information including Directions for Use.

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies at end of label booklet. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Agricultural Chemical: Do not ship or store with food, feeds, drugs, or clothing.

EPA Reg. No. 62719-332

EPA Est. No. ____

[®]Trademark of Dow AgroSciences LLC Produced for Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, Indiana 46268

Net Weight ____

(Page 1 through end):

Precautionary Statements

Hazards to Humans and Domestic Animals

WARNING

Causes Substantial But Temporary Eye Injury • Harmful If Absorbed Through Skin • Prolonged Or Frequently Repeated Skin Contact May Cause Allergic Reactions In Some Individuals

Do not get in eyes or on clothing. Avoid contact with skin. Wear long-sleeved shirt, long pants, shoes plus socks, chemical-resistant gloves made of any waterproof material, and goggles or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information.

Environmental Hazards

This pesticide is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates, including shrimp and oyster. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent runoff to water bodies or drainage systems.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all directions carefully before applying this product.

Application Restrictions: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

Entry Restrictions: Do not allow people or pets to enter the treated area until dusts have settled. If watering in is required after the application, do not enter or allow others to enter the treated areas (except those involved in watering) until the watering in is complete and surface is dry.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in a cool dry place out of the reach of children and domestic animals. Store in original container only.

Container Reuse: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available.

How This Product Works

This product is a granular fertilizer containing Team®, a preemergence herbicide for application to established home lawns and other turfgrass areas for control of annual bluegrass (Poa annua), smooth and hairy crabgrass, goosegrass (silver crabgrass or crowfoot), barnyardgrass (watergrass), and green and yellow foxtail. This product also provides partial control of prostrate spurge, spotted spurge, creeping spurge, creeping woodsorrel, and yellow woodsorrel. This product will not harm most nearby ornamental trees and shrubs.

General Use Precautions and Restrictions

- Do not apply to dichondra.
- Do not apply to newly sprigged areas of bermudagrass, St. Augustinegrass, centipedegrass, or zovsiagrass until turf is well established.
- Any cultural practices that disturb the soil, such as aerification or verticutting, should be done prior to application of this product.
- Do not make more than 2 applications of this product per year.
- Maximum Single Application Rate: 7.5 lb of Super Team 0.92% per 1000 sq ft.
- Maxmum Yearly Rate: 15 lb of Super Team 0.92% per 1000 sq ft.
- Minimum Re-Treatment Interval: Cool season turf 56 to 70 days; warm season turf 70 to 84 days. [Editor's note: Supplemental distributor will add one of the following statements as appropriate if their product is registered in the state of Florida.]
- Florida Applications: Do not exceed [2] [3] applications per year on bahiagrass in the north.
- Florida Applications: Do not exceed [2] [3] [4] applications per year on bahiagrass in [central Florida] [the south].
- Florida Applications: Do not exceed [3] [4] [5] applications per year on bermudagrass in the north.
- Florida Applications: Do not exceed [4] [5] [6] applications per year on bermudagrass in central Florida.
- Florida Applications: Do not exceed [5] [6] [7] applications per year on bermudagrass in the south.
- Florida Applications: Do not exceed [1] [2] applications per year on centipedegrass in the north.
- Florida Applications: Do not exceed [2] [3] applications per year on centipedegrass in [central Florida] [the south].
- Florida Applications: Do not exceed [2] [3] [4] applications per year on St. Augustinegrass in the north.
- Florida Applications: Do not exceed [2] [3] [4] [5] applications per year on St. Augustinegrass in central Florida.
- Florida Applications: Do not exceed [4] [5] [6] applications per year on St. Augustinegrass in the south.
- Florida Applications: Do not exceed [3] [4] [5] applications per year on zoysiagrass in the north.
- Florida Applications: Do not exceed [3] [4] [5] [6] applications per year on zoysiagrass in central Florida.
- Florida Applications: Do not exceed [4] [5] [6] applications per year on zoysiagrass in the south.

Reseeding: Do not reseed treated areas for at least 8 weeks after a single application of 5 lb of product per 1000 sq ft, or 12 to 16 weeks after a single application of 7.5 lb of product per 1000, sq ft unless dinjury can be tolerated. For split applications, do not reseed treated areas for 8 to 10 weeks after the last 3.75 lb of product per 1000 sq ft rate is applied, or 10 to 12 weeks after the last 5 lb of product per 1000 sq ft rate. is applied unless injury can be tolerated.

Use this product on the following established turfgrass species:

Established Cool Season Turfgrass Established Warm Season Turfgrass bentgrass fescues Kentucky bluegrass perennial rvegrass

bahiagrass bermudagrass centipededgrass St. Augustinegrass tall fescue zovsiagrass

How to Apply

Apply this product using a drop or rotary-type spreader designed to apply granular fertilizer. Calibrate application equipment prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or turfgrass injury may occur. More uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at right angles to the first. A splashboard mounted below the release point of drop-type spreaders can improve the uniformity of product distribution. Optimum weed control performance will be obtained when an application is followed by sprinkler irrigation or rainfall within a few hours.

Spreader Settings as a Guide for Calibration

	Calibration Settings at Specified Rate (lb/1000 sq ft)				
Brand and Model of Spreader	XX	XX	XX	XX	XX
XXXXXX	XX	XX	XX	XX ·	XX

When to Apply

Apply this product 1 to 2 weeks prior to germination of annual weeds since it does not control established weeds.

How Much to Apply

	Cool Season Turfgrass	Warm Season Turfgrass
summer annual grass weeds (spring application)	3.75 to 7.5 lb/1000 sq ft	7.5 lb/1000 sq ft
winter annual grass weeds (fall application)	3.75 to 5 lb/1000 sq ft	7.5 lb/1000 sq ft

This product may also be applied in split applications. This program is desirable when the initial application is made well in advance of weed germination and where weed control is desired for a longer period of time. For a split application, apply this product at 3.75 lb plus 3.75 lb per 1000 sq ft for cool season turfgrass and in the northern half of the warm season turfgrass area, or 5 lb plus 5 lb per 1000 sq ft in the southern half of the warm season turfgrass area. Make the second application 8 to 10 weeks following the 3.75 lb per 1000 sq ft rate and 10 to 12 weeks following the 5 lb per 1000 sq ft rate.

Terms and Conditions of Use

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty control of the terms under Warranty contr Disclaimer, Inherent Risks of Use and Limitations of Remedies.

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. TO THE EXTENT PERMITTED BY LAW, SELLER MAKES NO OTHER EXPRESS

OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. All such risks shall be assumed by buyer.

Limitation of Remedies

To the extent permitted by law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

- 1. Refund of purchase price paid by buyer or user for product bought, or
- 2. Replacement of amount of product used.

To the extent permitted by law, Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. To the extent permitted by law, in no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use, and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

[®]™Trademark of Dow AgroSciences LLC EPA accepted 01/15/08