

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Steve A. McMaster Regulatory Manager Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, IN 46268

MAR 2 0 2007

RE: Final Use Termination Order for Mancozeb for FORE 80WP Rainshield

EPA Registration Number: 62719-388 Date of Submission: November 6, 2006

Dear Mr. McMaster:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated November 6, 2006 for the product FORE 80EP Rainshield. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" received but not reviewed and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

h

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Form Approved, OMB No. 2070-0050, Approvel expires 2-28-9

**\$EPA** 

# United States

# **Environmental Protection Agency**

Registration
Amendment
Othor

**OPP Identifier Number** 

	Washir	ngton, DC 20460	0		<b>✓</b>	Other				
		Application	n for Pestici	de - Sec	tion	l				
1. Company/Product Number				Product Man	nager		3. Pro	oposed C	Jassif	fication
Dow AgroSciences/627			Mary I	L. Waller			<b>│</b> [✓	None		Restricted
4. Company/Product (Name) Dow AgroSciences/Fore		t	PM# 21					· ——		
5. Name and Address of App	plicant (Include ZIP Co.	dej				In accordance				
Dow AgroSciences LL			(b)(i), n to:	(b)(i), my product is similar or identical in composition and labeling				nd labeling		
9330 Zionsville Road Indianapolis, IN 4626				Reg. No						
` <u> </u>	is a new address		Produ	uct Name						
<u> </u>			Section - I	<del></del>						
Amendment - Explain	- h-l-qu			1	d labels	s in repsonse to	N	IOTIF	- A	~:^L
		e s l		Agency lett	tter date					TION
	onse to Agency letter	dated		"Me Too"				MAR 2	0 2	007
✓ Notification - Explain	pelow.			Other - Exp	alain bei	ow.				
Explanation: Use addition	ial page(s) if necessary	y. (For section )	and Section II.)		-		_			
Changes by notification to col Deleted "lawn grasses" and "i Revised first sentence directly Deleted pachysandra from tal	residential" from "Seed t ly underneath heading to	treatments and pr	orofessional applic on golf courses, so	cationsof th od farms, and	he Worke	er Protection Sta	andard."	"; 2. Use l	Direct	tions for Turf:
			Section - I	iti		_				
1. Material This Product Will	T							<del></del>		~ <i>-</i>
Child-Resistant Packaging Yes	Unit Packaging		Water Soluble P	'ackaging	1	2. Type of Cor	ntainer Aetal			
No	No		No			P	lastic ilass			
* Certification must	If "Yes"		if "Yes"	No. per		P	aper	25 A		
be submitted	Unit Packaging wgt.	container	Package wgt	containe	r		∤ther (⊃	pecify)_		
3. Location of Net Contents I	information	4. Size(s) Retail	Container		5. Loc	eation of Label I	Directio	ns	<del></del>	<del></del>
	ontainer					<u> </u>	<del>,</del>			
6. Manner in Which Label is	Affixed to Product	Lithograp Paper glu Stenciled	ph ued d	Othe	" <u> </u>					-
			Section - I'	V						
1. Contact Point (Complete	items directly below fo	or identification (	of individual to b	e contacted,	if nece	ssary, to proce	s: this	application	on.)	
Name Steve A. McMaster			Title Regulatory Mana	ager			•			Area Code) 7-337-4649)
I certify that the stater I acknowledge that an both under applicable I	iy knowlingliy false or r	Certification this form and all misleading states	ll attachments the	ereto are truc nishable by fi	e, accur îne or ir	rate and comple nprisonment or	Eto.	6. Date Recei	ived	cation
2. Signature	7	3.	. Title				_			
andio Dinya			Regulatory Manage	er						
4. Typed Name	0'	5.	. Date			-				
Steve A. McMaster (samcmaster@dow.com)  November 6, 2006										

# Fore\* 80WP

Rainshield\* EPA Reg. No. 62719-388

# **Registration Notes:**

**Source label text** based on EPA-accepted copy dated August 22, 2000, and notifications coded "J8A / Fore 80WP Rainshield / Notification / 05-23-02" and "J8A / Fore 80WP Rainshield / Notification With Edits / 07-26-02."

Changes by notification to comply with Final Use Termination Order for Mancozeb dated September 20, 2006:

- 1. Non-Agricultural Use Requirements: Deleted "lawn grasses" and "residential" from "Seed treatments and professional applications. . . of the Worker Protection Standard."
- 2. Use Directions for Turf: Revised first sentence directly underneath heading to read "For use on golf courses, sod farms, and industrial or municipal turf areas."
- 3. Ornamentals: Deleted pachysandra from table.

<sup>\*</sup>Trademark of Dow AgroSciences LLC

Base Label:

(Logo) Dow AgroSciences LLC

# Fore\* 80WP

# Rainshield\*

[Editor's note: The following statement to be included if product is sold in water-soluble packaging.]

### Product in Water-Soluble Packets

Active Ingredients
mancozeb: A coordination product of zinc ion
and manganese ethylene bisdithiocarbamate 80.0%
In which the ingredients are:
Manganese <sup>++</sup> ······ 16.00%
Zinc <sup>++</sup> ····· 2.00%
Ethylene bisdithiocarbamate
ion (C <sub>4</sub> H <sub>6</sub> N <sub>2</sub> S <sub>4</sub> )62.00%
Inert Ingredients
Total100.0%

# Keep Out of Reach of Children

# **CAUTION**

## **Precautionary Statements**

## Hazards to Humans and Domestic Animals

May Cause Irritation Of Nose, Throat, Eyes And Skin

Do not breathe dust or spray mist.

#### Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category "A" on an EPA chemical resistance category selection chart.

#### Applicators and other handlers (other that mixers and loaders) must wear:

- · Long-sieeved shirt and long pants
- · Chemical-resistant gloves made of any waterproof material
- · Shoes plus socks

#### Mixers and loaders must wear:

- · Long-sleeved shirt and long pants
- · Chemical-resistant gloves made of any waterproof material
- Snoes plus socks
- · Protective eyewear
- · Chemical-resistant apron when cleaning equipment, mixing or loading

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining

PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use enclosed cabs or aircraft in a manner that meet the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

# **User Safety Recommendations**

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing.
   As soon as possible, wash thoroughly and change into clean clothing.

#### First Aid

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**Hot Line Number:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-992-5994 day or night, for emergency treatment information.

#### **Environmental Hazards**

This pesticide is toxic to fish. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. For terrestrial uses, do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or disposing of wastes.

#### Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. Refer to the label booklet under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

Refer to label booklet for Directions for Use including Storage and Disposal.

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of label booklet. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994. If you wish to obtain additional product information, visit our web site at www.dowagro.com.

Agricultural Chemical: Do not ship or	r store with food,	feeds, drug	as or clothina
---------------------------------------	--------------------	-------------	----------------

EDA Dog No. 00740 200	EPA Est.
EPA Reg. No. 62719-388	EFA ESI

<sup>\*</sup>Trademark of Dow AgroSciences LLC

Made in France

Dow AgroSciences LLC • Indianapolis, IN 46268 U.S.A.

# **Specialty Fungicide**

Net Weight 2 lb

[Editor's note: Alternate Net Contents statement to be used if product is sold in water-soluble packaging.]

Net Weight 6 lb (4 x 1.5 lb Water-Soluble Packets)

Label Booklet:

(Logo) Dow AgroSciences LLC

# Fore\* 80WP

# Rainshield\*

[Editor's note: The following statement to be included if product is sold in water-soluble packaging.]

Product in Water-Soluble Packets

Active Ingredients mancozeb: A coordination product of zinc ion and manganese ethylene bisdithiocarbamate ... 80.0% In which the ingredients are:

Manganese 16.00%

Zinc 2.00%

Ethylene bisdithiocarbamate ion  $(C_4H_6N_2S_4)^{-1}$  ... 62.00%

Inert Ingredients ... 20.0%

Total ... 100.0%

# Keep Out of Reach of Children

# CAUTION

## **Agricultural Use Requirements**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. Refer to the label booklet under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

Refer to inside of label booklet for Precautionary Statements and Directions for Use including Storage and Disposal.

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of label booklet. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994. If you wish to obtain additional product information, visit our web site at www.dowagro.com.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

FP.	A Est	
-c		

\*Trademark of Dow AgroSciences LLC

Made in France

Dow AgroSciences LLC • Indianapolis, IN 46268 U.S.A.

# **Specialty Fungicide**

Net Weight 2 lb

[Editor's note: Alternate Net Contents statement to be used if product is sold in water-soluble packaging.]

Net Weight 6 lb (4 x 1.5 lb Water-Soluble Packets)

# (Page 1 through end):

Table of Contents	Page
Precautionary Statements	-
Hazards to Humans and Domestic Animals	-
Personal Protective Equipment (PPE)	-
User Safety Recommendations	-
First Aid	-
Environmental Hazards	-
Directions for Use	-
Agricultural Use Requirements	-
Non-Agricultural Use Requirements	-
Storage and Disposal	₽.
General Use Information	-
Use Rate Determination	-
Handling	-
Mixing Procedures	-
Compatibility	-
Spray Adjuvants	•
Application	•
Disease Scouting	-
Restrictions	-
Use Directions for Turf	-
Use Directions for Ornamentals	-
Terms and Conditions of Use	-
Warranty Disclaimer	-
Inherent Risks of Use	<b>*</b>
Limitation of Remedies	-

# **Precautionary Statements**

## Hazards to Humans and Domestic Animals

# CAUTION

May Cause Irritation Of Nose, Throat, Eyes And Skin

Do not breathe dust or spray mist.

# Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category "A" on an EPA chemical resistance category selection chart,

#### Applicators and other handlers (other that mixers and loaders) must wear:

- Long-sleeved shirt and long pants
- · Chemical-resistant gloves made of any waterproof material
- · Shoes plus socks

#### Mixers and loaders must wear:

- · Long-sleeved shirt and long pants
- · Chemical-resistant gloves made of any waterproof material
- Shoes plus socks
- · Protective eyewear
- Chemical-resistant apron when cleaning equipment, mixing or loading

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use enclosed cabs or aircraft in a manner that meet the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

## **User Safety Recommendations**

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing.
   As soon as possible, wash thoroughly and change into clean clothing.

#### First Aid

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Hot Line Number: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-992-5994 day or night, for emergency treatment information.

#### **Environmental Hazards**

This pesticide is toxic to fish. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. For terrestrial uses, do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or disposing of wastes.

#### Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

# **Agricultural Use Requirements**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE)and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is:

- Coveralls over long-sleeved shirt and long pants
- · Chemical-resistant gloves made of any waterproof material
- Shoes plus socks

## Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses.

Seed treatments and professional applications to golf courses, industrial (office park), and municipal lawns are not within the scope of the Worker Protection Standard.

• Keep unprotected persons out of treated area until sprays have dried.

#### Storage and Disposal

**Storage:** Keep away from fire and sparks. Do not allow this product to become wet or overheated in storage: decomposition, impaired activity, or fire may result. Keep container closed when not in use. Pallets of containers should not be stacked more than three high. Provide access aisle for each two rows. Decomposition produces a foul odor; if observed, check for hot containers and immediately remove to open areas for disposal.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

Page 9

**Container Disposal:** Completely empty bag into application equipment. Then dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Steps to be Taken in Case Material is Released or Spilled: Sweep or shovel into containers for disposal or reworking. Keep dusting to a minimum. Flush contaminated area with a large amount of water to a chemical or sanitary sewer containing a settling pit. Refer to Precautionary Statements.

#### General Use Information

Fore\* 80WP Rainshield\* specialty fungicide is a unique and different broad-spectrum protectant fungicide that, when used according to label directions, provides high levels of disease control.

Optimum disease control is achieved when the fungicide is applied in a regularly scheduled preventative spray program. The addition of an spreader-sticker will improve fungicide performance by providing a more uniform spray deposit, increased foliar redistribution, and improved fungicide retention during periods of wet weather.

Chemigation: Do not apply this product through any type of irrigation system.

#### **Use Rate Determination**

Carefully read, understand, and follow label use rates and restrictions. Under low disease conditions, minimum label rates per application can be used while maximum label rates and the minimum interval may be used for severe or threatening disease conditions.

For proper application to turf, determine the square footage to be treated, divide the footage by 1000, and multiply by the recommended fungicide use rate per 1000 sq ft, and then determine the amount of water required to provide adequate coverage. When treating ornamentals, determine the recommended fungicide use rate and the spray gallonage required to provide a thorough coverage. Prepare only the amount of spray solution required to treat the desired area.

# [Editor's note: "Handling" section to be included if product is sold in water-soluble packaging.] Handling

The enclosed packets of Fore 80WP are water-soluble. Do not allow packets to become wet prior to adding to the spray tank. Do not handle the packets with wet hands or wet gloves. Always reseal overwrap bag to protect the remaining unused packets. Do not remove the water-soluble packets from over-wrap packaging, except to add directly to the spray tank.

#### Mixing Procedures

Be sure sprayer is clean and not contaminated with other materials prior to use. When using an agitated spray tank, fill tank 1/2 to 3/4 full with clean water and start agitation. Be certain that the agitation system is working properly and creates a rolling rippling on the liquid surface. With the agitator running add the required amount of Fore 80WP to the tank. Continue filling tank with the remainder of the water. When using a hand sprayer, premix Fore 80WP as a slurry in a small container before adding to the spray tank.

Slowly pour the appropriate amount of Fore 80WP into a small container containing an equal volume of water while mixing. Mix until the Fore 80WP is thoroughly wetted. Add additional water if necessary to make solution flowable. Add the contents of the slurry tank to a 1/2 filled sprayer, continue filling tank with remainder of water and mix well. Always add Fore 80WP to spray mixture prior to adding any additional materials to the tank.

[Editor's note: Text <u>replaces</u> preceding "Mixing Procedures" section if product is sold in water-soluble packaging.]
Mixing Procedures

Prior to use, make sure the sprayer is clear and not contaminated with other materials. When using an agitated spray tank, fill the tank 1/2 to 3/4 full with clean water and start agitation. Be certain that the agitation system is working properly and creates a rolling rippling on the liquid surface. With the agitator running add the required amount of Fore 80WP to the tank. Continue filling tank with the remainder of the water. Always add Fore 80WP into solution prior to adding any additional materials to the tank.

Add the required number of unopened packets as determined by the dosage recommendations into the spray tank with agitation. Depending on the water temperature and the degree of agitation, the packets should dissolve completely within approximately five minutes from the time they are added to the water.

## Compatibility

[Editor's note: The following text to be included if product is sold in water-soluble packaging.] Fore 80WP is compatible with boron and spray oils; however, the water-soluble packets must be completely dissolved before adding spray oils or products containing boron to spray mixtures.

Fore 80WP is compatible with most commonly used agricultural fungicides, insecticides and growth regulators. When preparing tank mixes, user should consult spray compatibility charts or State Cooperative Extension Service Specialists prior to actual use.

The physical spray compatibility of specific tank mixes can be checked by preparing a sample suspension in a glass container and observing the suspension for any adverse effects, which might interfere with proper spray application.

## Spray Adjuvants

The addition of a surfactant to sprays containing Fore 80WP will improve initial spray deposits, fungicide redistribution and weatherability. Place Fore 80WP into suspension prior to adding an adjuvant to the spray mixture. Read and carefully observe the precautionary statements and all other information appearing on both product labels prior to spray preparation.

## Application

Fore 80WP is a protectant fungicide. Optimum disease control is achieved with thorough coverage sprays applied on a regular schedule.

Hand Sprayers: Thoroughly spray plant foliage until runoff. When Fore 80WP is applied by a hand sprayer, 1 pound Fore 80WP per 100 gallons is equivalent to 1 level tablespoon per gallon spray solution.

### Disease Scouting

Fore 80WP is a broad-spectrum protectant fungicide. If not applied on a routine protectant spray schedule, turf and ornamental plants should be frequently observed for disease signs or symptoms. Fungicide application should be made at the recommended label use rate and spray schedule, when disease is first observed, reported in local area, or during environmental conditions favorable for disease development.

#### Restrictions

Users should carefully read, understand, and follow all use restrictions prior to using Fore 80WP.

## **Use Directions for Turf**

For use on golf courses, sod farms, and industrial or municipal turf areas. Not for use by homeowners.

[Editor's note: Following text to be included if product is sold in water-soluble packaging.] Each 24 ounce water-soluble packet will treat 6000 square feet at the 4 ounce rate, 4000 square feet at the 6 ounce rate, and 3000 square feet at the 8 ounce rate.

Start application when grass greens-up in spring or when disease first appears and repeat at 7 to 14 day intervals or until disease threat is past. When conditions are especially favorable for disease development, apply maximum fungicide use rate on a 7-day spray schedule. Apply in sufficient water to provide adequate coverage.

#### **Turf Tolerance**

Treated turfgrass should be maintained in a vigorous growing condition. Turfgrass under stress will not respond as well to fungicide treatments as well-maintained turfgrass. Turfgrass tolerance to this product has been found to be acceptable; however, this product and tank mixtures with other products have not been tested on all varieties of every turfgrass species or under all possible growing conditions. If user is unfamiliar with the performance of Fore 80WP fungicide or tank mixtures, under user growing conditions, a limited area of turigrass should be treated prior to initiating large-scale applications. The user should always exercise reasonable judgment and caution when using this product.

Crop	Diseases Controlled	Rate of Fore 80WP (oz/1,000 sq ft)	Remarks (Also refer to directions for use)	Restrictions
assorted grasses	helminthosporium melting-out rust (leaf, stem, stripe)	4		Do not graze treated areas.
	copper spot fusarium blight red thread slime mold	4 to 8		Do not use on grasses intended for grazing, such as range or
į	algae	6		pasture grasses.
1	dollar spot	6 to 8		
	rhizoctonia brown patch	4	Apply on a 7-day spray schedule.	Do not feed grass clippings to
	pythium blight	8	Apply at 5 day intervals, or more frequently, if conditions are especially favorable for disease development	livestock.  Do not use on grasses grown for seed.
	rapid blight (a putative chytridiomycete fungus)	8	Apply at a 14-day interval if conditions are favorable for disease development.	
	fusarium snow mold	6 to 8	Apply at 2 to 6 week intervals during winter.	
	gray leaf spot	8	Apply at 14-day intervals if conditions are favorable for disease development.	

## **Use Directions for Ornamentals**

## Not intended for use on fruit trees by homeowners.

Neither the manufacturer nor the seller has determined the effects of using Fore 80WP on ornamentals not specified on this label. Prior to any large-scale applications on such plants, the user should determine the effects of Fore 80WP by testing a small section of the type of plants treated. User assumes all risk arising out of application to unlabeled plants. The Conditions of Sale and Warranty apply to all uses.

For outdoor or greenhouse use, apply the equivalent of 1 1/2 lb of Fore 80WP per 100 gallons of dilute spray (1 1/2 lbs Fore 80WP per acre). The addition of Latron\* B-1956 to spray solutions will improve performance.

Begin spraying when plants are well leafed out or at first sign of disease, in a full coverage spray at 7 to 10 day intervals throughout season or follow State Extension Service recommendations for disease control on the following ornamental plants:

		Remarks	
Crop	Diseases Controlled	(Also refer to Directions for Use)	Restrictions
African violet	botrytis blight		Do not use for food or
ageratum	botrytis blight		feed purposes
	rust		(applies to all
almond (ornamental)	leaf spot		ornamental uses).
alyssum	leaf spot		
anthurium	anthracnose, spadix rot		
apple (ornamental)	fabraea leaf spot		Do not use on food or
	rust		feed.
	scab	<del></del>	
arborvitae	cercospora blight	_ <u></u>	
areca Palm	leaf spot		
ash, mountain	entomosporium leaf spot		
	guignardia leaf blotch	- <del> </del>	
ash, white	anthracnose		
	cylindrosporium leaf spot		
aster	leaf spot		<del> </del>
aster, perennial	puccinia rusts		<u></u>
aucuba, japonica	alternaria leaf spot		
	anthracnose	<u> </u>	
azalea	cylindrocladium rot	Apply in a full coverage spray, 2 to	
	petal blight	3 times a week, while flowers	
	phytopthora twig and bud	are opening. Direct spray into	
	blight	flowers and thoroughly spray	
have simulle a	last and	ground under bushes.	
bougainvillea	leaf spot	<del></del>	<del></del>
begonia	botrytis blight	<del></del>	
boxwood	leaf spot	<del></del>	
buffaloberry	cylindrosporium leaf spot		Do not use fruit for
	}		food or feed
camellias	petal blight	Refer to azalea.	purposes.
carnation	rust	Heler to azalea.	<u> </u>
Camation	septoria leaf spot		
cedar, red (juniper)	cercospora blight		
cedat, red (jumper)	phomopsis blight	•	
chrysanthemum	ascochyta blight	Apply twice weekly during	
cinysamnomom	botrytis petal spot	blooming period.	
	rust	blooming period.	
cockscomb (Celosia)			
conifers (Christmas	lophodermium needle cast	Begin application in spring or early	<del></del>
trees)	pine gall rust	summer before infection occurs.	
• • • •	scirrhia brown spot	Repeat after heavy rains and at	
		two- week intervals as long as	
	1	needed.	
cordyline	cercospora leaf spot		<del> </del>
crabapple	cedar-apple rust		<del></del>
	scab		
(ornamental)	[ SCAD		

A	Taranana bilaha	<del></del>	<del></del>
cypress, Arizona	cercospora blight		į
(Cupressus sp.)	monochaetia canker	<del></del>	<del> </del>
dahlia	botrytis blight	<del></del>	<del> </del>
delphinium	botrytis blight	_ <del> </del>	<del> </del>
dieffenbachia	leptosphaeria brown spot		<u> </u>
dogwood, flowering	anthracnose	Apply when buds begin to open,	1
	elsinoe leaf spot	when bracts have fallen, 4	)
	septoria leaf spot	weeks later and again in late	į
		summer after flower buds for	)
<u></u>	<u> </u>	next season have formed.	<u> </u>
dracaena	fusarium leaf spot		<u> </u>
elm	black leaf spot		
euonymus	anthracnose		
fatsia	anthracnose		<u> </u>
fern	rhizoctonia blight		
ficus	cercospora leaf spot		
fig	cylindrocladium leaf spot		
firethorn	fusicladium scab		
(pyracantha)	1		}
fir, Douglas	Swiss needle cast		<del></del>
fir, fraser	Swiss needle cast		<del> </del>
fuchsia	botrytis blight		<del></del>
PROTECT	rust		
geranium	rust	<u> </u>	<del>                                     </del>
gladiolus	botrytis blossom blight	Make regular weekly applications	<del> </del>
gradioius	curvularia leaf spot	starting before diseases appear	1
	Curvularia lear spor	and increase to 2 or 3	
	}	applications per week during	)
	1	periods of heavy disease and	(
	Ì	during rainy weather. On flower	1
İ	ļ	spikes, reduce spray	<u> </u>
	i	concentration to 3/4 lb per 100	1
1	1	gals.	1
gloxinia	botrytis blight		
gypsophila	botrytis blight		
hawthorn	cedar-apple rust		<u> </u>
Transition 1	fabraea leaf spot		1
1	frogeye leaf spot		1
l	hawthorn rust		<u> </u>
	scab		i i
hickory	gnomonia leaf spot		
holly	purple spot		
hollyhock	anthracnose		<del> </del>
Honyriook	cercospora leaf spot	1	
	puccinia rust	<b>\</b>	ļ \
honeysuckle	herpobasidium blight		<del> </del>
horsechestnut,	alternaria leaf spot		<del> </del>
buckeye	guignardia leaf blotch		1
hydrangea	botrytis blight	<del></del>	<del> </del>
nyurangea	cercospora leaf spot		į l
impations	botrytis blight	<del> </del>	<del> </del>
impatiens	didymellina leaf spot	(formark, did malling)	<del> </del>
iris		(formerly didymellina)	[
	mycosphaerella leaf spot	1	<b>}</b>
<u> </u>	mystrosporium ink spot	<del></del>	<del> </del>
juniper	phomopsis blight	<del></del>	<del> </del>
larkspur	rust	15-4-1	ļ
laurel, mountain	cercospora leaf spot	Refer to azalea.	
i	petal blight	l	į l
		<del></del>	<del> </del>
ligustrum lily	cercospora leaf spot botrytis blight		

e	14	19/1

magnolia	gloeosporium leaf spot		T
maple	alternaria leaf spot	<del>                                     </del>	Do not use on sugar
	phyllosticta leaf spot		maples intended for the production of maple syrup.
marigold	botrytis blossom blight	Do not use on French dwarf double or Signet type marigold seedlings.	
narcissus	botrytis blight (fire) smoulder		
oak	actinopelte leaf spot taphrina leaf blister		
orchid (Dendrobium)	botrytis blossom blight		
oxalis	rust		
pansy	anthracnose		
pears (ornamental)	fabraea leaf spot rust scab		
peony	botrytis blossom blight phytophthora blight	Apply in early spring and early fall, drenching soil around plants as well as the foliage. Promptly destroy all infected plant parts.	
peperomia	cercospora leaf spot		
petunia	botrytis blight		
philodendron	dactylaria leaf spot		
<u> </u>	phytophthora leaf spot		<u> </u>
phlox	leaf spot		
photinia	entomosporium leaf spot	<u> </u>	<u> </u>
pine Australia	cyclaneusma needle cast	<del>-  </del>	
pine. Scotch	cyclaneusma needle cast gall rust		
pittosporum	alternaria leaf spot		
pleomele	fusarium leaf spot		
poinsettia	sphaceloma scab		,
poplar	rust	<u> </u>	
primrose	botrytis blight		
protea	botrytis blight		
quince (ornamental)	fabraea leaf spot rust scab		
rhododendron	cercospora leaf spot discosia leaf spot petal blight	Refer to azalea.	
rose	black spot cercospora leaf spot rust		
rosemary	rhizoctonia aerial blight		
schefflera	alternaria blight		
Scotts pine	needle cast		
skunkbush, sumac	cylindrosporium leaf spot		
snapdragon	rust		
spathiphyllum	myrothecium leaf spot		
statice	cercospora frogeye		
strawflower	rust		
syngonium	cephalosporium leaf spot		
thorn apple	rust		
tulip	botrytis blight (fire)		
venus, flytrap	anthracnose		

viburnum	downy mildew ramularia leaf spot	
walnut	anthracnose	Do not use treated walnuts for food or feed purposes.
zinnia	alternaria leaf blight	

ATTENTION: This product contains mancozeb and ETU, chemicals known to the State of California to cause cancer. ETU is also known to the State of California to cause birth defects or other reproductive harm.

# Terms and Conditions of Use

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitations of Remedies.

## **Warranty Disclaimer**

Dow AgroSciences warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. Dow AgroSciences MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

## Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Dow AgroSciences or the seller. All such risks shall be assumed by buyer.

#### **Limitation of Remedies**

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Dow AgroSciences' election, one of the following:

- 1. Refund of purchase price paid by buyer or user for product bought, or
- 2. Replacement of amount of product used

Dow AgroSciences shall not be liable for losses or damages resulting from handling or use of this product unless Dow AgroSciences is promptly notified of such loss or damage in writing. In no case shall Dow AgroSciences be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Dow AgroSciences or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

\*Trademark of Dow AgroSciences LLC EPA accepted 08/22/00

308/2E November 6, 2006



Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

FORE 80WP RAINSHIELD (A.I. MANCOZEB)
EPA REGISTRATION NUMBER: 62719-388
NOTIFICATION OF MINOR LABEL CHANGE PER PR NOTICE 98-10

Enclosed please find labeling for the notification action of Fore\* 80WP Rainshield\* specialty fungicide. The following changes have been made by notification to comply with Final Use Termination Order for Mancozeb dated September 20, 2006:

- 1. Non-Agricultural Use Requirements: Deleted "lawn grasses" and "residential" from "Seed treatments and professional applications...of the Worker Protection Standard."
- 2. Use Directions for Turf: Revised first sentence directly underneath heading to read "For use on golf courses, sod farms, and industrial or municipal turf areas."
- 3. Ornamentals: Deleted pachysandra from table.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

#### Contents of Submission

- Transmittal document (this letter)
- Application for Pesticide, EPA Form 8570-1
- Label entitled Fore 80WP Rainshield (J8A/Fore 80WP Rainshield/MSTR Notif/11-06-06) (15 Pages plus Registration Notes) (5 Copies)

If you require further information, please contact Amy Hudson, Regulatory Specialist at (317) 337-3967 or Kim Williamson, Registration Assistant for this product, at (317) 337-4657.

Sincerely,

Steve A. McMaster Regulatory Leader

Regulatory Success - Americas

(317) 337-4670

(317) 337-4649 (FAX)

Enclosures

Trademark of Dow AgroSciences LLC